

1938 EDITION

PRICE LIST

WILLIAM MARPLES & SONS
LIMITED.

SHEFFIELD



"Shamrock Brand" TOOLS.




MARPLES

"SHAMROCK  BRAND"

TRADE MARK

TOOLS



1938 CATALOGUE



WM. MARPLES & SONS
LIMITED

Incorporating THOMAS IBBOTSON & CO. and JOHN MOSELEY & SON.

Hibernia Works :: SHEFFIELD 1

Telegrams :
MARPLES, SHEFFIELD.

Cables :
A B C CODE (6th Edition) USED.

Telephones :
20344 (2 lines)

LONDON BRANCH : 44, Upper Thames St., E.C.4. 'Phone : Central 8874.



PREFACE.

FOR over a century WILLIAM MARPLES & SONS have been engaged in the manufacture of Joiners' Tools. From the first we have concentrated on quality and during six reigns have kept this word steadily before us. As a direct result of this policy we can say to-day that tools bearing the mark "MARPLES SHAMROCK BRAND" are recognised throughout the World as the finest obtainable.

William Marples and Sons have moved with the times. Where the installation of machinery has promised more economical production such plant has been installed, always provided that the high quality of the product has not been impaired. Our factory is now equipped with the most up-to-date machinery in the trade, and the Directors, who are descendants of the founder, personally supervise manufacture.

Since our last Catalogue was published we have introduced many new lines, all of which are illustrated in this new edition. We therefore commend our 1938 Catalogue to your notice as an up-to-date and thoroughly comprehensive list of Tools for all Trades.

We take this opportunity of thanking our many trade friends for their loyal support and to assure them of our continued endeavours in their service.

Hibernia Works,
Sheffield, 1.

William Marples and Sons, Limited.

May, 1938.

REGISTERED TRADE MARKS.

1st. QUALITY.



W. Marples & Sons.
"Hibernia"

John Moseley & Son.

Thomas Ibbotson & Co.



2nd. QUALITY. W. Kent, J. Dixon.

3rd. QUALITY. E. Henry & Co.

Established in Sheffield 1828.



Terms and Conditions



This List cancels all previous Editions. Illustrations are not binding as to detail but may be taken as generally representative.

PRICES.

Prices and Terms are subject to alteration without notice. Buyers are reminded that our Trade is strictly wholesale, and that our goods are listed on a wholesale basis. We are always glad to oblige Customers with oddments at wholesale prices, provided that we receive a fair share of their Stock Orders, but we cannot bind ourselves to supply Odd Tools at the printed rate.

CONSIGNMENT.

Instructions should be given on every Order stating how Goods are to be consigned.

DELIVERY.

We carry comprehensive Stocks of all regular lines at "Hibernia" Works and also at our London Branch, and all orders receive prompt attention. We maintain a special Department to deal with small orders wanted "per Return."

WARRANTY.

All Tools bearing our Name or Trade Mark are Warranted and any Tool or Part proving defective in material or workmanship will be replaced free of charge, if returned carriage paid to our Factory. We can accept no responsibility for consequential damage or expenses.

We do not warrant Cast Iron Goods against breakage.

We cannot guarantee the safety in transit of Goods such as Grindstones, Whetstones, etc.

WARNING.

This Catalogue is our private property, and is liable to recall. Warning is hereby given against Infringement of our Copyright, or the use or reproduction of our Engravings for promoting the sale of Goods not made or supplied by us. Copies of this List are issued to the Trade only, with the condition that such Books are to be used for the purpose of ordering or selling our Goods. Any fraudulent acquisition of, or unauthorized traffic in our Catalogues will be most strongly dealt with.

LOOSE SHEETS of this List can be supplied on request.

INDEX.

	PAGES		PAGES		PAGES
ADZES ...	31-32	Bellows, Hand ...	132	Boxes, Mitre ...	180
Adze Handles ...	204	Bellows, Foot, for Gas ...	169	" Pit Saw ...	203
Adze Eye Hammers ...	98	Bellows, Smiths' ...	132	" Wood Screw ...	206
Air-tight Planes ...	82	Belts, Sailors' ...	111	Box Openers ...	101
Alphabet Stamps ...	189	" Firemen's ...	35	" Scrapers ...	88
Anvils, Bench ...	132	" School ...	221	" Spanners ...	94
" Smiths' ...	132	Benches, Carpenters' ...	220	Boxing Machines ...	94
" Sawsetting ...	70	" School ...	221	Boxmakers' Hammers ...	97
" Timmen's ...	177	Bench Drills ...	199	Boxwood Rules ...	239 to 242
Apple Corers ...	187	" Grinders ...	197	Braces, American	
Arkansas Slips ...	4	" Hooks, Technical ...	136	" pattern ...	39, 40
Asparagus Knives ...	183	" Holdfasts ...	4, 136	" Joiners' ...	39, 40
Astragal Planes ...	82	" Knives ...	20	" Coopers' ...	91
Auctioneers' Hammers ...	205	" Pegs ...	136	" Engineers' ...	144
Augers, Carpenters' ...	45	" Screws ...	137	" Nut ...	40
" Hollow ...	93	" Stops ...	136	" Platelayers' ...	39
" Machine ...	47	" Vices ...	134, 135	" Ratchet ...	39, 144
Auger Bits ...	46	Benders, Pipe ...	164	" Wagon ...	39
Auger Bit Rolls ...	46	" Rail ...	145	Brace Bit Rolls ...	44, 46
Auger Gimlets ...	48	Bending Springs ...	164	Brace Bits ...	41 to 47
Auger Handles ...	203	" Sticks ...	162	" Jaws ...	40
Awls, Boat ...	49	Bevels, Carpenters' ...	60	Brad Awls ...	50
" Brad ...	50	" Masons' ...	115	Brad Awl Handles ...	202
" Dressmakers' ...	188	Bicks, Coopers' ...	91	Brad Punches ...	52
" Flooring ...	50	" Timmen's ...	176	Branch Shears ...	219
" Garnish ...	109	Bicycle Wrenches ...	94	Brands ...	189
" Marking ...	51	Bills, Mill ...	112	Brass Plumb Bobs ...	116
" Pegging ...	104	Bill Hooks ...	214	Bread Knives ...	183
" Saddlers' ...	106	Birdcage Awls ...	50	Bread Rasps ...	182
" Sewing ...	104	Bit Holders, Boat ...	49	Brewers' Gimlets ...	49
" Shoemakers' ...	104	" Carpenters' ...	40, 49	" Frets ...	49
" Sprig ...	50	Bit Rolls ...	44, 46	Brick Bolsters ...	114
" Stationers' ...	188	Bits, Boat ...	49	" Cleaners ...	114
" Trimmers' ...	109	" Brace ...	41 to 47	" Hammers ...	119
" Upholsterers' ...	109	" Plough ...	26	" Trowels ...	117
Awl Handles ...	202	Black, Plumbers' ...	168	Bricklayers' Tools ...	117 to 119
Awl Pads ...	51	Blacksmiths' Tools ...	131, 132	Brickmakers' Saw Frames ...	120
Axes, Joiners' ...	33, 34	Block Hammers ...	178	Broaches ...	156
" Brick Cleaning ...	114	" Knives ...	20	Broughton's Countersinks ...	42
" Butchers' Pole ...	36	" Planes ...	87	Brush Shears ...	175
" Coopers' ...	90	" Scrapers ...	184	Brushes, File ...	206
" Coachmakers' ...	33	" Shears ...	175	" Glue ...	193
" Felling ...	33, 34	Blocks, Gin ...	149	Bruzzes, Wheelers ...	16
" Firemen's ...	35	" Mitre ...	180	Buck Saws ...	74
" Granite ...	112	" Pulley ...	149, 150	Budding Knives ...	216
" Pole ...	36	" Scribing ...	146	Bufs, Polishing ...	197
" Slaters' ...	123	" Swage ...	132	Buffers, Farriers' ...	127
Axe Handles ...	204	" V ...	146	Buhl Punches ...	4
BB PLANES ...	77, 78	Blow Lamps ...	168	Bull Leaders ...	129
" Back Saws ...	72	" Pipes ...	169	" Nose Planes ...	85
Back Nut Wrenches ...	165	Boards, Chipping ...	136	" Pliers ...	129
Badger Planes ...	81	" Plumb ...	64, 116	" Rings ...	129
Bags, Plumbers ...	193	" Shuteing ...	180	Bullock Axes ...	36
Bag Hooks ...	101	Boatbuilders' Bits ...	49	Bung Borers ...	91
Bagging Hooks ...	209	" Gimlets ...	49	" Ticklers ...	49
Bakers' Scrapers ...	181	" Bit Holders ...	49	Burring Rimers ...	155
" Soldering Fluid ...	226	Bobbins, Plumbers' ...	162	Burn Brands ...	189
Bale Openers ...	101	Bobs, Plumb ...	116	Burner Taps ...	155
Balling Irons ...	129	" Polishing ...	197	" Pliers ...	158
Band Saws ...	74	Bodkins, Basketmakers' ...	102	Burnishers, Chain ...	106
Bars, Folding ...	178	Boiler Tools ...	143	Bushing Engines ...	94
Barbed Wire Nippers ...	159	" Cramps ...	145	Butchers' Cleavers ...	36
Basketmakers' Tools ...	102	Bolsters, Brick ...	114	" Killing Hammers ...	36
Basses, Tool ...	193	Bolt Croppers ...	160	" Skewers ...	185
Bead Planes ...	82	Boning Knives ...	184	" Hooks ...	185
" Plane Irons ...	25	Border Forks ...	208	" Knives ...	184
Beads, Ironmoulders ...	125	" Spades ...	207	" Pole Axes ...	36
Bearing Scrapers ...	147	" Shears ...	219	Butchers' Saws ...	75
Bears, Punching ...	145	Borers, Draw ...	20	" Steels ...	185
Beaters, Lead ...	162	" Bung ...	91	Butt Chisels ...	19
Beds and Punches, Eyelet ...	111	" Flush ...	91	Butter Testers ...	182
Beet Knives ...	210	" Tap ...	91	Button Hole Punches ...	104
Beetles, Paviers ...	113	" Knife ...	91	Buttresses, Farriers' ...	123
" Stake Driving ...	205	Boring Machines, Slate ...	123	Buzz Irons ...	92
Bell Centering Punches ...	147	Boss Tools, Ironmoulders' ...	126	CABINET AWLS ...	50
" Gimlets ...	49	Bossing Mallets ...	162	" Scrapers ...	51, 88
" Pliers ...	158	" Sticks ...	162	" Turnscrows ...	53
		Bow Saws, Butchers' ...	75	Cabinet Socket Chisels ...	19
		" Joiners' ...	68		
		Bows, Drill ...	115		

All Pattern Numbers follow in approximate rotation throughout the List.

	PAGES		PAGES		PAGES		PAGES
Plane Parts ...	83, 87	Punches, Blacksmiths' ...	131	Rests, Grinding ...	195	Saws, Pad ...	69
Plasterers' Tools ...	121, 122	" Bell Centering ...	147	" Slaters' ...	123	" Panel ...	71
Platlayers' Adzes ...	32	" Brad ...	52	Revolving Pliers ...	103	" Pit ...	73
" Braces ...	39	" Button-hole ...	104	Riffler Files ...	4	" Plumbers' ...	164
Plates, Drip ...	164	" Centre ...	147	Rimers, Brace ...	43	" Pruning ...	74
" Screw ...	156	" Carving ...	4	" Drill ...	155	" Rip ...	71
" Scribing ...	164	" Coopers' ...	92	" Engineers' ...	155	" Salt ...	75
" Surface ...	146	" Copper ...	143	" Gas ...	155	" Stone ...	73
Plier Rug Needles ...	188	" Corrugated Iron ...	142	" Golf Club ...	154	" Toy ...	75
Pliers, Bellhangers ...	158	" Crew ...	105	Rings, Bull ...	129	" Tenon ...	72
" Bull ...	129	" Double Washer ...	165	Rink Skates, Ice ...	234	" Turning ...	68
" Buttonhole ...	104	" Figure ...	189	Rip Saws ...	71	" Woodcutters' ...	74
" Combination ...	158	" Flooring ...	52	Rippers, Slaters' ...	123	Saw Boxes and Tillers... 203	
" Cutting ...	157	" Fretwork ...	4	Ripping Chisels ...	108	" Frames, ...	
" Detonator ...	158	" Gun Wad ...	165	Rivet Forges ...	133	" Brickmakers' ...	120
" Electricians' ...	158	" Letter ...	189	" Punches ...	142	" Coopers' ...	89
" Eyelet ...	104	" Mattress ...	107	" Sets, Coopers' ...	92	" Turning ...	68
" Fencing ...	124	" Motor ...	143	" Sets, Timmen's ...	178	" Frame Handles ...	68
" Flat Nose ...	157	" Nail ...	52	" Snaps Coopers' ...	92	" Handles ...	203
" Gas Fitters' ...	158	" Pin ...	142	" Timmen's ...	174	" Pads ...	69
" Glass ...	170	" Reaper Section ...	209	Road Wedges ...	113	" Screws ...	203
" Insulated ...	158	" Repoussé ...	225	Rollers, Paperhangers' ...	173	" Sets ...	69, 70
" Lamb ...	128	" Rivet ...	142	Rolls, Brace Bit ...	44, 46	" Setting Anvils ...	70
" Mechanics' ...	158	" Saddlers' ...	105	" Carving Tool ...	3	" Hammers ...	70
" Milliners' ...	157	" Sail Eyelet ...	111	" Gent's Tool ...	225	" Spindles ...	198
" Motorists' ...	158	" Tinmen's ...	178	Rose Pruners ...	217	" Sharpening Vices 120-123	
" Nut ...	158	" Tuft Cutting ...	107	Roughing Planes ...	78	Saxes, Slaters' ...	123
" Pendulum ...	157	" Wad ...	165	Round Nose Pliers ...	157	Scaffolding Hammers ...	119
" Reed ...	157	" Washer ...	165	Round Shaves, Coopers' ...	30	Scaling Hammers ...	141
" Round Nose ...	187	Punch Pliers, Bull Ring ...	129	Rounders, Dowel ...	44	Scallops, Coopers' ...	91
" Saddlers' ...	105	" Sheep Ear ...	130	" Fork Shaft ...	93	Scissors, ...	228
" Sheep Ear ...	130	" Shoemakers' ...	103	" Wheelers ...	93	" Leather ...	108
" Shoemakers' ...	103	Punching Bears ...	145	Rounding Adzes ...	31	" Paperhangers' ...	173
" Slip Joint ...	158	Putty Knives ...	170, 171	Router Irons ...	27	" Pruning ...	217
" Steel Wire ...	157	QUARRY TOOLS ...	112	" Planes ...	81, 85	" Vine ...	217
" Taper Nose ...	157	" Wedges ...	113	Routers, Wood Carvers' ...	4	Scout Knives ...	229
" Telegraph ...	124	Quirking Tools ...	121	Rubber Mallets ...	205	Scrapers, Bakers' ...	181
" Telephone ...	157	RABBET PLANES ...	78, 81	Rubbers, Cork ...	206	" Block ...	184
" Watchmakers' ...	157	" Plane Irons ...	25	" Lignum Vitæ ...	106	" Bearing ...	147
" Wireless ...	157	Rabone Rules and Tapes ...	239-245	Rubbish Pulleys ...	149	" Box ...	88
Plier Sawsets ...	70	Racers, Saddlers' ...	106	Rug Needles ...	188	" Cabinet ...	51, 52, 88
Plough Bits ...	26	Racks of Tools ...	224	Rules, Steel and Boxwood ...	239 to 243	" Coopers' ...	92
" Planes ...	78, 80, 86	Rail Benders ...	145	" Joint ...	121	" Decorators' ...	172
" Stops ...	83	Rakes, Garden ...	210	SACK HOISTS ...	150	" Dough ...	181
" Plates ...	83	" Joint ...	119	Saddlers' Tools ...	105, 106	" Paperhangers' ...	172
" Gauges, Saddlers' ...	106	" Smiths' ...	131	Sail Hooks, &c. ...	111	" Pig ...	181
Ploughs, Saddlers' ...	106	Rake Shafts ...	210	Sail Prickers ...	111	" Ship ...	111
Plugging Chisels ...	167	Rammers, Earth ...	210	Sailors' Knives ...	111	" Wood ...	52
Plumb Bobs ...	116	Rasps, Bread ...	182	" Palms ...	111	" Yacht ...	111
" Boards ...	64, 116	" Horse Mouth ...	129	Salt Saws ...	75	Scraper Steels ...	51
" Levels ...	61 to 66	" Shoe Peg ...	104	Sand Bags ...	225	Screws, Bench ...	137
Plumbers' Black ...	168	" Wood ...	233	Sash Bits ...	47	" Cabinetmakers' ...	137
" Tools ...	162 to 168	Ratchet Braces, Joiners' ...	39	" Cramps ...	138	" Plane Iron ...	24
Pocket Knives ...	229	" Engineers' ...	144	" Gouges ...	8	" Saw ...	203
Pointing Trowels ...	118	Ratchet Brace Drills ...	237	" Mortise Chisels ...	14	" Wood Carvers' ...	4
Points, Fixing ...	166	Ratchet Spanners ...	94	" Pocket Chisels ...	20	Screw Augers ...	45
" Masons' ...	114	Ratchet Turnscrews ...	55	" Planes ...	80, 82	" Auger Bits ...	46
Pokers, Smiths' ...	131	Ratchets, Wire Straining ...	124	Saws, Amateurs' ...	75	" Boxes, Wood ...	206
Pole Axes ...	36	Rawhide Mallets ...	205	" Back ...	72	" Jacks ...	148
Pole Climbing Irons ...	124	Rawplugs and Outfits... 226		" Band ...	74	" Keys ...	94
Polishing Heads ...	197	Razor Hones ...	194	" Bow ...	68	" Plates ...	156
" Wheels ...	197	Reaming Irons ...	110	" Brick ...	120	" Racers ...	106
Portable Forges ...	133	Reaper Files ...	209	" Buck ...	74	" Shoulder Veins ...	106
Posts, Drilling ...	145	" Oileans ...	191	" Butchers' ...	75	Screwdrivers ...	53 to 56
Pots, Glue ...	193	" Section Punches ...	209	" Chain ...	74	Screwdriver Handles ...	203
" Melting ...	163	Reed Pliers ...	157	" Circular ...	73	Screwing Tackle ...	151-155
" Smudge ...	164	" Planes ...	82	" Compass ...	75	Scribes, Timber ...	191
Potato Knives ...	183	Reels, Chalk Line ...	206	" Coping ...	76	Scribers, Engineers' ...	147
Prickers, Ice ...	187	" Garden ...	212	" Cross Cut ...	73	Scribing Blocks ...	146
" Saddlers' ...	106	Registered Chisels ...	9	" Drag, Masons' ...	115	" Gauges ...	146
" Sail ...	111	" Gouges ...	10	" Farmers' ...	72	" Gouges ...	7
Pricking Irons ...	106	Regulators, Upholsterers' ...	109	" Hack ...	76	" Plates ...	164
Pricker Pads ...	51	Repairmen's Rimers ...	155	" Hand ...	71	Scrimming Hammers ...	173
Pritchels, Farriers' ...	128	Repoussé Tools ...	225	" Household ...	75	Sculptors' Tools ...	114, 115
Pruners, Rose ...	216, 217	Rescuters, Tap ...	168	" Jewellers' ...	75	Scutchers, Masons' ...	119
" Tree ...	216			" Keyhole ...	69, 75	Scythes ...	209
Pruning Knives ...	216			" Kitehen ...	75	Scythe Snaths ...	209
" Saws ...	74			" Nest of ...	75	" Stones ...	209
" Scissors ...	217					Seam Rollers ...	173
" Shears ...	217					" Turners ...	106
Pulley Blocks ...	149					Searchers, Farriers' ...	128
Pulleys, Rubbish ...	149					Searing Irons ...	128

	PAGES
Vices, Coopers' ...	92
" Engineers' ...	134
" Hand ...	156
" Joiners' ...	134
" Leg ...	134
" Pipe ...	143
" Saw Sharpening ...	136
" Smiths' ...	134
" Wire Straining ...	124
" Wood Bench ...	136
" Woodworkers' ...	134
Vine Scissors ...	217

WAD PUNCHES ...	165
Wagon Bits ...	47
Wagon Braces ...	39
" Chisels ...	10
Wall Drills ...	167
Walling Hammers ...	112
Warrington Hammers ...	97

	PAGES
Washer Cutters ...	166
" Punches ...	165
Washita Oilstones ...	193
Watchmakers' Broaches ...	156
" Nippers ...	160
" Pliers ...	157
Web Strainers ...	108
Wedges, Chase ...	162
" Quarry ...	113
" Road ...	113
" Wood Splitting ...	33
Weed Forks ...	212
" Hooks ...	211
Welsh Oilstones ...	193
Weston's Blocks ...	150
Wheeler's Adzes ...	32
" Bruzzes ...	16
" Bushing Engine ...	94
" Rounders ...	93
Wheels, Polishing ...	197
" Emery ...	197
" Fudge ...	104

	PAGES
Wheels, Pipe Cutter ...	143
" Tracing ...	188
Wheelwrights' Tools ...	93, 94
Whet Stones ...	193, 194
Whittles, Coopers' ...	92
Window Trowels ...	118
Wine Frets ...	49
Wing Compasses ...	160
Wipers, Moleskin ...	163
Wire Dogs ...	124
" Gauges ...	156
" Netting Nippers ...	159
Wire Straining Vices ...	124
Wireless Pliers ...	157
Wood Bench Vices ...	136
Wood Carvers' Tools ...	1 to 4
Wood Choppers ...	38
Wood Drills ...	237
Wood Screw Boxes ...	206
" Scrapers ...	52
" Trimmers ...	179
" Turning Tools ...	21, 22

	PAGES
Wool Hooks ...	101
Work Benches ...	220
Wrecking Bars ...	120
Wrenches, Adjustable ...	94
" Back Nut ...	165
" Coach ...	94
" Cycle ...	94
" Pipe ...	144
" Tap ...	155

YACHT SCRAPERS ...	111
Yard Sticks ...	242
Yarning Tools ...	166

ZINC CUTTING	
KNIVES ...	165
" Gauges ...	156
" Salt Saws ...	75

All Pattern Numbers follow in approximate rotation throughout the List.

INDEX—Continued.

	PAGES		PAGES		PAGES		PAGES
Secateurs ...	217	Snaths, Scythe ...	209	Stone Hammers ...	112	Tool Racks ...	224
Section Punches ...	209	Snips, Jewellers' ...	174	.. Masons' Tools ...	112	.. Rolls ...	225
Set Squares ...	121, 227	.. Tinmen's ...	174	.. Picks ...	112	Toothing Planes ...	81
Sets, Nail ...	52	Sockets, Drill ...	236	.. Saws ...	73	Top Irons ...	24
.. Rivet ...	92, 178	.. Hod ...	120	.. Wedges ...	113	Topping Planes, Coopers' ...	89
.. Saw ...	69, 70	Socket Chisels ...	16-19	Stop Chamfer Planes ...	81	.. Plane Irons ...	26
.. Smiths' ...	131	.. Gouges ...	16, 18	Stopping Knives ...	171	Torch Lamps, Plumbers' ...	169
Setting-in Stocks ...	162	Soft Moulding Irons ...	25	Stops, Bench ...	136	Tower Pincers ...	159
Sewing Awls, Shoemakers' ...	104	Soil Pipe Hooks ...	163	Stoup Planes, Coopers' ...	89	Tracing Wheels ...	188
Shade Ring Pliers ...	158	Soil Pots, Plumbers' ...	164	Stoves, Plumbers' ...	169	Trammel Heads ...	115
Shaft Rounders ...	93	Soldering Irons, Tinmen's ...	175	Strainers, Carpet ...	108	Treadle Grinders ...	196, 197
Shafts, Hammer, &c ...	204	.. Heaters ...	169	.. Web ...	108	Tree Pruners ...	216
Sharp Adzes ...	31	.. Fluid ...	226	Stretchers, Carpet ...	108	Trenail Irons ...	110
Sharp Irons ...	110	.. Lamps ...	169	Striking Knives ...	51	Trenching Planes ...	80
Shaves, Basketmakers' ...	102	.. Outfits ...	226	Stripping Knives, Paper ...	171	Trimmers, Awls ...	109
.. Coopers' ...	30, 90	.. Paste ...	226	.. Wire ...	165	.. Handles ...	202
.. Saddlers' Edge ...	106	Spades ...	207	Suet Chopping Knives ...	181	.. Dowel ...	44
Shave Hooks ...	163	Spading Forks ...	208	Sugar Nippers ...	182	.. Spoke ...	93
Shears, Basketmakers' ...	102	Spalling Hammers ...	112	Sun Planes, Coopers' ...	89	.. Wood ...	179
.. Block ...	175	Spanner Braces ...	40	Surface Gauges ...	146	Troughs, Slack & Water ...	132
.. Border ...	219	Spanners ...	94, 95, 96	.. Plates ...	146	Trowels, Bedding ...	212
.. Branch ...	219	Sparking Plug Spanners ...	96	Swage Blocks ...	132	.. Brick ...	117
.. Brush ...	174	Spikes, Marline ...	111	Swages, Smiths' ...	131	.. Concreters' ...	121
.. Cemetery ...	218	Spike Gimlets ...	48	Swifts, Coopers' ...	89	.. Daub ...	118
.. Game ...	228	Spike Irons ...	110	Swift Irons ...	26	.. Fern ...	212
.. Grass ...	217	Spindles, Grindstone ...	196	Swiss Bits ...	42	.. Flooring ...	121
.. Hedge ...	218	.. Saw ...	198	Switching Bills ...	214	.. Garden ...	212
.. Jewellers' ...	175	Spirit Levels ...	61 to 66	Swords, Timber ...	191	.. Gauging ...	118
.. Lawn ...	219	.. Tubes ...	64	Syringes, Garden ...	213	.. Iron Moulders' ...	125
.. Lopping ...	219	Splicing Tools ...	111			.. Margin ...	118
.. Mount Cutting ...	180	Spokeshave Irons ...	68			.. Masons' ...	118
.. Pruning ...	217	Spokeshaves, Iron ...	88			.. Plasterers' ...	121, 122
.. Sheep ...	190	.. Joiners' ...	67, 88			.. Pointing ...	117
.. Stock ...	175	.. Coachmakers' ...	93			.. Slaters' ...	123
.. Tinmen's ...	174	.. Coopers' ...	90			.. Window ...	118
Sheaths, Sailors' ...	111	.. Patternmakers' ...	68			Trowel Handles ...	202
Sheath Knives ...	111	Spoke Trimmers ...	93			Trussing Needles ...	109
Sheathing Hammers ...	110	Spoon Tools ...	125			Try Squares ...	59, 146
Sheep Ear Pliers ...	130	Spout Gimlets ...	48			.. Planes ...	77, 79, 84
.. Marks ...	189	Spraying Syringes, Garden ...	213			Tryers, Butter, &c ...	182
.. Shears ...	190	Sprig Awls ...	50			.. Ham ...	182
Shell Augers ...	45	.. Hammers ...	170			Tub Shaves, Coopers' ...	89
.. Bits ...	42	Spring Callipers ...	161			Tube Cutters ...	143
.. Gimlets ...	48	.. Dividers ...	161			.. Expanders ...	143
Shepherds' Crooks ...	129	.. Measures ...	245			.. Vices ...	143
Shift Stocks ...	115	.. Pipe Benders ...	164			.. Wrenches ...	144
Ship Adzes ...	32	.. Rules ...	245			Tubes, Spirit Level ...	64
.. Augers ...	45	Spuds ...	211			Tubular Box Spanners ...	94
.. Gimlets ...	49	Squares, Blacksmiths' ...	116			Tue Irons ...	132
.. Mauls ...	110	.. Bricklayers' ...	116			Tuft Punches ...	107
.. Scrapers ...	111	.. Carpenters' ...	59			Turfing Irons ...	208
Shipwrights' Tools ...	110, 111	.. Engineers' ...	146			Turn Pins ...	162
Shoehing Tools, Farriers' ...	127, 128	.. Iron ...	116			Turning Tools ...	21
Shoemakers' Tools ...	103, 104	.. Masons' ...	115, 116			.. Saw Frames ...	68
"Shockproof" Levels ...	61-66	.. Mitre ...	60			.. Blades ...	68
Shoulder Veins ...	106	.. Set, Steel ...	121			Turnscrews ...	53 to 56
Shovels ...	207	.. Smiths' ...	116			Turnscrew Bits ...	43
.. Smiths' ...	131	.. Steel ...	116			.. Handles ...	203
Shuteing Boards ...	180	Squeezers, Cane ...	102			Twist Drills ...	235 to 237
Shuteing Planes ...	83	Stake Driving Mauls ...	205			Twist Drill Stands ...	236
Sickles, Cape ...	209	Stakes, Tinmen's ...	176, 177			Twitchers, Plasterers' ...	122
Skates, Ice ...	234	Stamps, Name, &c ...	189				
Skewers, Butchers' ...	185	Staple Vices ...	134				
.. Upholsterers' ...	109	Staple Pullers ...	124				
Skinning Knives ...	184	Stationers' Awls ...	188				
Slashers ...	214	Staving Tools Pipe ...	166				
Slaters' Tools ...	123	Steel Rules ...	242, 243				
Sledge Hammers ...	141	.. Tapes ...	244, 245				
Sleeves for Drills ...	236	Steels, Butchers' ...	185				
Slide Rest Tools ...	22	.. Scraper ...	51				
Slips, Gouge ...	4, 193	Stevadores' Hooks ...	101				
Slip Joint Pliers ...	158	Sticks, Yard ...	242				
Slot Boring Bits ...	47	Stick Choppers ...	38				
Small Tools, Plasterers' ...	121	Sticking Knives ...	184				
Smashers, Saddlers' ...	106	Stock Shears ...	175				
Smiths' Tools ...	131, 132	Stocks and Dies ...	151 to 153				
Smooth Planes ...	77, 79, 84	Stocks, Dowelling ...	91				
Smoothers, Ironmoulders' ...	126	Stones, Oil ...	193, 194				
Snudge Pots ...	164	.. Scythe ...	209				
Snaps, Coopers' ...	92	Stone Dressing Tools ...	114				
.. Tinmen's ...	178	.. Drill Bits ...	47				

All Pattern Numbers follow in approximate rotation throughout the List.



DISCOUNT TABLE.

Per Cent	3d	6d	9d	1/-	2/-	3/-	4/-	5/-	6/-	7/-	8/-	9/-	10/-	11/-	12/-	13/-	14/-	15/-	16/-	17/-	18/-	19/-	20/-
5			-0½	-0½	-1	-2	-2½	-3	-3½	-4	-5	-5½	-6	-6½	-7	-8	-8½	-9	-9½	-10	-11	-11½	1/-
7½		-0½	-0½	-1	-2	-2½	-3½	-4½	-5½	-6½	-7	-8	-9	-10	-11	-11½	1/0½	1/1½	1/2½	1/3½	1/4	1/5	1/6
10		-0½	-0½	-1	-1	-2½	-3½	-5	-6	-7	-8½	-9½	-11	1/-	1/1	1/2½	1/3½	1/5	1/6	1/7	1/8½	1/9½	2/-
12½		-0½	-0½	-1	-1½	-3	-4½	-6	-7½	-9	-10½	1/-	1/1½	1/3	1/4½	1/6	1/7½	1/9	1/10½	2/-	2/1½	2/3	2/4½
15		-0½	-1	-1	-2	-3½	-5½	-7	-9	-11	1/0½	1/2½	1/4	1/6	1/8	1/9½	1/11½	2/1	2/3	2/5	2/6½	2/8½	3/-
17½		-0½	-1	-1½	-2	-4	-6	-8½	-10½	1/0½	1/2½	1/4½	1/7	1/9	1/11	2/1	2/3½	2/5½	2/7½	2/9½	2/11½	3/1½	3/4
20		-0½	-1	-1½	-2½	-5	-7	-9½	1/-	1/2½	1/5	1/7	1/9½	2/-	2/2½	2/5	2/7	2/9½	3/-	3/2½	3/5	3/7	3/9½
22½		-0½	-1½	-2	-2½	-5½	-8	-11	1/1½	1/4	1/7	1/9½	2/0½	2/3	2/5½	2/8½	2/11	3/2	3/4½	3/7	3/10	4/0½	4/3½
25		-0½	-1½	-2	-3	-6	-9	1/-	1/3	1/6	1/9	2/-	2/3	2/6	2/9	3/-	3/3	3/6	3/9	4/-	4/3	4/6	4/9
27½		-1	-1½	-2½	-3½	-6½	-10	1/1½	1/4½	1/8	1/11	2/2½	2/5½	2/9	3/0½	3/3½	3/7	3/10	4/1½	4/5	4/8	4/11½	5/2½
30		-1	-2	-2½	-3½	-7	-11	1/2½	1/6	1/9½	2/1	2/5	2/8½	3/-	3/3½	3/7	3/11	4/2½	4/6	4/9½	5/1	5/5	5/8½
32½		-1	-2	-3	-4	-8	-11½	1/3½	1/7½	1/11½	2/3½	2/7	2/11	3/3	3/7	3/11	4/2½	4/6½	4/10½	5/2½	5/6½	5/10	6/2
35		-1	-2	-3	-4	-8½	1/0½	1/5	1/9	2/1	2/5½	2/9½	3/2	3/6	3/10	4/2½	4/6½	4/11	5/3	5/7	5/11½	6/3½	6/8
37½		-1	-2	-3½	-4½	-9	1/1½	1/6	1/10½	2/3	2/7½	3/-	3/4½	3/9	4/1½	4/6	4/10½	5/3	5/7½	6/-	6/4½	6/9	7/2
40		-1	-2½	-3½	-5	-9½	1/2½	1/7	2/-	2/5	2/9½	3/2½	3/7	4/-	4/5	4/9½	5/2½	5/7	6/-	6/5	6/9½	7/2½	7/7
42½		-1½	-2½	-4	-5	-10	1/3½	1/8½	2/1½	2/6½	2/11½	3/5	3/10	4/3	4/9	5/1	5/6½	5/11½	6/4½	6/9½	7/2½	7/8	8/1
45		-1½	-2½	-4	-5½	-11	1/4	1/9½	2/3	2/8½	3/2	3/7	4/0½	4/6	4/11½	5/5	5/10	6/3½	6/9	7/2½	7/8	8/1	8/6½
47½		-1½	-3	-4½	-5½	-11½	1/5	1/11	2/4½	2/10	3/4	3/9½	4/3	4/9	5/3	5/8½	6/2	6/8	7/1½	7/7	8/1	8/6½	8/9
50		-1½	-3	-4½	-6	1/-	1/6	2/-	2/6	3/-	3/6	4/-	4/6	5/-	5/6	6/-	6/6	7/-	7/6	8/-	8/6	9/-	9/6
52½		-1½	-3	-4½	-6½	1/0½	1/7	2/1	2/7½	3/2	3/8	4/2½	4/9	5/3	5/9	6/3½	6/10	7/4	7/10½	8/5	8/10½	9/5½	9/11½
55		-1½	-3½	-5	-6½	1/1	1/8	2/2½	2/9	3/3½	3/10	4/5	4/11½	5/6	6/0½	6/7	7/2	7/8½	8/3	8/9½	9/4	9/11	10/5½
57½		-1½	-3½	-5	-7	1/2	1/8½	2/3½	2/10½	3/5½	4/0½	4/7	5/2	5/9	6/4	6/11	7/5½	8/0½	8/7½	9/2½	9/9½	10/4	10/11
60		-2	-3½	-5½	-7	1/2½	1/9½	2/5	3/-	3/7	4/2½	4/9½	5/5	6/-	6/7	7/2½	7/9½	8/5	9/-	9/7	10/2½	10/9½	
62½		-2	-3½	-5½	-7½	1/3	1/10½	2/6	3/1½	3/9	4/4½	5/-	5/7½	6/3	6/10½	7/6	8/1½	8/9	9/4½	10/-	10/7½	11/3	11/10½
65		-2	-4	-6	-8	1/3½	1/11½	2/7	3/3	3/11	4/6½	5/2½	5/10	6/6	7/2	7/9½	8/5½	9/1	9/9	10/5	11/0½	11/8½	
67½		-2	-4	-6	-8	1/4	2/-	2/8½	3/4½	4/0½	4/9	5/5	6/1	6/9	7/5	8/1	8/9	9/5½	10/1½	10/9½	11/6	12/2	
70		-2	-4	-6½	-8½	1/5	2/1	2/9½	3/6	4/2½	4/11	5/7	6/3½	7/-	7/8½	8/5	9/1	9/9½	10/6	11/2½	11/11	12/7	
72½		-2	-4½	-6½	-8½	1/5½	2/2	2/11	3/7½	4/4	5/1	5/9½	6/6	7/3	8/-	8/8½	9/5	10/2	10/10½	11/7	12/4	13/0½	
75		-2½	-4½	-7	-9	1/6	2/3	3/-	3/9	4/6	5/3	6/-	6/9	7/6	8/3	9/-	9/9	10/6	11/3	12/-	12/9	13/6	
77½		-2½	-4½	-7	-9½	1/6½	2/4	3/1	3/10½	4/8	5/5	6/2½	7/-	7/9	8/6	9/3½	10/1	10/10	11/7½	12/5	13/2	13/11½	
80		-2½	-5	-7½	-9½	1/7	2/5	3/2½	4/-	4/9½	5/7	6/5	7/2½	8/-	8/9½	9/7	10/5	11/2½	12/-	12/9½	13/7	14/5	

PRICES "PER LB." AND EQUIVALENT "PER CWT."






















¼d. 2/4	½d. 4/8	¾d. 7/-	1d. 9/4	1½d. 11/8	2d. 14/-	2½d. 16/4	3d. 18/8	3½d. 21/-	4d. 23/4	4½d. 25/8	5d. 28/-	5½d. 30/4	6d. 32/8	6½d. 35/-	7d. 37/4	per lb. per cwt.
4¼d. 39/8	4½d. 42/-	4¾d. 44/4	5d. 46/8	5½d. 49/-	6d. 51/4	6½d. 53/8	7d. 56/-	7½d. 58/4	8d. 60/8	8½d. 63/-	9d. 65/4	9½d. 67/8	10d. 70/-	10½d. 72/4	11d. 74/8	per lb. per cwt.
8¼d. 77/-	8½d. 79/4	8¾d. 81/8	9d. 84/-	9½d. 86/4	10d. 88/8	10½d. 91/-	11d. 93/4	11½d. 95/8	12d. 98/-	12½d. 100/4	13d. 102/8	13½d. 105/-	14d. 107/4	14½d. 109/8	15d. 112/-	per lb. per cwt.



MARPLES "Shamrock Brand" TOOLS



LONDON-PATTERN CARVING TOOLS (not Handled).

		All sizes to							
		$\frac{1}{2}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{2}$	1 $\frac{1}{4}$ inches	
	1 Square Chisels	12/-	12/-	14/-	16/-	17/-	21/-	23/- dozen	
	2 Skew Chisels								
	21 Spoon-bit Chisels, Square								
	22 Spoon-bit Chisels, Right Corner	15/-	15/-	15/-	21/-	26/-	30/-	36/- "	
	23 Spoon-bit Chisels, Left Corner ...								
	3 to 9 Straight Gouges ...	14/-	14/-	16/6	18/6	19/6	24/-	27/- dozen	
	10 Ditto ...	16/-	16/-	18/-	24/-	28/-	32/-	40/- "	
	11 Ditto ...	18/-	18/-	24/-	28/-	32/-	40/-	48/- "	
	12 to 18 Curved Gouges	17/-	17/-	19/-	26/-	30/-	36/-	40/- dozen	
	19 and 20 Ditto	21/-	21/-	26/-	30/-	36/-	40/-	48/- "	
	24 to 30 Spoon-bit Gouges	17/-	17/-	19/-	26/-	30/-	36/-	40/- dozen	
	31 and 32 Ditto	21/-	21/-	26/-	30/-	36/-	40/-	48/- dozen	
	33 to 38 Back Bent Gouges	17/-	17/-	19/-	26/-	30/-	36/-	40/- "	
	39, 41, 45 Straight V Parting Tools	21/-	26/-	32/6	41/-	51/-	dozen		
	40, 42, 46 Curved V Parting Tools	23/-	28/-	34/6	43/-	53/-	"		
	43 and 44 Spoon-bit V Parting Tools	23/-	28/-	34/6	43/-	53/-	"		
	47 Veiners $\frac{1}{32}$ inch and upwards	18/- dozen							
	48 Macaroni Tools	28/- dozen							
	52 Dog-leg Chisels	17/-	21/-	26/-	30/-	36/-	dozen		
	50 Fish Tail Chisels	13/-	13/-	14/-	19/-	24/-	"		
	51 Ditto Gouges	15/-	15/-	17/-	24/-	28/-	"		

N.B.—London Carving Tools are Black outside and Straw-coloured inside. If Bright all over 1/- dozen extra HANDLING (Extra).—In Beech or Ash, to 1 in. 4/6. Above, 6/- dozen. Boxwood to 1 in. 8/-. Above, 10/- dozen

SETS OF LONDON-PATTERN CARVING TOOLS.

	Tools in each set								
	6	12	18	24	36	48	60	72	Tools
56 Sets of London-pattern Carving Tools, Beech Handled	9/6	19/-	28/6	38/-	57/-	84/-	106/-	130/-	set
80 As above, in Polished Pine Box	—	28/-	42/-	56/-	84/-	—	—	—	"
57 Sets of London Pattern Carving Tools, Boxwood Handled	11/-	22/-	33/-	44/-	66/-	96/-	122/-	148/-	set
62 As above, in Polished Pine Box	—	31/-	46/-	62/-	94/-	—	—	—	"




MARPLES "Shamrock Brand" TOOLS



SIZES AND SWEEPS OF

STRAIGHT AND BENT CARVING GOUGES.


Straight Gouges, Nos.	Bent Gouges, Nos.	Spoon-bit Gouges, Nos.	Back-bent Gouges, Nos.
3	12	24	33
4	13	25	34
5	14	26	35
6	15	27	36
7	16	28	37
8	17	29	38
9	18	30	
10	19	31	
11	20	32	



SIZES AND SWEEPS OF


STRAIGHT AND BENT V PARTING TOOLS.

Straight V Tool, Nos.	Curved V Tool, Nos.	Spoon-bit V Tool, Nos.
39	40	43
41	42	44
45	46	



MARPLES

CHISELS



My Choice!




SHAMROCK BRAND
BRITISH MADE

EVER SINCE I WAS YOUR AGE



LADIES' AND SPADE PATTERNS CARVING TOOLS.



				Number of Tools in each Set ...	6	12	18	24	
90	Sets of Ladies' Straw-coloured Carving Tools, Hardwood Handled				11/-	22/-	33/-	44/-	set.
103	Ditto ditto ditto in Cloth-lined Canvas Rolls ...				14/6	26/-	37/6	49/6	..



				Number of Tools in each Set ...	6	12	18	24	
141	Sets of Unshouldered Spade Carving Tools, Beech Handled				6/6	13/-	20/-	28/-	set.
142	Ditto ditto ditto in Cloth Lined Canvas Rolls ...				10/-	17/-	24/6	33/6	..

CARVING TOOL HANDLES.

	Nos.	0	1	2	3	4	Assd.
	Diameter of Hoops	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{11}{16}$ in.	0 to 4
220	Round Beechwood Carving Tool Handles	24/-	26/-	28/-	30/-	32/-	28/- gross.
221	Ditto Boxwood ditto	44/-	46/-	48/-	50/-	52/-	48/- ..
231	Boxwood Fancy Handles, for Ladies' Carving Tools, 60/- gross.	232	Rosewood, 75/- gross.				



SETS OF CARVING TOOLS.

in Fancy Cardboard Box.

These attractive Sets of finest "Shamrock" Brand Carving Tools are obtainable in three sizes:—

150	GENTLEMEN'S CARVING SET	21/- each.
	(Containing 12 London Pattern Tools, for advanced work—Beech Handles).	
152	LADIES' CARVING SET	12/6 each.
	(Containing 6 Ladies' Pattern Tools, with real Rosewood Handles—as illustrated). ...	
155	AMATEURS' CARVING SET	7/6 each.
	(Containing 6 Unshouldered Spade Tools—Beech Handles).	


A Delightful Present!



MARPLES "Shamrock Brand" TOOLS



CHIP CARVING KNIVES.



179 2 2 1/2 inches.
15/- 18/- doz.



180 12/6 doz.



182 12/6 doz.



183 13/6 doz.



184 10/6 doz.



185 13/6 doz.



186 30/- doz.



187 24/- doz.

WOOD CARVERS' SUNDRIES.




200 Beechwood Mallets, 4 inches dia.
18/- dozen.




202 Beechwood Mallets, 2 1/4 inches dia.
12/- dozen.



206 Boxwood Mallets, 2 inches dia.
18/- dozen.



246 Wood Carving, or Buhl Punches, assorted patterns ... 12/6 dozen.



255 Set of 4 Arkansas Carving Slips,
in Cardboard Boxes, 9/- set.



Length 8 10 inches.

252 Riffler Files and Rasps, assorted patterns 36/- 48/- dozen.



260 Wood Carvers' Beechwood
Routers,
1/6 each.



277 Wood Carvers' Screws
6 x 3/8 8 x 3/8 8 x 1/2 10 x 1/2 inch.
4/6 5/- 5/6 6/6 each.



278 Bench Holdfasts
Size of Pillar, 10 x 3/4 in.
9/- each.



BEVEL-EDGE FIRMER CHISELS.



307

$\frac{1}{16}$ $\frac{1}{8}$ $\frac{3}{16}$ $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ $\frac{1}{2}$ $\frac{9}{16}$ $\frac{5}{8}$ $\frac{3}{4}$ 1 $1\frac{1}{8}$ $1\frac{1}{4}$ $1\frac{3}{8}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 ins.

307 Bevel Edge

C.S. Firmer Chisels 12/6 12/6 12/6 12/6 12/9 13/3 14/- 14/3 15/- 15/9 17/3 18/9 24/- 25/6 27/- 29/3 36/9 42/- doz.

307 Sets of 12 Chisels. $\frac{1}{8}$ to $1\frac{1}{2}$ inches, 18/6 set. $\frac{1}{4}$ to $1\frac{1}{2}$ inches, 18/9 set.

HANDLED BEVEL-EDGE FIRMER CHISELS.



370

HandledTo $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 $1\frac{1}{8}$ $1\frac{1}{4}$ $1\frac{3}{8}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 ins.

370 Round Ash or Beech

16/3 16/6 17/- 17/9 18/- 18/9 19/6 21/- 22/6 28/3 29/9 31/6 33/9 42/- 47/3 doz.

370 Sets of 12 Chisels. $\frac{1}{8}$ to $1\frac{1}{2}$ inches, 20/9 set. $\frac{1}{4}$ to $1\frac{1}{2}$ inches, 23/- set.



371

HandledTo $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 $1\frac{1}{8}$ $1\frac{1}{4}$ $1\frac{3}{8}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 ins.

371 Round Taper Beech

16/3 16/6 17/- 17/9 18/- 18/9 19/6 21/- 22/6 28/3 29/9 31/6 33/9 42/- 47/3 doz.

371 Sets of 12 Chisels. $\frac{1}{8}$ to $1\frac{1}{2}$ inches, 20/9 set. $\frac{1}{4}$ to $1\frac{1}{2}$ inches, 23/- set.



372

HandledTo $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 $1\frac{1}{8}$ $1\frac{1}{4}$ $1\frac{3}{8}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 ins.

372 Carving Ash or Beech

16/3 16/6 17/- 17/9 18/- 18/9 19/6 21/- 22/6 28/3 29/9 31/6 33/9 42/- 47/3 doz.

372 Sets of 12 Chisels. $\frac{1}{8}$ to $1\frac{1}{2}$ inches, 20/9 set. $\frac{1}{4}$ to $1\frac{1}{2}$ inches, 23/- set.

377 Carving Boxwood

18/9 19/3 19/6 20/3 20/9 21/6 22/3 24/- 25/6 31/6 33/- 34/6 36/9 45/- 50/3 doz.

377 Sets of 12 Chisels. $\frac{1}{8}$ to $1\frac{1}{2}$ inches, 23/9 set. $\frac{1}{4}$ to $1\frac{1}{2}$ inches, 26/- set.



378

HandledTo $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 $1\frac{1}{8}$ $1\frac{1}{4}$ $1\frac{3}{8}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 ins.

378 London Octagon Boxwood

20/3 20/9 21/- 21/9 22/3 23/- 23/9 25/6 27/- 33/- 34/6 36/9 39/- 47/3 52/6 doz.

378 Sets of 12 Chisels. $\frac{1}{8}$ to $1\frac{1}{2}$ inches, 25/3 set. $\frac{1}{4}$ to $1\frac{1}{2}$ inches, 27/6 set.

For prices of Bevel-edge Butt Chisels, see page 19.



MARPLES "Shamrock Brand" TOOLS



CAST STEEL FIRMER CHISELS.



300

300 Cast Steel Firmer Chisels	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 ins.
301 Ditto ditto thin	6/6	6/6	6/6	6/6	6/9	7/3	8/-	8/3	9/-	9/9	11/3	12/9	15/-	16/6	18/-	20/3	24/9	30/- doz.
300-301 Sets of 12 Chisels.	$\frac{1}{4}$ to $1\frac{1}{2}$ inches, 10/6 set. $\frac{1}{4}$ to $1\frac{1}{2}$ inches, 11/3 set.																	

HANDLED FIRMER CHISELS.



310

Handled ...	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 ins.
310 Round Ash or Beech	10/3	10/3	10/3	10/3	10/6	11/-	11/9	12/-	12/9	13/6	15/-	16/6	19/3	20/9	22/6	24/9	30/-	35/3 doz.
310 Sets of 12 Chisels.	$\frac{1}{4}$ to $1\frac{1}{2}$ inches, 14/9 set. $\frac{1}{4}$ to $1\frac{1}{2}$ inches, 15/6 set.																	



311

Handled ...	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 ins.
311 Round Taper Beech	10/3	10/3	10/3	10/3	10/6	11/-	11/9	12/-	12/9	13/6	15/-	16/6	19/3	20/9	22/6	24/9	30/-	35/3 doz.
311 Sets of 12 Chisels.	$\frac{1}{4}$ to $1\frac{1}{2}$ inches, 14/9 set. $\frac{1}{4}$ to $1\frac{1}{2}$ inches, 15/6 set.																	



312

Handled.....To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 ins.
312 Carving Ash or Beech	10/3	10/6	11/-	11/9	12/-	12/9	13/6	15/-	16/6	19/3	20/9	22/6	24/9	30/-	35/3 doz.
317 Carving Boxwood	12/9	13/3	13/6	14/3	14/9	15/6	16/3	18/-	19/6	22/6	24/-	25/6	27/9	33/-	38/3 doz.
312 Sets of 12 Chisels.	$\frac{1}{4}$ to $1\frac{1}{2}$ inches, 14/9 set. $\frac{1}{4}$ to $1\frac{1}{2}$ inches, 15/6 set.														
317 Sets of 12 Chisels.	$\frac{1}{4}$ to $1\frac{1}{2}$ inches, 17/9 set. $\frac{1}{4}$ to $1\frac{1}{2}$ inches, 18/6 set.														



318

Handled	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 ins.
318 London Octagon Boxwood	14/3	14/9	15/-	15/9	16/3	17/-	17/9	19/6	21/-	24/-	25/6	27/9	30/-	35/3	40/6 doz.
318 Sets of 12 Chisels.	$\frac{1}{4}$ to $1\frac{1}{2}$ inches, 19/3 set. $\frac{1}{4}$ to $1\frac{1}{2}$ inches, 20/- set.														


For Prices of Butt Chisels, see page 19.



MARPLES "Shamrock Brand" TOOLS



CURVES OF GOUGES.



HANDLED FIRMER GOUGES.



410

Handled, Curves A to E	To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches
410 Round Ash or Beech																	
411 Round Taper Beech		11/9	12/-	12/6	13/3	13/6	14/3	15/6	17/-	18/6	21/6	23/9	25/6	28/6	34/6	41/3	dozen



417

Handled, Curves A to E	...	To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches
412 Carving Ash or Beech																		
417 Carving Boxwood		14/3	14/9	15/-	15/9	16/3	17/-	18/-	20/-	21/6	24/9	27/-	28/6	31/6	37/6	44/3		dozen



418


Handled, Curves A to E	...	To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches
418 London Octagon Boxwood																		
		15/9	16/3	16/6	17/3	17/9	18/6	19/6	21/6	23/-	26/3	28/6	30/9	33/9	39/9	46/6		dozen



MARPLES "Shamrock Brand" TOOLS



CURVES OF GOUGES.



CAST STEEL FIRMER GOUGES.



400 C.S. Firmer Gouges	To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches
Curves A, B, C, D, and E		8/-	8/3	8/9	9/6	9/9	10/6	11/9	13/3	14/9	17/3	19/6	21/-	24/-	29/3	36/-	dozen
Curve F, thin edges		9/-	9/6	9/9	10/6	11/-	11/9	12/9	14/3	15/9	18/9	21/-	22/6	25/6	—	—	"

IN-CANNEL FIRMER GOUGES.



404 C.S. Firmer Gouges, In-Cannel, To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches
Curves A, B, C, D, and E	8/3	8/9	9/-	9/9	10/3	11/-	12/-	13/6	15/-	18/-	20/3	21/9	24/9	30/9	37/6	dozen
Curve F, thin edges	9/9	10/3	10/6	11/3	11/9	12/6	13/6	15/-	16/6	19/6	21/9	23/3	26/3	—	—	"

SASH OR SCRIBING GOUGES. (Curve C.)



459 Cast Steel Sash Gouges	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	inch
	10/6	11/-	11/3	12/-	12/6	13/3	14/3	15/9	17/3	dozen



MARPLES "Shamrock Brand" TOOLS



EXTRA STRONG ROUND NECK REGISTERED GOUGES.




	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	inches
603 Extra Strong C.S. Registered Gouges	15/-	15/6	15/9	17/-	18/9	20/9	25/3	29/3	30/6	34/3	dozen

HANDLED REGISTERED GOUGES.



	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	inches
605 Double Hooped Ash Handled	22/6	23/-	23/3	24/6	26/3	28/3	32/9	37/3	38/3	42/6	dozen

COACHMAKERS' CHISELS.



	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches
650 Coachmakers' Cast Steel Chisels ...	11/-	11/3	12/-	14/3	15/9	17/9	20/-	23/9	27/-	31/6	38/3	48/-	dozen



	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches
651 Double Hooped Ash Handled ...	18/6	18/9	19/6	21/9	23/3	25/3	27/6	31/6	35/-	39/9	47/3	57/-	dozen
652 Carving Boxwood Handled													

WAGON BUILDERS' CHISELS.



	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches
680 Octagon Solid Steel Wagon Chisels	19/6	21/-	22/6	24/-	26/3	30/9	36/-	42/-	49/6				dozen



HANDLED IN-CANNEL FIRMER GOUGES.



430

In-Cannel Handled, Curves A to E	To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	incl	
430 Round Ash or Beech																		
431 Round Taper Beech.....	12/-	12/6	12/9	13/6	14/-	14/9	15/9	17/3	18/9	22/3	24/6	26/3	29/3	36/-	42/9			doz



432

In-Cannel Handled, Curves A to E	To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches	
432 Carving Ash or Beech	12/-	12/6	12/9	13/6	14/-	14/9	15/9	17/3	18/9	22/3	24/6	26/3	29/3	36/-	42/9			dozen
437 Carving Boxwood	14/9	15/-	15/6	16/3	16/6	17/3	18/6	20/3	21/9	25/6	27/9	29/3	32/3	39/-	45/9			"
438 London Octagon Boxwood ...	16/3	16/6	17/-	17/9	18/-	18/9	20/-	21/9	23/3	27/-	29/3	31/6	34/6	41/3	48/-			"

HANDLED SASH OR SCRIBING GOUGES. (Curve C.)



467

Handled	To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	inch
460 Round Ash or Beech												
462 Carving Ash or Beech	14/3	14/9	15/-	15/9	16/3	17/-	18/-	19/6	21/-			dozen
467 Carving Boxwood	17/-	17/3	17/9	18/6	18/9	19/6	20/9	22/6	24/-			"

EXTRA STRONG ROUND NECK REGISTERED CHISELS.



599

Extra Strong C.S. Registered Chisels	To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches	
599	10/6	10/6	10/6	11/-	11/-	11/3	11/3	12/6	14/3	16/3	20/9	21/9	23/3	26/9	32/-	36/6		dozen

HANDLED REGISTERED CHISELS.




Double Hooped Ash Handled	To	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches	
601	18/-	18/-	18/-	18/6	18/6	18/9	18/9	20/-	21/9	23/9	28/3	29/9	31/3	35/-	41/-	45/6		dozen



MARPLES "Shamrock Brand" TOOLS



CURVES OF GOUGES.



PATTERN MAKERS' LONG THIN PARING GOUGES.



	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	inches
550 C.S. Long Thin Paring Gouges, In-cannel— Curves A, B, C, D, E.....	19/3	19/3	19/6	20/9	22/3	24/-	25/3	29/-	33/9	38/3	44/3	dozen
551 C.S. Long Thin Paring Gouges, In-Cannel— Curve F	20/-	20/-	20/3	21/6	23/-	24/9	26/-	29/9	35/3	39/9	45/9	..

HANDLED LONG THIN PARING GOUGES.



	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	inches
Curves A, B, C, D, E.....												
560 Round Ash or Beech Handled	23/3	23/3	23/9	25/3	26/9	29/-	30/-	33/-	38/3	42/9	48/9	dozen
561 Round Taper Beech Handled												



	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	inches
Curves A, B, C, D, E												
562 Carving Ash or Beech Handled	23/3	23/3	23/9	25/3	26/9	29/-	30/-	33/-	38/3	42/9	48/9	dozen
567 Carving Boxwood Handled	26/-	26/-	26/3	27/9	29/3	31/6	33/-	36/-	41/3	45/9	51/9	..
568 London Octagon Boxwood Handled	27/6	27/6	27/9	29/3	30/9	33/-	34/6	37/6	42/9	47/3	54/-	..

For Paring Gouges ground to circles, see page 13.



MARPLES "Shamrock Brand" TOOLS



PATTERN MAKERS' LONG THIN PARING CHISELS.



500

500	Cast Steel Long Thin Paring Chisels	11/3	11/3	11/9	12/9	14/3	16/3	17/3	21/-	24/-	28/6	34/6	40/6	50/3	dozen
-----	-------------------------------------	------	------	------	------	------	------	------	------	------	------	------	------	------	-------



510

510	Round Ash or Beech Handled								1	1 1/8	1 1/4	1 1/2	1 3/4	2	inches
511	Round Taper Beech Handled	15/6	15/6	15/9	17/-	18/6	20/3	21/-	24/9	27/9	32/3	39/-	45/-	55/6	dozen
512	Carving Ash or Beech Handled														
517	Carving Boxwood Handled	18/-	18/-	18/6	19/6	21/-	23/-	24/-	27/9	30/9	35/3	42/-	48/-	58/6	..



518

518	London Octagon Boxwood Handled	19/6	19/6	20/-	21/-	22/6	24/6	25/6	29/3	32/3	36/9	44/3	50/3	60/9	dozen
-----	--------------------------------	------	------	------	------	------	------	------	------	------	------	------	------	------	-------

BEVEL-EDGE LONG THIN PARING CHISELS.



503

503	Cast Steel Bevel-edge Long Thin Paring Chisels	20/3	20/3	20/9	21/9	23/3	25/3	26/3	30/-	37/6	42/-	48/-	58/6	68/3	dozen
-----	--	------	------	------	------	------	------	------	------	------	------	------	------	------	-------



537

530	Round Ash or Beech Handled								1	1 1/8	1 1/4	1 1/2	1 3/4	2	inches
531	Round Taper Beech Handled	24/6	24/6	24/9	26/-	27/6	29/3	30/-	33/9	41/3	45/9	52/6	63/-	73/6	dozen
532	Carving Ash or Beech Handled														
537	Carving Boxwood Handled	27/-	27/-	27/6	28/6	30/-	32/-	33/-	36/9	44/3	48/9	55/6	66/-	76/6	..



538

538	London Octagon Boxwood Handled	28/6	28/6	29/-	30/-	31/6	33/6	34/6	38/3	45/9	50/3	57/9	68/3	78/9	dozen
-----	--------------------------------	------	------	------	------	------	------	------	------	------	------	------	------	------	-------



MARPLES "Shamrock Brand" TOOLS




MORTISE CHISELS.



705

	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	inch
705 Best Mortise Chisels.....	27/-	27/-	27/-	27/-	28/6	30/-	31/6	34/6	37/6	45/-	dozen
700 Common ditto	19/6	19/6	19/6	19/6	20/9	21/9	23/3	26/3	29/3	35/3	..



706

	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	inch
706 Best Mortise Chisels, Oval Beech Handled	38/3	38/3	38/3	38/3	39/9	41/3	42/9	46/6	49/6	57/-	dozen



736

	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	inch
735 London-pattern Sash Mortise Chisels (Not Handled)	27/-	27/-	27/-	27/-	28/6	30/-	33/-	36/-	39/-	48/-	dozen
736 Ditto ditto Beech Handled	31/6	31/6	31/6	31/6	33/-	34/6	37/6	40/6	43/6	51/-	..
737 Ditto ditto Boxwood do.	34/6	34/6	34/6	34/6	36/-	37/6	40/6	43/6	46/6	54/-	..

LOCK MORTISE CHISELS.



740

	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	1	$1\frac{1}{8}$	inch
738 London-pattern Lock Mortise Chisels (Not Handled)	43/6	43/6	43/6	46/6	49/6	dozen
739 Ditto ditto Beech Handled	48/-	48/-	48/-	51/-	54/-	..
740 Ditto ditto Boxwood Handled	51/-	51/-	51/-	54/-	57/-	..



746

	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	1	$1\frac{1}{8}$	inch
745 Improved Socket Lock Mortise Chisels (not Handled)	69/-	69/-	69/-	72/-	75/-	dozen
746 Ditto ditto ditto (Ash Handled)	75/-	75/-	75/-	78/-	81/-	..

For Machine Mortise Chisels, see page 15.



MARPLES "Shamrock Brand" TOOLS



PARING GOUGES GROUND TO CIRCLES.























550 Long Thin Paring Gouge, Straight.



555 Long Thin Paring Gouge, Cranked.

The following Paring Gouges can be supplied to work circles of the diameters stated.

	1/8" Gouge to 1/8" Circle	Straight 1/10 each Cranked 2/4 ..		1 1/2" Gouge to 1 3/4" Circle	Straight 2/10 each Cranked 3/4 ..
	1/4" Gouge to 1/4" Circle	Straight 1/10 each Cranked 2/4 ..		1 3/4" Gouge to 2" Circle	Straight 2/10 each Cranked 3/4 ..
	3/8" Gouge to 3/8" Circle	Straight 1/8 each Cranked 2/2 ..		1 3/4" Gouge to 2 1/2" Circle	Straight 2/10 each Cranked 3/4 ..
	1/2" Gouge to 1/2" Circle	Straight 1/8 each Cranked 2/2 ..		1 3/4" Gouge to 3" Circle	Straight 2/10 each Cranked 3/4 ..
	5/8" Gouge to 5/8" Circle	Straight 1/9 each Cranked 2/3 ..		1 1/2" Gouge to 3 1/2" Circle	Straight 3/2 each Cranked 3/8 ..
	3/4" Gouge to 3/4" Circle	Straight 1/10 each Cranked 2/4 ..		1 1/2" Gouge to 4" Circle	Straight 3/2 each Cranked 3/8 ..
	7/8" Gouge to 7/8" Circle	Straight 2/- each Cranked 2/6 ..		1 1/2" Gouge to 5" Circle	Straight 3/2 each Cranked 3/8 ..
	1" Gouge to 1" Circle	Straight 2/1 each Cranked 2/7 ..		1 1/2" Gouge to 6" Circle	Straight 3/2 each Cranked 3/8 ..
	1" Gouge to 1 1/4" Circle	Straight 2/5 each Cranked 2/11 ..		1 1/2" Gouge to 8" Circle	Straight 3/2 each Cranked 3/8 ..
	1" Gouge to 1 1/2" Circle	Straight 2/5 each Cranked 2/11 ..		1 1/2" Gouge to 12" Circle	Straight 3/2 each Cranked 3/8 ..

PATTERN MAKERS' SPOON BIT GOUGES.



594

594 Pattern Makers' Spoon Bit Gouges	1/8	1/4	3/8	1/2	5/8	3/4	7/8	1	1 1/8	1 1/4	inches
	19/6	19/6	19/6	19/6	19/6	21/9	29/3	33/9	40/-	45/-	dozen



STRONG SOCKET CHISELS FOR MORTISING.



	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 inches
800 Cast Steel Socket Chisels	21/9	21/9	23/-	24/-	25/6	27/-	28/6	30/9	33/-	37/6	42/9	47/3 dozen




	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 inches
801 Cast Steel Socket Chisels, with Steel-hooped Ash Handles	27/9	27/9	29/-	30/-	31/6	33/-	34/6	37/6	39/9	44/3	50/3	54/9 dozen

SOCKET GOUGES (Curve E).



810

	$\frac{1}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 inches
810 Cast Steel Socket Gouges	38/3	42/-	47/3	52/6	60/-	67/6 dozen
811 Ditto with Steel-hooped Ash Handles	44/3	48/-	54/-	59/3	67/6	75/- ..



812

	$\frac{1}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 inches
812 Cast Steel Socket Gouges, In-cannel	39/-	42/9	48/-	53/3	60/9	68/3 dozen
813 Ditto ditto with Steel-hooped Handles	45/-	48/9	54/9	60/-	68/3	75/9 ..

WHEELERS' SOCKET BRUZZES.




	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	inch
866 Best London Pattern Socket Bruzzes, 16 inches long	66/-	72/-	78/-	dozen



	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	inch
867 Common Socket Bruzzes, 14 inches long	60/-	63/-	66/-	dozen



MARPLES "Shamrock Brand" TOOLS



760



759

MACHINE MORTISE CHISELS.

Plain (Solid) Chisels.

		$\frac{1}{2}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{2}$	$1\frac{3}{4}$	inches	
758	Straight Chisels	5/9	6/-	6/3	6/6	6/9	7/-	7/6	8/-	8/6	9/-	10/6	12/-	each
760	Cranked Chisels	7/-	7/3	7/6	7/9	8/-	8/3	8/9	9/3	9/9	10/3	12/-	13/6	..

Core Drivers for above Chisels, 7/6 each.

Self-Coring Chisels.

		$\frac{1}{2}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{2}$	$1\frac{3}{4}$	inches	
759	Straight Chisels	7/6	7/9	8/-	8/3	8/6	8/9	9/3	9/9	10/3	10/9	12/6	14/3	each
761	Cranked Chisels	8/9	9/-	9/3	9/6	9/9	10/-	10/6	11/-	11/6	12/-	13/9	15/6	..

N.B.—When Machine Chisels are ordered a pattern must be furnished, showing size and shape of the tang. Slotted Tangs and Pegged Tangs are "extra."

HOLLOW MORTISE CHISELS AND BITS.



Standard Dimensions.

765 CHISELS.			
Size of Chisel. Inches.	Length of Blade. Inches.	Diameter of Shank. Inches.	Length of Shank. Inches.
$\frac{1}{2}$	4	$\frac{1}{4}$	1
$\frac{3}{8}$	4	$\frac{1}{4}$	1
$\frac{1}{2}$	4	$\frac{1}{4}$	1
$\frac{3}{4}$	4	$\frac{1}{4}$	1
$\frac{1}{2}$	4	$\frac{1}{4}$	1
$\frac{3}{8}$	6 $\frac{1}{2}$	$\frac{1}{2}$	1
$\frac{1}{2}$	6 $\frac{1}{2}$	$\frac{1}{2}$	1
$\frac{3}{4}$	6 $\frac{1}{2}$	$\frac{1}{2}$	1
$\frac{1}{2}$	6 $\frac{1}{2}$	$\frac{1}{2}$	1
$\frac{3}{8}$	6 $\frac{1}{2}$	$\frac{1}{2}$	1
$\frac{1}{2}$	6 $\frac{1}{2}$	$\frac{1}{2}$	1
1	6 $\frac{1}{2}$	$\frac{1}{2}$	1
$1\frac{1}{2}$	6 $\frac{1}{2}$	$\frac{1}{2}$	1
$1\frac{1}{2}$	6 $\frac{1}{2}$	$\frac{1}{2}$	1
$1\frac{1}{2}$	6 $\frac{1}{2}$	$\frac{1}{2}$	1
$1\frac{1}{2}$	6 $\frac{1}{2}$	$\frac{1}{2}$	1
$1\frac{1}{2}$	6 $\frac{1}{2}$	$\frac{1}{2}$	1
2	6 $\frac{1}{2}$	$\frac{1}{2}$	1
$1\frac{1}{2}$	6 $\frac{1}{2}$	$\frac{1}{2}$	1
$1\frac{1}{2}$	6 $\frac{1}{2}$	$\frac{1}{2}$	1
$1\frac{1}{2}$	6 $\frac{1}{2}$	$\frac{1}{2}$	1
2	6 $\frac{1}{2}$	$\frac{1}{2}$	1

770 BITS.			
Size of Bit. Inches.	Length of Twist. Inches.	Diameter of Shank. Inches.	Length of Shank. Inches.
$\frac{1}{2}$	6	$\frac{3}{8}$	4
$\frac{3}{8}$	6	$\frac{3}{8}$	4
$\frac{1}{2}$	6	$\frac{3}{8}$	4
$\frac{3}{4}$	6	$\frac{3}{8}$	4
$\frac{1}{2}$	6	$\frac{3}{8}$	4
$\frac{3}{8}$	6	$\frac{3}{8}$	4
$\frac{1}{2}$	6	$\frac{3}{8}$	4
$\frac{3}{4}$	8 $\frac{1}{2}$	$\frac{1}{2}$	4
$\frac{1}{2}$	8 $\frac{1}{2}$	$\frac{1}{2}$	4
$\frac{3}{8}$	8 $\frac{1}{2}$	$\frac{1}{2}$	4
$\frac{1}{2}$	8 $\frac{1}{2}$	$\frac{1}{2}$	4
$\frac{3}{4}$	8 $\frac{1}{2}$	$\frac{1}{2}$	4
$\frac{1}{2}$	8 $\frac{1}{2}$	$\frac{1}{2}$	4
$\frac{3}{8}$	8 $\frac{1}{2}$	$\frac{1}{2}$	4
1	8 $\frac{1}{2}$	$\frac{1}{2}$	4
$\frac{1}{2}$	8 $\frac{1}{2}$	$\frac{1}{2}$	4
$1\frac{1}{2}$	8 $\frac{1}{2}$	$\frac{1}{2}$	4
$1\frac{1}{2}$	8 $\frac{1}{2}$	$\frac{1}{2}$	4
$1\frac{1}{2}$	8 $\frac{1}{2}$	$\frac{1}{2}$	4
$1\frac{1}{2}$	8 $\frac{1}{2}$	$\frac{1}{2}$	4
$1\frac{1}{2}$	8 $\frac{1}{2}$	$\frac{1}{2}$	4
2	10	$\frac{1}{2}$	4
$1\frac{1}{2}$	10	$\frac{1}{2}$	4
$1\frac{1}{2}$	10	$\frac{1}{2}$	4
2	10	$\frac{1}{2}$	4

Prices on Application.—Orders should state: Size of Chisel, Length of Blade and Make of Machine.



MARPLES "Shamrock Brand" TOOLS



STRONG SOCKET FIRMER CHISELS.

Length of Blade—6½ inches.



836 Strong Socket Firmer Chisels, Ash Handled with Leather Tip	¼	⅓	½	⅔	⅞	1	1 1/8	1 1/4	1 1/2	1 3/4	2 inches
	27/9	28/6	30/-	31/6	33/9	36/-	38/3	40/6	42/9	48/-	54/9 63/- dozen



837 Strong Socket Firmer Chisels, Ash Handled with Bright Steel Hoop	¼	⅓	½	⅔	⅞	1	1 1/8	1 1/4	1 1/2	1 3/4	2 inches
	27/9	28/6	30/-	31/6	33/9	36/-	38/3	40/6	42/9	48/-	54/9 63/- dozen



838 Bev. edge Strong Socket Firmer Chisels Ash Handled with Leather Tip.....	¼	⅓	½	⅔	⅞	1	1 1/8	1 1/4	1 1/2	1 3/4	2 inches
	32/3	33/-	34/6	36/9	39/-	41/3	43/6	46/6	49/6	55/6	63/- 72/- dozen

839 Bev. edge Strong Socket Firmer Chisels Ash Handled with Bright Steel Hoop	¼	⅓	½	⅔	⅞	1	1 1/8	1 1/4	1 1/2	1 3/4	2 inches
	32/3	33/-	34/6	36/9	39/-	41/3	43/6	46/6	49/6	55/6	63/- 72/- ..

SOCKET FIRMER GOUGES.



855 Socket Firmer Gouges, Ash Handled	¼	⅓	½	⅔	⅞	1	1 1/8	1 1/4	1 1/2	1 3/4	2 inches
	24/-	24/9	25/6	27/-	28/6	30/9	33/-	36/-	38/3	44/3	48/9 54/- dozen



856 Socket Firmer Gouges, Ash Handled with Leather Tip	¼	⅓	½	⅔	⅞	1	1 1/8	1 1/4	1 1/2	1 3/4	2 inches
	26/3	27/-	28/6	30/-	31/6	33/9	36/-	39/-	42/-	48/-	54/- 60/- dozen

Socket Cabinet and Butt Chisels.—See page 19.



CAST STEEL SOCKET FIRMER CHISELS.

Length of Blade—6½ inches.



	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{1}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1½	1¾	1½	1¾	2 inches
832 Socket Firmer Chisels, Ash Handled	18/9	19/6	20/3	21/9	23/3	25/6	27/9	30/-	31/6	36/-	40/6	45/- dozen



	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{1}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1½	1¾	1½	1¾	2 inches
833 Socket Firmer Chisels, Ash Handled with Leather Tip	21/-	21/9	23/3	24/9	26/3	28/6	30/9	33/-	35/3	39/9	45/9	51/- dozen



	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{1}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1½	1¾	1½	1¾	2 inches
833A Socket Firmer Chisels, Ash Handled with Bright Steel Hoop	21/-	21/9	23/3	24/9	26/3	28/6	30/9	33/-	35/3	39/9	45/9	51/- dozen



	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{1}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1½	1¾	1½	1¾	2 inches
834 Bevel-edge Socket Firmer Chisels, Ash Handled	23/3	24/-	24/9	26/3	27/9	30/-	32/3	34/6	36/9	42/-	48/-	54/- dozen



	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{1}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1½	1¾	1½	1¾	2 inches
835 Bevel-edge Socket Firmer Chisels, Ash Handled with Leather Tip	25/6	26/3	27/9	29/3	30/9	33/-	35/3	37/6	40/6	45/9	53/3	60/- dozen



	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{1}$	$\frac{1}{2}$	$\frac{3}{4}$	1	1½	1¾	1½	1¾	2 inches
835A Bevel-edge Socket Firmer Chisels, Ash Handled with Bright Steel Hoop	25/6	26/3	27/9	29/3	30/9	33/-	35/3	37/6	40/6	45/9	53/3	60/- dozen

MARPLES TOOLS


SHARPOLE BRAND
BRITISH MADE

The Favourite





MARPLES "Shamrock Brand" TOOLS



CAST STEEL SOCKET CABINET CHISELS. Length of Blade—4½ inches.



845 Bevel-edge Socket Cabinet Chisels, Beech Handled with Leather Tip	¼	⅓	½	⅔	⅞	1	1¼	1½	1¾	2 inches
	22/6	23/3	24/9	26/3	27/9	29/3	30/9	35/3	40/6	49/6 55/6 dozen



845A Bevel-edge Socket Cabinet Chisels, Beech Handled with Bright Steel Hoop	¼	⅓	½	⅔	⅞	1	1¼	1½	1¾	2 inches
	22/6	23/3	24/9	26/3	27/9	29/3	30/9	35/3	40/6	49/6 55/6 dozen

CAST STEEL SOCKET BUTT CHISELS. Length of Blade—3 inches.



879 Bevel-edge Socket Butt Chisels, Beech Handled with Leather Tip	¼	⅓	½	⅔	⅞	1	1¼	1½	1¾	2 inches
	22/6	23/3	24/9	26/3	27/9	29/3	30/9	35/3	40/6	49/6 55/6 dozen

TANGED BUTT CHISELS.



875 Cast Steel Bevel-edge Butt Chisels, Ash Handled with Leather Tip	¼	⅓	½	⅔	⅞	1	1¼	1½ inches
	16/3	17/-	18/-	18/9	19/6	21/-	22/6	29/9 33/9 dozen

FLOOR CUTTING CHISELS.




882 Solid Steel Floor Cutting Chisels, 2¼ inches.....	16/6 dozen
---	------------



MARPLES "Shamrock Brand" TOOLS



HANDLED SASH POCKET CHISELS.



880

1½	1¾	2	2¼	2½	inches
----	----	---	----	----	--------

880	Sash Pocket Chisels, Beech Handled	18/-	21/-	24/-	30/-	36/-	dozen
-----	------------------------------------	------	------	------	------	------	-------



881

1½	1¾	2	2¼	2½	inches
----	----	---	----	----	--------

881	Improved Sash Pocket Chisels, Beech Handled	26/3	30/-	33/9	37/6	42/-	dozen
-----	---	------	------	------	------	------	-------

DRAWER LOCK CHISELS.



886	Double-End Drawer Lock Chisels	12/9	dozen
-----	--------------------------------	------	-------

DRAW BORERS.



905

10 × ½ inch

905	Bright Steel Draw Borers, Tanged	18/-	dozen
906	Ditto ditto Beech Handled	22/6	dozen
907	Ditto ditto Boxwood Handled	27/-	dozen



908

10 × ¼ inch

908	Bright Steel Draw Borers, Eyed	22/6	dozen
-----	--------------------------------	------	-------

BENCH OR BLOCK KNIVES.



909

6	7	8	9	10	11	12	inches
---	---	---	---	----	----	----	--------

909	Bench or Block Knives, 3 inches wide	18/-	18/9	19/6	20/3	21/-	21/9	22/6	each
-----	--------------------------------------	------	------	------	------	------	------	------	------

The Knives can be supplied either Right or Left Hand. The Illustration shows a Right-Handed Knife.



MARPLES "Shamrock Brand" TOOLS



WOOD TURNERS' V TURNING TOOLS.




					$\frac{3}{8}$	$\frac{1}{2}$ inch
995	Wood Turners' V Shape Turning Tools			22/6	24/- dozen
996	Ditto ditto ditto Beech Handled			29/3	30/9 ..

WOOD TURNERS' PARTING TOOLS.




997	Wood Turners' C.S. Parting Tools				13/6 dozen
998	Ditto ditto Beech Handled				17/3 ..

CAST STEEL TURNING TOOLS FOR METAL.



						Nos. 1 to 6	Nos. 7 to 12
1010	Cast Steel Turning Tools for Metal				13/6	16/6 dozen
1011	Ditto ditto Ash Handled				18/-	21/- ..

SLIDE REST TURNING TOOLS.



Made from Square Cast Steel. $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 inch

1028	Sets of 12 Slide Rest Turning Tools				15/-	16/6	19/6	24/9	36/-	45/-	54/- set
1029	Ditto ditto ditto Mounted in Square Wood Block.....				16/6	18/-	21/9	27/-	39/-	48/-	57/9 ..



MARPLES "Shamrock Brand" TOOLS



CAST STEEL TURNING CHISELS AND GOUGES.



	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches
960 C.S. Turning Chisels	9/-	9/9	11/-	12/-	13/6	15/-	17/3	19/6	21/9	24/9	27/9	33/9	39/9	dozen



	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches
980 C.S. Turning Chisels, Beech Handled	15/9	16/6	17/9	18/9	20/3	21/9	24/-	27/-	29/3	33/-	36/-	42/9	48/9	dozen



	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches
970 C.S. Turning Gouges	11/9	13/3	14/9	15/9	18/6	21/-	23/9	26/3	30/9	35/9	40/3	47/3	57/9	dozen
990 Ditto Beech Handled ...	18/6	20/-	21/6	22/6	25/3	27/9	30/6	33/9	38/3	44/-	48/6	56/3	66/9	„



	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches
963 C.S. Long Strong Turning Chisels	15/-	15/9	16/6	18/-	20/3	21/9	24/9	28/6	30/9	35/9	40/6	52/6	61/6	dozen



	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches
983 C.S. Long Strong Turning Chisels— Beech Handled	23/3	24/-	24/9	26/3	28/6	30/-	33/-	37/6	39/9	45/6	50/3	63/-	72/-	dozen




	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches
973 C.S. Long Strong Turning Gouges.....	23/-	24/-	28/3	30/9	35/-	40/6	44/3	48/-	53/3	60/-	66/9	75/-	81/9	dozen
993 Ditto Beech Handled ...	31/3	32/3	36/6	39/-	43/3	48/9	52/6	57/-	62/3	69/9	76/6	85/6	92/3	„



964 C.S. Turning Chisel, Right Corner.



965 C.S. Turning Chisel, Left Corner.



966 C.S. Turning Chisel, Round Nose.



967 C.S. Turning Chisel, Diamond Point.


	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches
964, 965, 966, 967 Patternmakers' C.S. Turning Chisels	9/9	10/6	11/9	12/9	14/9	16/3	18/9	21/-	23/3	26/3	30/-	36/-	43/6	dozen
984, 985, 986, 987, as above, Beech Handled ...	16/6	17/3	18/6	19/6	21/6	23/-	25/6	28/6	30/9	34/6	38/3	45/-	52/6	„



MARPLES "Shamrock Brand" TOOLS



PLANE IRONS—continued.



1046

1045	Cast Steel Skew Plane Irons, Uncut, 2½ inches	18/9	dozen
1046	Ditto ditto Cut 2½ ,,	19/6	,,
1047	Ditto Double Skew Plane Irons, 2½ ,,	35/9	,,

TOP OR BACK IRONS.



1052



1066

		1½	1½	1¾	1¾	1¾	2	2½	2½	2¾	2¾	2¾	2¾	2¾	inches
1052	Best Glazed Top Irons and Screws, Brass Nuts	9/6	9/6	9/6	9/6	9/9	10/3	10/6	11/3	12/6	13/6	14/3	15/-		dozen
1066	Common Top Irons and Screws, Brass Nuts	7/3	7/3	7/3	7/3	7/6	8/-	8/3	9/-	10/3	11/3	12/-	12/9		,,

1056 Turned Brass Nuts for Top Irons 2/- dozen



1057 Bright Steel Screws for Top Irons -/9 dozen

PARALLEL PLANE IRONS.



1070

		1½	1½	1¾	1¾	2	2½	2½	2¾	2¾	2¾	2¾	inches
1070	Cast Steel Parallel Plane Irons, Cut	16/6	16/6	17/-	18/-	18/9	19/6	21/9	23/9	24/9			dozen
1072	Ditto Double Parallel Plane Irons, Flush Tops ...	28/3	28/3	29/-	30/6	31/6	32/9	35/9	38/9	41/-			,,
1073	Ditto ditto ditto Brass Nuts ...												
1076	Bright Parallel Flush Top Irons, with Screws	10/6	10/6	10/6	11/3	11/9	12/-	12/9	13/6	14/3			,,



PLANE IRONS.



		1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	1 $\frac{7}{8}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	2 $\frac{1}{2}$	2 $\frac{3}{8}$	2 $\frac{1}{2}$	inches
1030	Cast Steel Plane Irons, Uncut	12/-	12/-	12/-	12/6	13/6	14/3	15/-	17/3	19/6	20/3	23/3	25/6 dozen
1060	Common Ditto ditto	8/6	9/-	10/-	10/6	11/-	12/-	12/9	14/9	16/6	17/3	19/3	21/- "



		1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{8}$	2	inches
1031	Cast Steel Round-nose Plane Irons, Uncut	12/9	12/9	13/3	15/-	dozen
1061	Common Ditto ditto	9/3	9/9	11/3	12/9	"



		1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	1 $\frac{7}{8}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	2 $\frac{1}{2}$	2 $\frac{3}{8}$	2 $\frac{1}{2}$	inches
1032	Cast Steel Plane Irons, Cut	12/9	12/9	12/9	13/3	14/3	15/-	15/9	18/-	20/3	21/-	24/-	26/3 dozen
1062	Common Ditto ditto	9/3	9/9	10/9	11/3	11/9	12/9	13/6	15/6	17/3	18/-	20/-	21/9 "



		1 $\frac{1}{2}$	1 $\frac{3}{4}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	inches
1033	Cast Steel Tooth Plane Irons, Coarse, Medium or Fine	18/-	18/-	21/-	22/6	24/6	dozen
1063	Common Ditto ditto	12/9	14/3	15/9	17/3	18/9	"



		1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	1 $\frac{7}{8}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	2 $\frac{1}{2}$	2 $\frac{3}{8}$	2 $\frac{1}{2}$	inches
1035	Cast Steel Double Irons, Brass Nuts	24/6	24/6	24/6	25/3	26/9	27/9	29/-	32/-	35/-	37/3	40/6	44/- dozen
1064	Common Ditto ditto	20/9	21/6	22/6	23/-	23/9	25/3	26/3	29/-	32/-	33/9	36/6	39/- "



MARPLES "Shamrock Brand" TOOLS



PLOUGH BITS.



	All Sizes $\frac{1}{8}$ to $\frac{3}{8}$ in.	SETS OF 6 $\frac{1}{8}$ to $\frac{1}{2}$ in.	SETS OF 8 $\frac{1}{8}$ to $\frac{3}{8}$ in.
1090 Best Bright Plough Bits	15/6 doz.	7/9 set.	10/3 set.



1092 Black Bits for Marples BB Ploughs and Grooving Planes— All Sizes $\frac{1}{8}$ to $\frac{3}{8}$ inch.	SETS OF 8
7/6 doz.	5/- set.

ROUTER PLANE IRONS.



1150 Old Woman's Tooth Irons, Straight.	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	inch
	9/-	9/-	9/6	10/-	10/6	dozen

1151 Old Woman's Tooth Irons, Bent.	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	inch
	11/-	11/-	11/6	12/-	12/6	dozen

COOPERS' PLANE IRONS.

		$2\frac{1}{4}$	3	$3\frac{1}{4}$	$3\frac{1}{2}$	4	inches
1152 Coopers' Swift Irons, 7 inches long	25/6	33/-	40/6	49/6	61/6	dozen	
1153 Coopers' Downright Irons, 2 inches \times 6 inches long					14/3	..	
1154 Ditto C.S. Skew Topping Irons, 2 inches \times 7 $\frac{1}{2}$ inches long					15/9	..	



	1155		$1\frac{1}{4}$	2	$2\frac{1}{4}$	inches
1155 Coopers' C.S. Curved Cheve Irons, 7 $\frac{1}{2}$ inches long		21/9	22/6	26/3	dozen	



	1156	To	3	$3\frac{1}{4}$	$3\frac{1}{2}$	inches
1156 Coopers' C.S. Single Jointer Irons, Uncut, 11 inches long		43/6	46/6	53/3	dozen	
1157 Ditto ditto Cut ditto		46/6	49/6	56/3	..	
1158 Coopers' C.S. Double Jointer Irons, 11 inches long		82/6	88/6	102/-	..	



MARPLES "Shamrock Brand" TOOLS




MOULDING PLANE IRONS, &c.



1100 Soft Moulding Iron, Right Hand—
 To $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ 1 $1\frac{1}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$ $1\frac{7}{8}$ 1 $1\frac{1}{2}$ inches
 6/4 6/6 6/8 6/10 7/2 7/8 8/4 8/10 9/4 dozen



1105 Bead Plane Iron—
 To $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ 1 inch
 22/- 23/- 24/- 26/- 28/- dozen




1112 Coach T Rabbet Iron—
 To $1\frac{1}{2}$ $1\frac{3}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 inches
 16/- 17/- 18/- 20/- 22/- dozen



1108 Square Rabbet Plane Iron.

To $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ 1 $1\frac{1}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$ $1\frac{7}{8}$ 1 $1\frac{1}{2}$ $1\frac{3}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 inches



1110 Skew Rabbet Plane Iron.

1108 Square Rabbet Irons 8/8 9/- 9/2 9/4 9/8 10/- 10/4 10/10 11/4 11/8 12/- 13/- 14/- dozen
 1110 Skew Rabbet Irons 9/4 9/8 10/2 10/4 10/8 11/- 11/4 11/10 12/4 12/8 13/- 14/- 15/- "
 1114 Side Rabbet Irons..... 37/- dozen pairs.



1120 Pair Grooving Plane Irons—
 To 1 $1\frac{1}{8}$ $1\frac{1}{4}$ inches
 24/- 28/- 30/- dozen pairs
 1121 Grooving Bits only, to $\frac{1}{2}$ in., 9/- dozen.



1125 Pair Trenching Plane Irons—
 32/- dozen pairs.
 1126 Ditto, Tooth Irons only, 20/- dozen.



1130 Hollow Plane Iron, Square.



1130 Round Plane Iron, Square.
 To 1 $1\frac{1}{8}$ $1\frac{1}{4}$ $1\frac{1}{2}$ inches
 24/- 26/- 28/- 32/- dozen pairs.

1130 Hollow and Round Plane Irons, in pairs, Square



1131 Hollow Plane Iron, Skew.



1131 Round Plane Iron, Skew.
 To 1 $1\frac{1}{8}$ $1\frac{1}{4}$ $1\frac{1}{2}$ inches
 32/- 34/- 36/- 40/- dozen pairs


1131 Hollow and Round Plane Irons, in pairs, Skew



1135 Fillister Plane Iron, Left Hand—
 To 1 $1\frac{1}{8}$ $1\frac{1}{4}$ inches
 12/- 12/- 12/- dozen



1136 Fillister Plane Iron, Right Hand—
 To 1 $1\frac{1}{8}$ $1\frac{1}{4}$ inches
 12/- 12/- 12/- dozen




1137 Fillister Nicker Irons, 13/- dozen.



MARPLES "Shamrock Brand" TOOLS




CARPENTERS' DRAWING KNIVES.



1160 Carpenters' C.S. Drawing Knives.

8	9	10	12	14 inches
42/-	45/-	48/-	57/-	69/- dozen




1161 Carpenters' London Pattern C.S. Drawing Knives.

8	9	10	12	14 inches
42/-	45/-	48/-	57/-	69/- dozen




1162 Egg Handled C.S. Drawing Knives.

8	9	10	12 inches
42/-	45/-	48/-	57/- dozen



1164 Carpenters' American Pattern Razor Edge Cast Steel Drawing Knives.

8	9	10	12 inches
54/-	55/6	57/-	63/- dozen



1167 Carpenters' Common Drawing Knives.


8	9	10	12	14 inches
30/-	31/6	33/-	39/-	48/- dozen




MARPLES "Shamrock Brand" TOOLS



PLANE IRONS FOR IRON BENCH PLANES.



1040




1041

1040	Bright Cast Steel Single Plane Irons, Thin, for Iron Bench Planes	1 1/4	2	2 1/4	2 3/8	2 1/2	inches
1041	Ditto Double ditto ditto	18/-	21/-	24/-	25/6	27/-	dozen
		33/-	38/-	39/-	42/-	45/-	"

Key to Sizes of Irons.

Pattern of Plane ...	M3	M4	M4 1/2	M5	M5 1/2	M6	M7
Size of Iron—Inches ...	1 1/4	2	2 1/4	2	2 1/4	2 3/8	2 1/2



1042	T Plane Irons, 2 1/2 inches, for Carriage Rabbet Planes, M10 and M10 1/2	Single	Double
		2/3 each	3/6 each

CUTTERS FOR MISCELLANEOUS IRON PLANES AND SCRAPER.



M 110 Cutter



M 120 Cutter

Pattern No.	Description.	Size of Cutter.	Price of Cutter.
M71	Router	1/2 inch	2/6 each
M71	Ditto	5/8 "	2/6 "
M71	Ditto	3/4 "	2/6 "
M71 1/2	Smoothing	1/2 inch	2/6 "
M71 1/2	Ditto	5/8 "	2/6 "
M71 1/2	Ditto	3/4 "	2/6 "
M71 1/2	Smoothing	1 inch	2/6 "
M75	Rabbet	1 inch	1/- "

Pattern No.	Description.	Size of Cutter.	Price of Cutter.
M78	Duplex Block	1 1/4 inch	1/3 each
M102	Block	1 1/2 "	1/- "
M110	Block	1 3/4 "	1/3 "
M120	Block	1 5/8 "	1/6 "
M130	Block	1 7/8 "	1/3 "
M70	Scraper	2 "	1/- "
M80	Scraper	2 1/4 "	1/- "

Cutters for Iron Ploughs, Combination Planes, etc.—see Plane section.

IRONS FOR CABINET-MAKERS' PLANES.



To	1145	Bright Bull-nose Plane Irons—				
1	1 1/4	1 1/2	1 3/4	1 1/2	inches	
	16/-	16/-	16/-	17/-	18/-	dozen.




To	1147	Bright Shoulder Plane Irons—				
1	1 1/4	1 1/2	1 3/4	1 1/2	inches	
	18/-	18/-	18/-	19/-	20/-	dozen



MARPLES "Shamrock Brand" TOOLS




COOPERS' DRAWING KNIVES AND ROUND SHAVES.



1198 Coopers' C.S. Hollowing Knives, $1\frac{1}{2}$ ins. wide.


8	9	10	inches
4/-	4/3	4/6	each



1200 Coopers' London-pattern Jiggers.

$2\frac{1}{2}$	3	$3\frac{1}{2}$	inches on cut
4/-	4/3	4/6	each

All Hollow Knives and Jiggers are sent Cannelled inside, unless ordered otherwise.



1201 Coopers' Belfast-pattern Crum Knives
4/6 each



1206 Coopers' In-shaves.
2/6 each.



1207 London-pattern In-shaves.
3/9 each.




1208 Scotch-pattern In-shaves.
3/9 each.



DRAWING KNIVES—continued.




			5	6	7 inches
1175	Amateurs' Drawing Knives,	Beech Handled	31/6	37/6	43/6 dozen
1176	Ditto	Boxwood Handled	36/-	42/-	48/- ,,



1186 Mastmakers' Drawing Knives, 2½ ins. wide—


	10	12	14 inches
	72/-	81/-	90/- dozen

COOPERS' DRAWING KNIVES.




1190 Coopers' Drawing Knives, 1½ ins. wide.

	10	12	14 inches
	3/6	4/3	5/- each



1191 Coopers' Heading Knives, 2 ins. wide.

	10	12	14 inches
	4/-	4/9	5/9 each



1196 Coopers' Circular Heading Knives, 2 ins. wide.

	10	12	inches
	4/3	5/-	each



MARPLES "Shamrock Brand" TOOLS



CARPENTERS' ADZES.



1230 Carpenters' Adzes, Black—

Nos.	1	2	3
	48/-	51/-	54/- dozen



1232 Carpenters' Adzes, Best Blued—

Nos.	1	2	3
	60/-	63/-	66/- dozen

Hickory Handles, 36 inches, fitted to Carpenters' Adzes, 30/- dozen extra.

WHEELERS' ADZES.



1240 Wheelers' Adzes, Black—

Nos.	1	2	3
	51/-	54/-	57/- dozen

1241 Wheelers' Adzes, Best Blued—

Nos.	1	2	3
	60/-	63/-	66/- dozen

Hickory Handles, 36 inches, fitted to Wheelers' Adzes, 30/- dozen extra.

1241

SHIP CARPENTERS' ADZES.



1245 Ship Adzes, Black—

Nos.	1	2	3
	60/-	63/-	66/- dozen

Hickory Handles, 36 inches, fitted to Ship Carpenters' Adzes, 30/- dozen extra.

PLATELAYERS' ADZES.



1250 Platelayers' Adzes, Black, 5 lbs. ... 8/6 each

Hickory Handles, 36 inches, fitted to Platelayers' Adzes, 30/- dozen extra.



COOPERS' ADZES.



1222 Coopers' Sharp Adzes, Black.
Nos. 1 2 3

38/- 40/- 42/- dozen



1223 Coopers' Sharp Adzes, Best Blued.
Nos. 1 2 3

45/- 48/- 51/- dozen



1224 Best Scotch Pattern Sharp Adzes.
Nos. 1 2

90/- 93/- dozen



1225 Best Blued Rounding Adzes, 3½ lbs.
72/- dozen.



1228 Coopers' Howels.
Nos. 1 2 3

36/- 39/- 42/- dozen



1226 Coopers' Nail Adzes, Black.
Nos. 1 2 3

45/- 48/- 51/- dozen



1227 Coopers' Nail Adzes, Best Blued.
Nos. 1 2 3

57/- 60/- 63/- dozen


Ash Handles, fitted to Coopers' Adzes, 7/6 doz. extra.



MARPLES "Shamrock Brand" TOOLS




HANDLED AXES.



1279 "Hibernia" Kent Axes, Bent Handled—


1½	1¾	2	2½	3 lbs.
3/3	3/6	3/9	4/3	5/- each



1280 Best Steel Polled Kent Axes, Bent Handled—


1½	1¾	2	2½	3	3½	4	4½	5 lbs.
3/9	4/-	4/3	4/9	5/6	6/3	7/-	8/-	9/- each

HANDLED FELLING AXES.



Weight of Head ... 4 4½ 5 6 7 lbs.

1290 Straight Handled Kent Felling Axes 9/- 9/9 10/6 12/6 14/3 each



Weight of Head 3 3½ 4 4½ 5 5½ 6 6½ 7 lbs.

1301 Handled Yankee Pattern Felling Axes ... 7/3 7/9 8/6 9/- 9/9 10/6 11/3 12/- 12/9 each



MARPLES "Shamrock Brand" TOOLS



STEEL POLLED AXE HEADS.




	1½	1¾	2	2½	3	3½	4	4½	5 lbs.
1260 Kent Axe Heads	2/9	3/-	3/3	3/9	4/6	5/3	6/-	6/9	7/6 each



1272 Kent Side Axe Heads.			
2½	3	3½	4 lbs.
6/3	7/6	8/9	10/- each



1274 Coachmakers' Side Axe Heads.			
2½	3	3½	4 lbs.
6/3	7/6	8/9	10/- each



1268 American Pattern Felling Axe Heads.								
3	3½	4	4½	5	5½	6	6½	7 lbs.
4/6	5/-	5/9	6/3	7/-	7/9	8/6	9/3	10/- each



1266 Kent Felling Axe Heads.				
4	4½	5	6	7 lbs.
6/9	7/6	8/3	10/-	11/9 each


WOOD SPLITTING WEDGES.



1309 Solid Steel Wood Splitting Wedges—							
Length ...	5	6	7	8	9	10	12 inches
	12/-	15/-	19/6	25/6	30/-	36/-	45/- dozen



MARPLES "Shamrock Brand" TOOLS



BUTCHERS' POLE AXES.



1360

1360 Butchers' Smithfield Pole Axe Heads—
 3 3½ 4 lbs.
 11/3 12/9 13/6 each.

1361 Butchers' Smithfield Pole Axes, fitted with
 36 inch Handle—
 3 3½ 4 lbs.
 14/3 15/9 16/6 each.

BUTCHERS' KILLING HAMMERS.



1362½

1362 Butchers' Killing Hammers, Single End,
 9/6 each.

1362½ Butchers' Killing Hammers, Double End,
 14/6 each.

Butchers' Killing Hammers, fitted with 30 inch
 Handle—

1363 Single End, 12/6 each.

1363½ Double End, 17/6 each.

BUTCHERS' CLEAVERS.

	4	4½	5	5½	6	7 lbs.
1355 Beech Scale Tang Butchers' Cleavers	11/3	12/-	12/9	13/6	14/3	15/9 each.
1356 Solid Steel ditto ditto	7/6	8/3	9/-	9/9	10/6	12/- "



MARPLES "Shamrock Brand" TOOLS



HOUSEHOLD HATCHETS.



	No.	0	1	2
1310 "Henry" Household Hatchets with Ash Handle		18/-	22/6	26/3 dozen



	No.	1	2	3	4
1312 Kent Household Hatchets with Fawnsfoot Handle		30/-	33/-	36/-	39/- dozen



	No.	0	1	2	3
1321 American Pattern Wedge Hatchets with Fawnsfoot Handle ...	Head	1½	1½	1¾	2 lbs.
		42/-	45/-	48/-	51/- dozen

FIREMEN'S HATCHETS.



1330 Best Firemen's Hatchets with Ash Handle.
7/6 each.




1333 Strong Leather Belts, complete with Pouches, for Firemen's Hatchets 17/- each
1334 Leather Pouches only 9/- each




MARPLES "Shamrock Brand" TOOLS



MEAT CHOPPERS.



1376 Solid Steel Cooks' Choppers, Square Nose,
blade 6 x 4 ins. 27/- dozen.



1377½ Scale Tang Cooks' Choppers, Square Nose,
blade 6 x 4 ins. 30/- dozen.



1378 Bright Kitchen Choppers, Square Nose,
Blade 5 x 3 ins. 16/6 dozen.

STICK CHOPPERS.



- 1380 Best Blue and Bright Stick Choppers, Strong, Blade 9 x 2½ ins. 24/- dozen.
1381 Common Black Stick Choppers, Blade 7 x 2½ ins. 15/- ..




1388 "Henry" Scale Tang
Stick Choppers,
Blade 7 x 2½ ins.,
18/- dozen.




MARPLES "Shamrock Brand" TOOLS




MEAT CHOPPERS.




1350 Smithfield Pattern Meat Choppers.
 8 8½ 9 9½ inch blade.
 5/6 6/- 6/6 7/- each.



1352 Smithfield Lamb Choppers.
 9 10 11 12 inch blade.
 5/6 5/9 6/- 7/- each.



1353 London Pattern Scale Tang
 Circular Lamb Choppers.
 9 10 11 inch blade.
 7/6 8/3 9/- each.



	Nos.	1	2	3	
1370 Best Solid Steel Meat Choppers, Square Nose	Blades	6	6½	7	inches.
1371 Ditto ditto Round Nose		36/-	37/6	42/-	dozen.
		36/-	37/6	42/-	„



MARPLES "Shamrock Brand" TOOLS





JOINERS' PLAIN BRACES.

Plain Braces, Wood Head and Handle, Hexagon Cap—
5 7 8 9 10 inch sweep.

1475	Bright	3/6	3/6	3/6	3/9	4/-	each.
1476	Nickelled	4/6	4/6	4/6	4/9	5/-	..


Better Quality Plain Braces, with Ball-bearing Head, Hexagon Cap and Alligator Jaws—
5 7 8 10 12 14 inch sweep.

1480	Bright	4/6	4/6	4/6	5/3	6/-	6/9 each.
1482	Nickelled, with Barrel Cap—	5/6	5/6	5/6	6/3	7/-	7/9 each.



THUMBSCREW BRACES.

1491 Thumbscrew Braces, Bright Steel, Wood Head and Handle, 9 inch sweep 2/9 each.



HAND RATCHET BRACES.

Hand Ratchet Braces, for Wood Boring or Metal Drilling, 10 inches long.

1495	Bright	8/6	each.
1495½	Nickelled	9/6	..

BIT HOLDERS.

1496 Extension Bit Holders, with Chuck—
10 12 14 16 18 20 24 inches.

1497	3/-	3/3	3/6	4/-	4/3	4/6	5/-	each.
	10	12	14	16	18	20	24	inches.

2/3 2/6 2/9 3/3 3/6 3/9 4/3 each.



BRACE JAWS.

1498	Brace Jaws, plain, with spring, Bright	1/3	pair.
1499	Ditto ditto ditto Nickelled	1/4½	..
1500	Ditto Alligator-Pattern, with spring, Bright	1/6	pair.
1501	Ditto ditto ditto Nickelled	1/7½	..




NUT BRACES.

1505 Spanner or Nut Braces, 9 in. sweep (for detaching motor car wheels), for Whitworth Nuts, 1/8, 3/8, 1/2 or 5/8 inch ... Bright 3/3 each. Nickelled 4/- each.





MARPLES "Shamrock Brand" TOOLS



1420

WAGON BUILDERS' BRACES.

Best Steel Wagon Braces, Ball-bearing Head and Thumbscrew Socket—


		10	12	14	inch sweep.
1420	Bright	11/3	12/-	12/9	each.
1421	Nickelled ...	14/3	15/-	15/9	"

Best Wagon Braces, as above, but fitted with Adjustable Hexagon Chuck—

		12	14	inch sweep.
1424	Bright	15/-	15/9	each.
1425	Nickelled ...	18/-	18/9	"

PLATELAYERS' BRACES.

1434	Platelayers' Steel Braces, with Steel Head and Handle, End left to weld	20/-	each.
1435	Ditto ditto ditto ditto Thumbscrew Socket	22/6	"



1440

JOINERS' RATCHET BRACES.


Ratchet Braces with Beechwood Head and Handle Hexagon Cap—

		8	9	10	12	inch sweep.
1440	Bright	7/9	8/3	8/6	9/9	each.
1440A	"Special" Bright —	—	7/3	—	—	"
1441	Nickelled ...	9/6	10/-	10/3	11/6	"

Better Quality Ratchet Braces, with Ball-bearing Head, Hardwood Head and Handle, Hexagon Cap.

		5	7	8	10	12	14	inch sweep
1445	Bright	10/-	10/-	10/-	10/6	12/-	12/9	each.
1446	Nickelled	12/-	12/-	12/-	12/6	14/-	15/-	"
1447	As above, Nickelled, but with Barrel Cap—	12/-	12/-	12/-	12/6	14/-	15/-	each.

1447A "Special" Nickelled Ratchet Braces, Metal-clad Head, Ball-bearing, Barrel Cap, 10 in. sweep. 9/6 each.




1452

Best Ratchet Braces, with Ball-bearing Head, Hardwood Head and Handle, Hexagon Cap—

		8	10	12	14	inch sweep.
1450	Bright ...	11/3	12/-	13/6	14/3	each.
1452	Nickelled, with Barrel Cap—	13/3	14/-	15/6	16/6	each.

1455 Best Nickelled Ratchet Braces, as above, but with Ball-bearings to Handle, and all wearing parts, Barrel Cap—

8 10 12 inch sweep.
18/- 19/6 21/- each.



1460

1460 Best Quality Nickelled Ratchet Braces with Enclosed Ratchet, Ball-bearing Head and Handle, Barrel Cap—

		8	10	12	14	inch sweep.
		14/3	15/-	16/6	17/6	each.



MARPLES "Shamrock Brand" TOOLS



SHELL BITS.

Shell or Pin Bits—

	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	inch.
1527 Black	9/-	9/-	6/-	6/-	6/3	6/3	6/6	6/9	7/3	7/9	doz.
1528 Bright	10/3	10/3	7/3	7/3	7/6	7/6	7/9	8/-	8/6	9/-	"
1529 Straw	10/9	10/9	7/9	7/9	8/-	8/-	8/3	8/6	9/-	9/6	"
Assorted	$\frac{1}{8}$ to $\frac{3}{4}$ in., Black, 7/3; Bright, 8/6; Straw, 9/- doz.										

Spoon Bits—



	$\frac{1}{16}$	$\frac{3}{32}$	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	inch.
1530 Black	10/-	10/-	7/-	7/-	7/3	7/3	7/6	7/9	8/3	8/9	doz.
1531 Bright	11/3	11/3	8/3	8/3	8/6	8/6	8/9	9/-	9/6	10/-	"
1532 Straw	11/9	11/9	8/9	8/9	9/-	9/-	9/3	9/6	10/-	10/6	"
Assorted	$\frac{1}{8}$ to $\frac{3}{4}$ in., Black, 8/3; Bright, 9/6; Straw, 10/- doz.										

Nose Bits—

	$\frac{1}{16}$	$\frac{3}{32}$	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	inch.
1533 Black	10/-	10/-	7/-	7/-	7/3	7/3	7/6	7/9	8/3	8/9	doz.
1534 Bright	11/3	11/3	8/3	8/3	8/6	8/6	8/9	9/-	9/6	10/-	"
1535 Straw	11/9	11/9	8/9	8/9	9/-	9/-	9/3	9/6	10/-	10/6	"
Assorted	$\frac{1}{8}$ to $\frac{3}{4}$ in., Black, 8/3; Bright, 9/6; Straw, 10/- doz.										

Long Sash Nose Bits—

	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	inch.
1537 Black	8/3	8/3	9/-	9/9	doz.
1538 Bright	9/6	9/6	10/3	11/-	"
1539 Straw	10/3	10/3	11/-	11/9	"



GIMLET BITS.

Shell Gimlet Bits—

	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{1}{2}$	inch.
1548 Bright	9/-	9/6	9/9	10/6	12/-	14/3	16/6 doz.
1549 Straw	9/9	10/3	10/6	11/3	12/9	15/-	17/3 "

Twist Gimlet Bits—

	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{1}{2}$	inch.
1550 Bright.	9/-	9/6	9/9	10/6	12/-	14/3	16/6 doz.
1551 Straw	9/9	10/3	10/6	11/3	12/9	15/-	17/3 "

1602 Cobra or Swiss Pattern Bits—

	$\frac{1}{16}$ to $\frac{1}{4}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	inch.	Assd. $\frac{1}{8}$ to $\frac{3}{4}$ inch.
4/9	6/-	6/9	7/6	8/3	doz.		6/- doz.



COUNTERSINKS.

Flat Countersinks—

	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	inch.
1590 Black	6/9	6/9	8/3	11/3	16/6	21/-	doz.
1591 Bright	8/6	8/6	10/-	13/-	18/3	22/9	"
1592 Straw	9/-	9/-	10/6	13/6	18/9	23/3	"

Rose Countersinks—

	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	inch.
1596 Black	7/6	7/6	10/6	15/9	21/9	25/6	doz.
1597 Bright	9/3	9/3	12/3	17/6	23/6	27/3	"
1598 Straw	9/9	9/9	12/9	18/-	24/-	27/9	"

1588 Bright Rose Countersinks, $\frac{3}{8}$ inch, with Round Shank, $\frac{3}{16}$ inch diam. for use in Hand Drills, etc. 8/- doz.

Snail Countersinks—

	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	inch.
1593 Black	7/6	7/6	9/-	13/6	19/6	24/-	doz.
1594 Bright	9/3	9/3	10/9	15/3	21/3	25/9	"
1595 Straw	9/9	9/9	11/3	15/9	21/9	26/3	"

1599 Broughton's Countersinks—

	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	inch.
2/-	2/-	2/3	2/6	2/6	3/-	3/6	4/-	4/6	each.





MARPLES "Shamrock Brand" TOOLS



CAST STEEL CENTRE BITS.



			$\frac{1}{16}$	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	$\frac{15}{16}$	1 inch.
1520	C.S. Centre Bits,	Black	6/-	6/-	6/-	6/-	6/-	6/9	6/9	7/2	7/2	7/6	7/6	8/3	8/3	9/-	9/-	dozen.
1521	Ditto	Bright	7/9	7/9	7/9	7/9	7/9	8/6	8/6	8/10	8/10	9/3	9/3	10/-	10/-	10/9	10/9	"
1522	Ditto	Straw	8/3	8/3	8/3	8/3	8/3	9/-	9/-	9/4	9/4	9/9	9/9	10/6	10/6	11/3	11/3	"
			$1\frac{1}{16}$	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2	$2\frac{1}{8}$	inches.					
1520	C.S. Centre Bits,	Black	10/6	10/6	12/-	13/6	15/-	16/6	18/9	21/-	24/-	30/-	dozen.					
1521	Ditto	Bright	12/6	12/6	14/-	15/6	17/-	18/9	21/-	23/3	26/3	33/-	"					
1522	Ditto	Straw	13/-	13/-	14/6	16/-	17/6	19/6	21/9	24/-	27/-	33/9	"					



1520A Large Centre Bits, with two Nickers, Black—

	$2\frac{1}{8}$	$2\frac{3}{8}$	$2\frac{1}{2}$	$2\frac{5}{8}$	$2\frac{3}{4}$	$2\frac{7}{8}$	3	$3\frac{1}{4}$	$3\frac{3}{8}$	$3\frac{1}{2}$	$3\frac{3}{4}$	$3\frac{5}{8}$	$3\frac{1}{2}$	inches.
	39/-	43/6	49/6	55/6	63/-	70/6	78/-	87/-	96/-	105/-	114/-	dozen.		



1520M Machine Centre Bits, with $\frac{1}{2}$ in. diam. Turned Tang—

	$\frac{1}{4}$ to $\frac{3}{8}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches.
	21/-	24/-	27/-	30/-	33/-	39/-	48/-	dozen.



1523 Screw Pin Centre Bits, Black—

	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inches.
	18/-	19/6	21/-	22/6	24/-	30/-	39/-	48/-	60/-	dozen.



1525 Plug Centre Bits, Black—

	To 1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	inches.
	36/-	37/6	40/6	45/-	51/-	dozen.

N.B.—State Diameter of Plug when ordering.

NEW TYPE CENTRE BITS.



1524 New Pattern Screw Centre Bits—

	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	inch.
	9/-	9/6	9/6	10/-	10/-	10/9	10/9	11/9	11/9	12/6	12/6	dozen.
	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2	inches.		
	13/6	15/-	16/9	19/6	21/-	24/-	27/-	33/-	36/-	dozen.		



1524M Machine Screw Centre Bits, New Pattern, with $\frac{1}{2}$ in. diam. Turned Tang—

	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	inch.	
	31/6	33/-	36/-	37/6	39/-	45/-	48/-	dozen.	
	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2	inches.
	54/-	60/-	69/-	75/-	84/-	96/-	108/-	120/-	dozen.

EXPANSIVE BITS.



1526 Expansive Bits, with two Cutters—

Small (Boring $\frac{1}{2}$ to $1\frac{1}{2}$ in.) Large (Boring $\frac{3}{8}$ to 3 ins.)


Spare Cutters :—Small.	Nos. 1		Large.	Nos. 3		Nos. 4		Nos. 5		Nos. 6	
	Boring $\frac{1}{2}$ to $\frac{3}{4}$	$\frac{3}{4}$ to $1\frac{1}{2}$ inch.		Boring $\frac{3}{8}$ to $1\frac{1}{2}$	$1\frac{1}{2}$ to 3	3 to 4	$3\frac{1}{2}$ to 5 inches.				
	1/3	1/6 each.		2/-	2/6	3/6	5/- each.				



MARPLES "Shamrock Brand" TOOLS



DOWEL TRIMMERS AND DOWEL PLATES.



1636 Bright Forged C.S. Dowel Trimmers, $\frac{9}{16}$ in. 25/6 doz.

1637 Bright C.S. Dowel Rounders, $\frac{3}{8}$, $\frac{7}{16}$ or $\frac{1}{2}$ in. 25/6 doz.




1649 Cast Steel Dowel Plates, Rimmed Holes—

$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	4	$4\frac{1}{4}$	$4\frac{1}{2}$	$4\frac{3}{4}$	5	$5\frac{1}{4}$	$5\frac{1}{2}$	$5\frac{3}{4}$	6	$6\frac{1}{4}$	$6\frac{1}{2}$	$6\frac{3}{4}$	7	$7\frac{1}{4}$	$7\frac{1}{2}$	$7\frac{3}{4}$	8	$8\frac{1}{4}$	$8\frac{1}{2}$	$8\frac{3}{4}$	9	$9\frac{1}{4}$	$9\frac{1}{2}$	$9\frac{3}{4}$	10	$10\frac{1}{4}$	$10\frac{1}{2}$	$10\frac{3}{4}$	11	$11\frac{1}{4}$	$11\frac{1}{2}$	$11\frac{3}{4}$	12	$12\frac{1}{4}$	$12\frac{1}{2}$	$12\frac{3}{4}$	13	$13\frac{1}{4}$	$13\frac{1}{2}$	$13\frac{3}{4}$	14	$14\frac{1}{4}$	$14\frac{1}{2}$	$14\frac{3}{4}$	15	$15\frac{1}{4}$	$15\frac{1}{2}$	$15\frac{3}{4}$	16	$16\frac{1}{4}$	$16\frac{1}{2}$	$16\frac{3}{4}$	17	$17\frac{1}{4}$	$17\frac{1}{2}$	$17\frac{3}{4}$	18	$18\frac{1}{4}$	$18\frac{1}{2}$	$18\frac{3}{4}$	19	$19\frac{1}{4}$	$19\frac{1}{2}$	$19\frac{3}{4}$	20	$20\frac{1}{4}$	$20\frac{1}{2}$	$20\frac{3}{4}$	21	$21\frac{1}{4}$	$21\frac{1}{2}$	$21\frac{3}{4}$	22	$22\frac{1}{4}$	$22\frac{1}{2}$	$22\frac{3}{4}$	23	$23\frac{1}{4}$	$23\frac{1}{2}$	$23\frac{3}{4}$	24	$24\frac{1}{4}$	$24\frac{1}{2}$	$24\frac{3}{4}$	25	$25\frac{1}{4}$	$25\frac{1}{2}$	$25\frac{3}{4}$	26	$26\frac{1}{4}$	$26\frac{1}{2}$	$26\frac{3}{4}$	27	$27\frac{1}{4}$	$27\frac{1}{2}$	$27\frac{3}{4}$	28	$28\frac{1}{4}$	$28\frac{1}{2}$	$28\frac{3}{4}$	29	$29\frac{1}{4}$	$29\frac{1}{2}$	$29\frac{3}{4}$	30	$30\frac{1}{4}$	$30\frac{1}{2}$	$30\frac{3}{4}$	31	$31\frac{1}{4}$	$31\frac{1}{2}$	$31\frac{3}{4}$	32	$32\frac{1}{4}$	$32\frac{1}{2}$	$32\frac{3}{4}$	33	$33\frac{1}{4}$	$33\frac{1}{2}$	$33\frac{3}{4}$	34	$34\frac{1}{4}$	$34\frac{1}{2}$	$34\frac{3}{4}$	35	$35\frac{1}{4}$	$35\frac{1}{2}$	$35\frac{3}{4}$	36	$36\frac{1}{4}$	$36\frac{1}{2}$	$36\frac{3}{4}$	37	$37\frac{1}{4}$	$37\frac{1}{2}$	$37\frac{3}{4}$	38	$38\frac{1}{4}$	$38\frac{1}{2}$	$38\frac{3}{4}$	39	$39\frac{1}{4}$	$39\frac{1}{2}$	$39\frac{3}{4}$	40	$40\frac{1}{4}$	$40\frac{1}{2}$	$40\frac{3}{4}$	41	$41\frac{1}{4}$	$41\frac{1}{2}$	$41\frac{3}{4}$	42	$42\frac{1}{4}$	$42\frac{1}{2}$	$42\frac{3}{4}$	43	$43\frac{1}{4}$	$43\frac{1}{2}$	$43\frac{3}{4}$	44	$44\frac{1}{4}$	$44\frac{1}{2}$	$44\frac{3}{4}$	45	$45\frac{1}{4}$	$45\frac{1}{2}$	$45\frac{3}{4}$	46	$46\frac{1}{4}$	$46\frac{1}{2}$	$46\frac{3}{4}$	47	$47\frac{1}{4}$	$47\frac{1}{2}$	$47\frac{3}{4}$	48	$48\frac{1}{4}$	$48\frac{1}{2}$	$48\frac{3}{4}$	49	$49\frac{1}{4}$	$49\frac{1}{2}$	$49\frac{3}{4}$	50	$50\frac{1}{4}$	$50\frac{1}{2}$	$50\frac{3}{4}$
---------------	---------------	---------------	---------------	---------------	-----	----------------	----------------	----------------	----------------	-----	----------------	----------------	----------------	-----	----------------	----------------	----------------	-----	----------------	----------------	----------------	-----	----------------	----------------	----------------	-----	----------------	----------------	----------------	-----	----------------	----------------	----------------	-----	----------------	----------------	----------------	-----	----------------	----------------	----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------	------	-----------------	-----------------	-----------------

1/- 1/9 2/3 2/9 3/6 each.



SETS OF CAST STEEL BRACE BITS.



Sets of Brace Bits, assorted as below—

		12	18	24	30	36	48	Bits.
1620	Black	7/-	10/6	14/6	19/3	24/9	33/-	Set.
1621	Bright	8/3	12/9	18/-	22/9	29/3	38/6	..
1622	Straw	9/-	13/6	18/9	24/-	30/9	40/9	..
1623	Brace Bit Rolls to hold sets of 36 assorted Bits as above (extra)							
	Leather.							
	Canvas, baize-lined.							
		7/6 each.					4/6 each.	

Sets of 12 Bits comprise ... 4 Shell Bits $\frac{1}{8}$ to $\frac{1}{4}$ in., 5 Centre Bits $\frac{1}{8}$ to $\frac{1}{2}$ in., Rose Countersink, Plain Turncrew Bit and Square Rimer.
 " 18 " " ... 4 Shell Bits $\frac{1}{8}$ to $\frac{1}{4}$ in., Sash Bit $\frac{1}{8}$ in., 8 Centre Bits $\frac{1}{8}$ to 1 inch, Rose and Snail Countersinks, Drill Bit $\frac{1}{2}$ in., Plain Turncrew Bit, Square Rimer.
 " 24 " " ... 5 Shell Bits $\frac{1}{8}$ to $\frac{1}{4}$ in., Sash Bit $\frac{1}{8}$ in., 11 Centre Bits $\frac{1}{8}$ to 1 in., Flat, Rose, and Snail Countersinks, Drill Bit $\frac{1}{2}$ in., Plain and Fork Turncrew Bits, Square Rimer.
 " 30 " " ... 6 Shell Bits $\frac{1}{8}$ to $\frac{1}{4}$ in., Sash Bits $\frac{1}{8}$, $\frac{1}{4}$ in., 14 Centre Bits $\frac{1}{8}$ to 1 $\frac{1}{4}$ in., Flat, Rose and Snail Countersinks, Drill Bit $\frac{1}{2}$ in., Plain and Fork Turncrew Bits, Taper Bit, Square Rimer.
 " 36 " " ... 9 Shell Bits $\frac{1}{8}$ to $\frac{1}{4}$ in., Sash Bits $\frac{1}{8}$, $\frac{1}{4}$ in., 15 Centre Bits $\frac{1}{8}$ to 1 $\frac{1}{4}$ in., Jennings' Auger Bit $\frac{1}{2}$ in., Flat, Rose and Snail Countersinks, Drill Bit $\frac{1}{2}$ in., Plain and Fork Turncrew Bits, Taper Bit, Square Rimer, Half-round Rimer.



1624

1630

- 1624 The "Shamrock" Set of 36 Bright Brace Bits, fitted in Brown Canvas baize-lined Roll, comprising: 13 Gedges Bits $\frac{1}{8}$ to 1 inch, 6 Centre Bits $1\frac{1}{16}$ to $1\frac{1}{2}$ inch, 5 Shell Bits $\frac{1}{8}$ to $\frac{3}{16}$ inch, Sash Bit $\frac{1}{8}$ inch, Flat, Rose, and Snail Countersinks, 3 Drill Bits $\frac{1}{2}$ to $\frac{1}{4}$ inch, Square and Half-round Rimer, Taper Bit, Plain and Fork Turncrew Bits 61/6 Set.
- 1625 The "Ivy" Set of 36 Bright Brace Bits (as above, but with 13 Jennings' Bits instead of Gedges)..... 66/- Set.
- 1630 "Presentation" Set of 36 Bright Brace Bits (including 6 Gedges Auger Bits), complete with Best N.P. Ratchet Brace, in Polished Oak Case with Leather fittings..... 80/- Set.



COOPERS' BITS AND DRILL BITS.



1554 Coopers' Dowel Bits—

$\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 inch.

Black, Flat Tang 6/- 6/- 6/- 6/- 6/9 8/3 9/9 doz.


Brace Drill Bits— $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 $1\frac{1}{4}$ inch.

1603 Black ... 6/9 6/9 6/9 6/9 6/9 6/9 6/9 8/3 doz.

1604 Bright ... 8/6 8/6 8/6 8/6 8/6 8/6 8/6 10/9 ..

1605 Straw ... 9/- 9/- 9/- 9/- 9/- 9/- 9/- 11/3 ..

RIMER BITS.



Black. Bright. Straw.

1606 Square Rimers. $\frac{3}{8}$ inch 7/- 9/3 9/9 doz.

Black. Bright. Straw.

1607 Octagon Rimers. $\frac{3}{8}$ inch 10/6 12/3 12/9 doz.

Black. Bright. Straw.

1608 Half-round Rimers. $\frac{1}{2}$ inch 7/- 9/3 9/9 doz.


Taper Bits— $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 $1\frac{1}{4}$ $1\frac{1}{2}$ inch.

1609 Black 16/6 18/9 21/9 24/9 30/9 37/6 doz.

1610 Bright 18/6 20/9 23/9 27/- 33/9 42/- ..

1611 Straw 19/- 21/6 24/6 27/9 35/3 43/6 ..

HANDLED RIMERS.



1612 Square Rimers, $\frac{3}{8}$ in., Boxwood T. Handle
(length on rimer, $4\frac{1}{2}$ ins.) 16/6 doz.

1612 $\frac{1}{2}$ Small Square Rimers, $\frac{1}{4}$ in., Boxwood T. Handle,
(length on rimer, $2\frac{1}{4}$ ins.) 12/- doz.

1613 Hollow Taper Bits, $\frac{5}{8}$ inch, handled (length on
shell, 5 inches) 25/6 doz.

1614 Pocket Rimers, 3 in. long, with straight Beech Handle, 9/- doz.

TURNSCREW BITS.



Flat Blade Turncrew Bits—

Width of Point $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 inch.

1615 Black 6/- 6/- 6/9 8/3 10/6 12/9 15/- doz.

1615A Bright 7/9 7/9 8/6 10/- 12/3 14/6 16/9 ..

1615B Straw 8/3 8/3 9/- 10/6 12/9 15/- 17/3 ..



Forked Turncrew Bits—

Width of Point $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 inch.

1618 Black 6/9 6/9 7/6 9/9 12/- 14/3 16/6 doz.

1618A Bright 8/6 8/6 9/3 11/6 13/9 16/- 18/3 ..


1618B Straw 9/- 9/- 9/9 12/- 14/3 16/6 18/9 ..

Round Blade Turncrew Bits—

Width of Point ... $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ inch.

1616 Bright, Length Overall, 4 inches... 6/6 6/6 6/6 7/6 doz.

1616 $\frac{1}{2}$ Ditto. ditto 6 inches... 7/6 7/6 7/6 8/6 ..





MARPLES "Shamrock Brand" TOOLS



SCREW AUGER BITS.



1700 Scotch Pattern Screw Auger Bits—
 $\frac{1}{16}$ $\frac{1}{8}$ $\frac{3}{16}$ $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ $\frac{1}{2}$ $\frac{9}{16}$ $\frac{5}{8}$ $\frac{11}{16}$ $\frac{3}{4}$ $\frac{13}{16}$ $\frac{7}{8}$ $\frac{15}{16}$ 1 1 $\frac{1}{8}$ 1 $\frac{1}{4}$ 1 $\frac{3}{8}$ 1 $\frac{1}{2}$ inches.
 27/- 20/- 20/- 20/- 20/- 20/- 22/- 24/- 27/- 27/- 30/- 30/- 33/- 33/- 39/- 44/- 48/- 54/- dozen.

Sets of 13 Bits.
 $\frac{1}{4}$ to 1 inch.
 27/6 per set.



1701 Gedge's Pattern Screw Auger Bits—
 $\frac{1}{16}$ $\frac{1}{8}$ $\frac{3}{16}$ $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ $\frac{1}{2}$ $\frac{9}{16}$ $\frac{5}{8}$ $\frac{11}{16}$ $\frac{3}{4}$ $\frac{13}{16}$ $\frac{7}{8}$ $\frac{15}{16}$ 1 1 $\frac{1}{8}$ 1 $\frac{1}{4}$ 1 $\frac{3}{8}$ 1 $\frac{1}{2}$ inches.
 27/- 20/- 20/- 20/- 20/- 20/- 22/- 24/- 27/- 27/- 30/- 30/- 33/- 33/- 39/- 44/- 48/- 54/- dozen.

Sets of 13 Bits.
 $\frac{1}{4}$ to 1 inch.
 27/6 per set.



1702 Jennings' Pattern Screw Auger Bits—
 $\frac{1}{16}$ $\frac{1}{8}$ $\frac{3}{16}$ $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ $\frac{1}{2}$ $\frac{9}{16}$ $\frac{5}{8}$ $\frac{11}{16}$ $\frac{3}{4}$ $\frac{13}{16}$ $\frac{7}{8}$ $\frac{15}{16}$ 1 1 $\frac{1}{8}$ 1 $\frac{1}{4}$ 1 $\frac{3}{8}$ 1 $\frac{1}{2}$ inches.
 30/- 23/- 23/- 23/- 23/- 23/- 25/- 27/- 30/- 30/- 33/- 33/- 39/- 39/- 45/- 54/- 66/- 72/- dozen.

Sets of 13 Bits.
 $\frac{1}{4}$ to 1 inch.
 30/6 per set.



1705 Solid Wing-Pattern Screw Auger Bits—
 $\frac{1}{16}$ $\frac{1}{8}$ $\frac{3}{16}$ $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ $\frac{1}{2}$ $\frac{9}{16}$ $\frac{5}{8}$ $\frac{11}{16}$ $\frac{3}{4}$ $\frac{13}{16}$ $\frac{7}{8}$ $\frac{15}{16}$ 1 1 $\frac{1}{8}$ 1 $\frac{1}{4}$ 1 $\frac{3}{8}$ 1 $\frac{1}{2}$ inches.
 27/- 20/- 20/- 20/- 20/- 20/- 22/- 24/- 27/- 27/- 30/- 30/- 33/- 33/- 39/- 44/- 48/- 54/- dozen.

Sets of 13 Bits.
 $\frac{1}{4}$ to 1 inch.
 27/6 per set.



1706 Solid Centre Auger Bits—
 $\frac{1}{16}$ $\frac{1}{8}$ $\frac{3}{16}$ $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ $\frac{1}{2}$ $\frac{9}{16}$ $\frac{5}{8}$ $\frac{11}{16}$ $\frac{3}{4}$ $\frac{13}{16}$ $\frac{7}{8}$ $\frac{15}{16}$ 1 1 $\frac{1}{8}$ 1 $\frac{1}{4}$ 1 $\frac{3}{8}$ 1 $\frac{1}{2}$ inches.
 16/- 14/- 14/- 14/- 16/- 18/- 20/- 22/- 25/- 25/- 29/- 29/- 33/- 33/- 38/- 44/- 50/- 54/- dozen.

Sets of 13 Bits.
 $\frac{1}{4}$ to 1 inch.
 25/- per set.

1709 Cloth-lined Canvas Rolls, to hold set of 13 Screw Auger Bits $\frac{1}{4}$ to 1 inch 3/9 each.

DOWEL BITS.



1711

Short Dowel Bits, for Brace—
 $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ in.

1711 Gedge's ... 20/- 20/- 20/- 20/- 20/- 22/- 24/- doz.
 1713 Solid Wing 20/- 20/- 20/- 20/- 20/- 22/- 24/- ..



1712

Short Dowel Bits, for Brace—
 $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ in.

1712 Jennings pattern 23/- 23/- 23/- 23/- 23/- 25/- 27/- doz.



Dowel Bits, 1 $\frac{1}{2}$ in. twist, 1 $\frac{1}{2}$ in. \times $\frac{3}{8}$ in., glazed round shank—

1714 Jennings-Pattern $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ in.
 27/- 27/- 27/- 27/- 27/- 33/- 38/- doz.



Machine Dowel Bits, 3 in. twist, 2 in. \times $\frac{1}{2}$ in., turned shank

1716 Jennings-pattern $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ in.
 54/- 54/- 54/- 54/- 54/- 58/6 58/6 doz.



CARPENTERS' SHELL AUGERS.



		1651									
		To	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$ inches.
1650	Carpenters' Shell Augers, Tanged	17/6	21/-	27/-	30/-	33/-	36/-	45/-	48/-	59/-	dozen.
1651	Ditto ditto Eyed	22/6	26/-	32/-	36/-	39/-	42/-	51/-	57/-	68/-	"
		To. $\frac{3}{8}$ 1 $1\frac{1}{8}$ $1\frac{1}{4}$ $1\frac{3}{8}$ $1\frac{1}{2}$ inches.									
1654	Taper Shell, or Ladder Augers, Tanged	49/-	55/-	63/-	70/-	78/-	90/-				
1655	Ditto ditto Eyed	55/-	61/-	69/-	76/-	87/-	99/-				



		1656									
		To	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$ inches.
1656	Ship Shell Augers, Dod's Pattern, short	17/6	21/-	27/-	30/-	33/-	36/-	45/-	48/-	59/-	dozen.
1657	Ditto ditto long	22/6	26/-	32/-	36/-	39/-	42/-	51/-	57/-	68/-	"

CARPENTERS' SCREW AUGERS.



		1660									
		To	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$ inches.
1660	Carpenters' Black Screw Augers, Tanged	16/6	18/-	21/-	24/-	27/-	30/-	33/-	37/-	43/-	dozen.
1661	Ditto ditto ditto Eyed	21/6	23/-	26/-	30/-	33/-	36/-	39/-	46/-	52/-	"



		1665													
		To	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 inches.		
1664	Bright Scotch Screw Augers, Tanged	19/-	22/-	27/-	30/-	33/-	38/-	43/-	49/-	57/-	63/-	70/-	75/-	83/-	dozen.
1665	Ditto ditto Eyed	24/-	27/-	32/-	36/-	39/-	45/-	50/-	58/-	66/-	72/-	81/-	87/-	102/-	"



		1667													
		To	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 inches.		
1666	Gedge's Bright Screw Augers, Tanged	25/-	27/-	32/-	36/-	42/-	48/-	54/-	63/-	69/-	75/-	81/-	90/-	100/-	dozen.
1667	Ditto ditto Eyed	30/-	32/-	37/-	42/-	48/-	54/-	60/-	72/-	78/-	86/-	96/-	105/-	120/-	"



		1671									
		To	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$ inches.
1671	Solid Centre Augers, Eyed	25/6	30/-	34/6	39/-	43/6	48/-	54/-	60-	66/-	dozen.


For Auger Handles, see Index.




MARPLES "Shamrock Brand" TOOLS



SHELL AND TWIST GIMLETS.




1752




1762

		Nos.	0	1	2	3	4	5	6	7	Assorted. 1 to 7 ($\frac{1}{8}$ to $\frac{1}{4}$ in.)
1751	Flat Tang Shell Gimlets, Boxwood Head	54/-	48/-	51/-	54/-	57/-	63/-	69/-	75/-	54/- gross.
1752	Square Tang ditto ditto	63/-	57/-	60/-	63/-	69/-	75/-	81/-	87/-	63/- "
1752B	Best ditto ditto ditto	72/-	63/-	66/-	72/-	78/-	84/-	90/-	96/-	72/- "
1761	Flat Tang Twist Gimlets, Boxwood Head	54/-	48/-	51/-	54/-	57/-	63/-	69/-	75/-	54/- gross.
1762	Square Tang ditto ditto	63/-	57/-	60/-	63/-	69/-	75/-	81/-	87/-	63/- "
1762B	Best ditto ditto ditto	72/-	63/-	66/-	72/-	78/-	84/-	90/-	96/-	72/- "



1768



1770

		Nos.	1	2	3	4	5	6	7	Assorted. Nos. 2 to 6.	
1768	Best Square Tang Twist Gimlets, Steel Head	63/-	66/-	72/-	84/-	90/-	102/-	108/-	84/- gross.	
		Assorted.									
		Nos. 1 2 3 4 5 6 7 $\frac{5}{16}$ $\frac{3}{8}$ in. 1 to 7 ($\frac{1}{8}$ to $\frac{1}{4}$ in.)									
1770	Wire Handled Twist Gimlets	48/-	51/-	57/-	63/-	69/-	75/-	96/-	108/- 129/-	63/- gross.


SPIKE, GUTTER AND AUGER GIMLETS.



1781 Spike Twist Gimlets, Boxwood Head—

Length	Price
$\frac{1}{4}$ inch.	15/-
$\frac{5}{16}$ inch.	18/-
$\frac{3}{8}$ inch.	21/-
$\frac{7}{16}$ inch.	24/-
$\frac{1}{2}$ inch.	27/-


doz.



1784 Auger Gimlets, Boxwood Head—

Length	Price
$\frac{1}{4}$ inch.	15/-
$\frac{5}{16}$ inch.	18/-
$\frac{3}{8}$ inch.	21/-
$\frac{7}{16}$ inch.	24/-
$\frac{1}{2}$ inch.	27/-

doz.



1782

		Length	Price
1782	Spout, Gutter or Cabinet Twist Gimlets,	9 inches long	7/6 9/- 10/6 15/- dozen.
1782	Ditto ditto ditto	12 inches long	9/- $\frac{1}{2}$ 10/6 12/- 16/6 "



MARPLES "Shamrock Brand" TOOLS



WAGON BUILDERS' AND MISCELLANEOUS BITS.



		1740												
		$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	$\frac{15}{16}$	1 inch.
1739	Fast Sheeting Bits, 6-inch twist	21/9	21/9	21/9	24/3	24/3	27/-	27/-	31/6	31/6	35/3	35/3	37/6	37/6 dozen.
1740	Wagon Bits 10-in. twist	33/9	33/9	33/9	35/3	35/3	37/6	37/6	43/6	43/6	48/-	48/-	55/6	55/6 ..
1741	Ditto 12-in. twist	—	—	42/-	43/6	43/6	46/6	46/6	51/-	51/-	57/-	57/-	66/-	66/- ..
1742	Wagon Bits, 8-in. twist, Black with Bright Edges	—	—	24/-	25/-	26/-	27/-	28/6	32/	32/-	36/-	36/-	39/-	39/- dozen.
		1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	1 $\frac{5}{8}$	1 $\frac{3}{4}$	1 $\frac{7}{8}$	1 $\frac{7}{8}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	2 $\frac{1}{2}$ inches.
1746	Wagon Plate Bits	40/6	45/-	48/-	52/6	57/-	63/-	67/6	75/-	81/-	90/-	102/-	102/- dozen.	
		$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	$\frac{15}{16}$	$\frac{1}{2}$	1 inch.	
1720	Gedge's Long Sash Bits, 12 inch twist	...												
1721	Jennings-pattern ditto ditto	54/-	58/6	58/6	60/-	66/-	75/-	75/-	87/-	87/-	96/-	96/-	96/- dozen.	
1724	Gedge's Carriage Bits, 10-in. twist	43/6	46/6	46/6	51/-	51/-	60/-	60/-	66/-	66/-	75/-	75/-	75/- ..	
1726	Scotch Fencing Bits, 8-inch twist	30/-	33/-	33/-	36/-	36/-	40/6	40/6	45/-	45/-	51/-	51/-	51/- ..	
1728	Bath Stone or Freestone Bits, Black	15/-	15/-	15/-	18/-	18/-	21/-	21/-	—	24/-	—	27/-	27/- ..	


MACHINE AUGERS AND MACHINE BITS.



Machine Screw Augers, Bright, with turned Tang, $\frac{1}{2}$, $\frac{5}{8}$ or $\frac{3}{4}$ inch diameter—

Approx. Length of Twist	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	1 $\frac{5}{8}$	1 $\frac{3}{4}$	1 $\frac{7}{8}$	2 inches.	
1686	Scotch-Pattern	4/6	4/6	4/6	4/6	5/3	6/-	7/-	8/-	10/-	11/-	12/-	13/-	14/-	15/-	17/-	18/- each.
1687	Gedge's-Pattern	5/-	5/-	5/-	5/-	6/-	7/-	8/-	9/-	11/-	12/-	13/-	14/-	15/6	16/6	19/-	20/- ..
1688	Jennings'-Pattern	5/-	5/-	5/-	5/-	6/-	7/-	8/-	9/-	11/-	12/-	13/-	14/-	15/6	16/6	19/-	20/- ..

Machine Augers with 12-24-30 inch twist, and to special dimensions—Prices quoted against specification.



1694 Machine Shell Augers, Parrot Nose, for boring wood rollers, etc., the end way of the grain—

	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$ inches.
Length of Shell	7	8	10	10	10	10	12	12	12 inches.
Length Overall	14	14	18	18	18	18	21	21	21 ..
	7/6	9/-	12/-	15/-	18/-	22/6	27/-	31/6	36/- each.



Two-Wing Centre Bits—	Boring Size	Full Length	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$ inches.
1640	Straight Shanks	3	3 $\frac{1}{2}$	4	4 $\frac{1}{2}$	5	5 $\frac{1}{2}$	6	6	6 $\frac{1}{2}$	7 inches.
1641	$\frac{1}{2}$ inch Ditto	1/6	2/-	2/3	2/9	3/6	4/6	5/6	6/6	7/6	10/6 each.
1642	$\frac{3}{8}$ inch Ditto	2/6	3/-	3/3	3/9	4/6	5/-	5/6	6/6	7/6	10/6 ..
		4/-	4/-	4/-	4/6	5/3	5/9	6/-	7/-	7/6	10/6 ..



Three-Wing Slot-Boring Bits—	Boring Size	Full Length	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$ inches.
1645	Straight Shanks	3	3 $\frac{1}{2}$	4	4	4 $\frac{1}{2}$	5	5 $\frac{1}{2}$	6	6	6 $\frac{1}{2}$ inches.
1646	$\frac{1}{2}$ inch Ditto	2/6	3/-	3/6	4/3	5/-	6/9	8/9	10/6	12/6	15/- each.
1647	$\frac{3}{8}$ inch Ditto	3/9	4/6	5/-	5/9	6/-	6/9	8/9	10/6	12/6	15/- ..
		—	—	7/-	7/6	7/9	8/6	8/9	10/6	12/6	15/- ..



MARPLES "Shamrock Brand" TOOLS



BRAD AWL BLADES.

London Pattern Brad Awl Blades—

Number ...	1	2	3	4	5	6	Assorted. 1 to 6
Length ...	1	1½	1¾	1½	1¾	2 ins.	1 to 2 ins.
Gauge ...	15	14	13	12	11	10 W.G.	15 to 10 W.G.

1821 Best ... 15/6 15/6 16/6 18/- 19/6 21/- 16/6 gross.

1821A Medium ... 12/6 12/6 13/6 14/6 16/- 17/6 13/6 „

1823 Best London-Pattern-Cabinet Awl Blades—

Length 2 2¼ 2½ 2¾ 3 3½ inches.
Gauge 14 to 17 12 to 17 10 to 16 10 to 16 10 to 15 9 to 15 W.G.

24/- 27/- 30/- 36/- 42/- 48/- gross.


1824 Best London-Pattern Flooring Awl Blades, assd. 2¼ to 3 inches
(7 to 5 W.G.) 30/- gross.

1825 Best London Pattern Fine Sprig Awl Blades—

Gauge 18 17 16 W.G.

15/6 15/6 15/6 gross.

1825½ Birdcage Awl Blades, square, assorted sizes ... 18/- gross.



1821 (full size)




1825 (full size)

HANDLED BRAD AWLS.



1826 Best Round Beech or Ash Handled Brad Awls,
assorted to 2 inches 45/- gross.

1827 Medium Ash Handled Brad Awls,
assorted to 2 inches 37/6 „



1829 Best Oval Beech Handled Brad Awls,
assorted to 2 inches 51/- gross.



1834 Best Round Boxwood Handled Brad Awls,
assorted to 2¼ inches 75/- gross.



1834½ Best "Peg-Top" Boxwood Handled Brad Awls,
assorted to 2¼ inches 81/- gross.



1836 Best Round Ash Handled "Fast Tang" Brad Awls,
assorted to 2 inches 45/- gross.



1838 Best Round Beech Handled Birdcage Awls,
square, assorted sizes..... 46/6 gross.



Flooring Awls, assorted 2¼ to 3 inches (7 to 5 W.G.)—

1840 Best Round Beech Handled 67/6 gross.

1841 Best Oval ditto 81/- „



1842 Flooring Awls, assorted 2¼ to 3 inches (7 to 5 W.G.)
London-pattern Ash Handled 72/- gross.


Handled Brad Awls can be supplied "Through pinned" at 18/- per gross extra.
Garnish Awls and Trimmers' Awls—see Index.




MARPLES "Shamrock Brand" TOOLS



BREWERS' GIMLETS, &c.



1790




1793

Brewers' London-Pattern Gimlets, Boxwood Head—

		$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	inch.
1790	Shell ...	12/-	13/6	15/-	18/-	20/-	dozen.
1791	Twist ...	12/-	13/6	15/-	18/-	20/-	..

1793	Coopers' or Wine Frets, Boxwood Head	33/-	dozen.
1794	ditto ditto Solid Brass Head	54/-	..
1797	Coopers' Bung Ticklers, Iron Head	15/-	..

BOAT BUILDERS' GIMLETS, &c.



1801



1802


		$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	inch.
1801	Short Shipwrights' Gimlets, to weld	13/6	16/-	18/-	19/6	21/-	25/6	30/-	dozen.
1802	Ditto ditto ditto Eyed	21/-	23/6	25/6	27/-	30/-	34/6	39/-	..



1803 Boat Builders' Piercing Awl Blades 2/- doz.

1804 Boat Bit Holders and Countersinks—
24/- dozen.


BELL GIMLETS.



1806

			Length	12	18	24	30	36	inches.
1806	Bellhangers' Long Shell Gimlets, Boxwood Head, ...	Size $\frac{1}{4}$ inch	...	13/6	15/-	16/6	18/-	19/6	dozen.
	...	" $\frac{5}{16}$ "	...	15/-	16/6	18/-	19/6	21/-	..
	...	" $\frac{3}{8}$ "	...	15/-	16/6	18/-	22/6	24/-	..

ADJUSTABLE BIT HANDLES.



1810 Adjustable Bit Handles..... 18/- dozen.

By means of a knurled screw at the end of the handle any Brace Bit can be inserted, forming a very useful tool for many odd jobs.

MARPLES TOOLS



SHAMROCK BRAND
BRITISH MADE

*Have a reputation
to keep up!*





MARPLES "Shamrock Brand" TOOLS



AWL AND TOOL PADS.




- 1860 Solid Awl Pads, Beech Handled, with Taper Socket—

6	8	12	Awls in Case.
2/-	2/3	2/9	each.



- 1861 Solid Awl Pads, Beech Handled, with Wing Nut—

6	8	12	Awls in Case.
2/6	2/9	3/3	each.



- 1863 Hollow Beech Pad, Wing Nut, 6 Tools ... 2/6 each.
 1864 As above, but in Boxwood, with 8 Tools—
 3/6 each.



- 1870 Improved Hollow Boxwood Tool Pads, with Wing Nut.

8	10	12	15	Tools.
4/6	5/-	5/6	8/-	each.

- 1873 Best Hollow Rosewood Motor Tool Pads,
 with 8 large Cast Steel Tools, 8/- each.


MARKING AWLS & STRIKING KNIVES.



- 1875 C.S. Knife End Marking Awls 3/- dozen.



- 1875½ Knurled Marking Awls, Knife-end ... 7/- dozen.




- 1876 Beech Handled Shouldered Marking Awls—
 Assorted 5, 5½, 6 inch Blades ... 7/6 dozen.

Engineers' Scribers—see Index.



- 1877 C.S. Striking Knives 7/- dozen.



- 1878 Beech Scale Handled Striking Knives ... 13/6 dozen.



- 1879 Rosewood Handled Striking Knives... 12/- dozen.


CABINET SCRAPERS.




Length	3½	4	4½	5	6	inches.
Width	2	2¼	2½	2½	2½	inches.

- 1885 Scrapper Blades 5/- 5/3 6/6 7/- 8/6 dozen.
 Assd. 3 to 6 inches 6/6 dozen.

- 1886 Hardwood Handled Scrapers, 4 inches 19/- dozen.



No. 1.



No. 2.



No. 3.

- 1888 Shaped Scrapper Blades—

Nos. 1 2 3

9/- 10/6 12/- dozen.


- 1894 Handled Scrapper Steels ... 9/- dozen.



MARPLES "Shamrock Brand" TOOLS



HANDLED WOOD SCRAPERS.



No. 1893
SINGLE BLADE
SCRAPER 1/6 each.
 Scraping Width 1 1/2"
 Length Overall 5 1/4"
 A very handy tool.
 The blade is reversible thus providing two scraping edges.



No. 1890
DOUBLE BLADE
SCRAPER 2/6 each.
 Scraping Width 2 1/2"
 Length Overall 7 3/4"
 The shape of this handle allows a comfortable grip with the right hand and room for applying pressure with the left. The double reversible blades provide four scraping edges.

COUNTER DISPLAY PACK (comprising 2 Scrapers No. 1890, and 4 Scrapers, No. 1893).....11/- per pack


JOINERS' DOGS.

1897 Stamped Joiners' Dogs, or Joint Cramps—



1 1/2	2	2 1/2	3	3 1/2	inches
1/9	1/9	2/-	2/3	2/6	dozen
Assorted, 1 1/2 to 3 1/2 inches...2/- dozen					

1898 Strong Forged Steel Joiners' Dogs.—



2	2 1/2	3	3 1/2	4	inches
4/9	5/-	5/3	5/6	6/-	dozen
Assorted, 2 to 4 inches...5/3 dozen					

NAIL SETS OR PUNCHES.



1902 Brad Punches, Round Points, assd. sizes 3/3 dozen
1904 As above, all bright finish ... 4/- "

1903 Brad Punches, Square Points, assd. sizes 3/3 dozen
1905 As above, all bright finish ... 4/- "



1908 Cup-Point Nail Sets, Machine-turned to size, Knurled Grip ... 5/9 dozen
 Sizes 1/16, 3/32, 1/8, 5/32, 3/16 inch.



1910 Square Head Nail Sets, Cup Point, Machine turned to size, Knurled Grip..... 6/9 dozen
 Sizes 1/16, 3/32, 1/8, 5/32, 3/16 inch.



1914 Flooring Punches, Round Points, assd. sizes 6/9 doz.
1916 As above, all-bright finish 8/3 doz.

1915 Flooring Punches, Square Points, assd. sizes 6/9 doz.
1917 As above, all-bright finish..... 8/3 doz.

HANDY SETS OF FOUR NAIL SETS IN CASE.

comprising
 One Punch each.
 1/16, 3/32, 1/8, 5/32 inch.
 No. 1910 Square Head pattern.
 2/3 per set.




Centre Punches—see Index.



MARPLES "Shamrock Brand" TOOLS



ROUND BLADE TURNSCREWS.



Sectional illustration showing robust construction.

Length of Blade	3	4	5	6	8	10	12	inches
Diam. of Blade	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{3}{8}$	$\frac{3}{8}$	inch

- 1975 Round-blade Turnscrows, Green Fluted Hardwood Handle. One solid forged piece of steel forms the blade, shank and head. The handle is prevented from turning by two wings on the head, and a pin rivetted through shank and ferrule 15/- 16/6 18/- 21/- 24/- 27/- 30/- dozen



Length of Blade	2	3	4	5	6	8	10	inches
-----------------	---	---	---	---	---	---	----	--------

- 1978 Jewellers' Round-blade Turnscrows, $\frac{3}{32}$ in., diameter, Rosewood Handle, the delicate blade specially hardened and tempered the whole of its length . 7/- 7/- 7/- 8/- 9/- 10/- 11/- dozen

ELECTRICIANS' TURNSCREWS.

These thin blades are specially hardened and tempered the whole of their length.



Length of Blade	3	4	5	6	7	8	9	10	inches
-----------------	---	---	---	---	---	---	---	----	--------

- Electricians' Light Cabinet Turnscrows—
1979 Worked-oval Boxwood Handle, Brass Hoop 20/- 21/- 23/6 27/- 30/- 35/6 40/- 45/- dozen



Length of Blade	3	4	5	6	7	8	9	10	inches
-----------------	---	---	---	---	---	---	---	----	--------

- Electricians' Light Cabinet Turnscrows—
1979½ Octagon Boxwood Handle, Brass Hoop 13/- 14/- 15/- 18/- 22/6 25/6 30/- 33/- dozen



Length of Blade	3	4	5	6	7	8	9	10	inches
-----------------	---	---	---	---	---	---	---	----	--------

- Electricians' Light Cabinet Turnscrows—
1983 Turned-oval Boxwood Handle, Steel Ferrule 10/3 10/9 13/6 16/6 19/- 22/6 26/- 30/- dozen



Length of Blade	1½	2	2½	3	4	5	6	8	10	inches
-----------------	----	---	----	---	---	---	---	---	----	--------

- Electricians' Round blade Turnscrows, $\frac{1}{16}$ in. diam.—
1984 Octagon Boxwood Handle, Brass Hoop 9/6 9/6 9/6 9/9 9/9 10/- 11/- 12/- 13/6 dozen



MARPLES "Shamrock Brand" TOOLS



LONDON PATTERN TURNSCREWS.



		Length of Blade												
		3	4	5	6	7	8	9	10	12	14	16	18	inches
London-Pattern Turnscrows—														
1950	Beech Handle, Brass Hoop	10/9	12/9	15/6	18/3	21/6	26/-	30/-	34/-	43/-	56/-	68/-	81/-	dozen
1950B	" " Lighter Pattern	9/-	10/6	12/-	15/-	18/-	21/-	24/-	28/-	36/-	—	—	—	"

CABINET TURNSCREWS.



		Length of Blade												
		3	4	5	6	7	8	9	10	12	14	16	18	inches
Cabinet Turnscrows—														
1960	Beech Handle, Brass Hoop	11/-	12/-	14/-	17/-	20/-	24/-	28/-	32/-	40/-	52/-	64/-	78/-	dozen
1960B	" " Lighter Pattern	9/-	10/6	12/-	15/-	18/-	21/-	24/-	27/-	33/-	—	—	—	"




		Length of Blade												
		3	4	5	6	7	8	9	10	12	14	16	18	inches
Cabinet Turnscrows—														
1961	Worked-oval Beech Handle, Brass Hoop	16/-	17/-	19/-	22/-	25/-	30/-	34/-	39/-	48/-	60/-	72/-	87/-	dozen
1963	Worked-oval Boxwood Handle, Brass Hoop...	20/-	21/-	23/6	27/-	30/-	35/6	40/-	45/-	54/-	66/-	78/-	93/-	"



		Length of Blade ... Ass. 2½ to 4 in. To												
		3	4	5	6	7	8	9	10	12	inches			
Cabinet Turnscrows														
1967	Turned-oval Beech Handle, Steel Ferrule	9/9	9/6	10/-	12/6	14/6	16/6	19/-	22/6	24/6	27/-	dozen		
1968	Turned-oval Boxwood Handle, Steel Ferrule.....	10/6	10/3	10/9	13/6	16/6	19/-	22/6	26/-	30/-	33/-	"		

SPINDLE TURNSCREWS.



		Length of Blade									
		6	8	9	10	12	15	18	inches		
1970 Spindle Blade Turnscrows, Beech Handle, Brass Hoop		9/6	11/-	12/6	15/-	18/-	24/-	30/-	dozen		

ROUND BLADE TURNSCREWS.



		Length of Blade									
		3	4	5	6	8	10	12	inches		
		Diameter of Blade									
		¼	½	¾	1	1½	2	2½	inches		
1974½ Round-blade Turnscrows, Black Fluted Hardwood Handle, rivetted through the steel Ferrule. Tang specially forged to prevent turning.....		9/10	10/-	10/3	11/-	13/-	15/-	17/-	dozen		



MARPLES "Shamrock Brand" TOOLS



ENGINEERS' OR MOTOR TURNSCREWS.



1992 Short Strong Flat-blade Motor Turnscrows, Beech Handle—
 Length of Blade 1½ 2 2½ 3 inches
 14/- 14/6 15/- 16/6 dozen





1995 Short Strong Cabinet-blade Motor Turnscrows, worked-oval Beech Handle—
 Length of Blade 1½ 2 2½ 3 inches
 19/6 20/- 20/6 21/- dozen



1993 Short Strong Flat-blade Motor Turnscrows, worked-oval Boxwood Handle—
 Length of Blade 1½ 2 2½ 3 inches
 22/6 23/- 23/6 25/- dozen



1996 Short Strong Cabinet-blade Motor Turnscrows, Boxwood Crutch Handle—
 Length of Blade 1½ 2 2½ 3 inches
 24/- 24/6 25/- 26/- dozen



1997 Engineers' Square Shank Turnscrows. Blade, Shank and Head are one piece of solid forged steel, Handle is bored with a square hole and rivetted through ferrule to prevent turning. Finished Green—
 Length of Blade 4 6 inches
 30/- 36/- dozen

RADIO TURNSCREWS.



2015 Radio Turnscrows, 2½ in. Blade, Knurled Ebonite Handle 6/- dozen
 (1 dozen lots mounted on display board free.)



2016 Radio Turnscrows, 2½ ins. blade, Moulded Insulated Hexagon Handle. Assorted Brown, Green, Red—
 6/- dozen
 (1 dozen lots mounted on display board free.)

MIDGET OR LOCK TURNSCREWS.



Midget Cabinet Turnscrows, Short Handle, asstd. 1-1¼-1½ inch Blades—
 2010 Hardwood Handle 7/6 dozen
 2010B Beech Handle 6/9 "



Midget Cabinet Turnscrows, Long Handle, 1½ inch Blade—
 2012 Hardwood Handle 7/6 dozen
 2012B Beech Handle 6/9 dozen

For Turncrew Handles—see Index



MARPLES "Shamrock Brand" TOOLS




ELECTRICIANS' TURNSCREWS.

These thin Blades are specially hardened and tempered the whole of their length.




		Length of Blade									
		1½	2	2½	3	4	5	6	8	10	inches
1985	Electricians' Round blade Turnscrows, $\frac{3}{16}$ ins. diam. Black Fluted Hardwood Handle, Steel Ferrule	9/6	9/6	9/6	9/9	9/9	10/-	11/-	12/-	13/6	dozen



		Length of Blade				inches	
		Colour ...	4	6	8		
1987	Electricians' Turnscrows, with Coloured Insulated Handle moulded to Round Blade, $\frac{3}{16}$ ins. diam. Shanks swaged to prevent turning	Green	Red	Black			
(One dozen lots mounted on display board free.)		12/-	12/-	12/-	dozen		



		Length of Blade				inches	
		Colour ...	4	5	6	8	
1988	Electricians' Turnscrows, with Coloured Fluted Handle, fully insulated, moulded to Round Blade, $\frac{3}{16}$ ins. diam. Shanks swaged to prevent turning.....	Black	Green	Red	Black		
(One dozen lots mounted on display board free.)		18/-	18/-	18/-	18/-	dozen	



1989	Electricians' "Safety Turnscrows," Fluted Insulated Handle, Assorted Colours, 8 inches long overall. This turnscrew has the special feature of being insulated the whole length of the blade.....	24/-	dozen
(One dozen lots mounted on mahogany display stand free.)			

PERFECT-PATTERN TURNSCREWS.



		Length overall					
		4½	6	8	10	12	inches
1990	"Perfect Pattern" Turnscrows, Solid Steel with Polished Rosewood Scale Handle ...	10/6	12/-	15/-	21/-	25/6	dozen.



		Length of Blade								
		2	3	4	5	6	7	8	10	inches
1991	Ratchet Turnscrows. Blades, Pawls and Ratchet of special Steel. Handles securely pinned	26/-	27/-	28/-	29/-	30/-	32/-	36/-	42/-	dozen




MARPLES "Shamrock Brand" TOOLS




MORTISE GAUGES. PULL SLIDE.



2150A Beechwood, with extra pin for use as Marking Gauge 21/- dozen.




2116 Best Rosewood, Plain Head, with Brass Shield on Head 42/- dozen.




2153 Rosewood, Plain Head 27/- dozen.

2153½ As above, but with extra pin for use as Marking Gauge 27/- ,,




2117 Best Rosewood, Brass Plated Head, Brass Shield on Head..... 48/- dozen.

SCREW SLIDE.



2151 Beechwood, Combined Marking and Mortise, Thumbscrew Slide 48/- dozen.



2120 Best Rosewood, Thumbscrew Slide, Brass-Plated Head, Brass Shield in Head..... 72/- dozen.

2120E Ebony, as above..... 84/- ,,



2154 Rosewood, Brass-Plated Head, Thumbscrew Slide..... 54/- dozen.

2154½ As above, with extra pin for use as Marking Gauge 54/- dozen.



2123 Best Rosewood, Thumbscrew Slide, Ring-Plated Oval Head, Brass Shield in Head 81/- dozen.

2123E Ebony, as above..... 90/- ,,



2119 Best Rosewood, Thumbscrew Slide, Plain Head 60/- dozen.



2140 Best Ebony, Round Brass Stem, Thumbscrew Slide, Brass-Faced, Oval Head, Brass Shield in Head 126/- dozen.



MARPLES "Shamrock Brand" TOOLS



MARKING GAUGES.



2050 Beechwood, Square Polished Head, Boxwood Thumbscrew 12/- dozen




2052 Best Beechwood, Half Round Polished Head, Boxwood Thumbscrew..... 13/6 dozen



2051 Beechwood, Square Polished Head, Brass Plated, Boxwood Thumbscrew ... 16/- dozen




2053 Best Beechwood, Half-Round Polished Head, Brass Plated, Boxwood Thumbscrew 18/- dozen



2040 Beechwood Square Head, Iron Thumbscrew, Rule-Marked Stem—
2040 Unpolished 8/3 dozen.
2042 Polished Head, Brass Plated 14/3 ..


CUTTING GAUGES.



2080 Beechwood, Square Polished Head, Boxwood Thumbscrew 15/- dozen



2082 Best Beechwood, Half-Round Polished Head, Boxwood Thumbscrew 16/6 dozen



2081 Beechwood, Square Polished Head, Brass Plated, Boxwood Thumbscrew ... 20/- dozen



2083 Best Beechwood, Half-Round Polished Head, Brass Plated 21/- dozen


Boxwood Thumbscrews, 3/6 doz. Cutters for Cutting Gauges, 2/6 doz. Pins for Marking Gauges, 3d. doz.



MARPLES "Shamrock Brand" TOOLS




MITRE SQUARES.




	8	10	12	inches
2210 Best Quality Rosewood Mitre Squares, Brass Diamonds.....	60/-	69/-	78/-	dozen


JOINERS' BEVELS.



	7½	9	10½	12	15 inches
2220 Best Quality Rosewood Sliding Bevels, Heavy Brass Plated.....	49/6	54/-	60/-	69/-	90/- dozen
2221 Best Quality Ebony Sliding Bevels, Heavy Brass Plated.....	54/-	58/6	64/6	73/6	94/6 "



	7½	9	10½	12 inches
2226 Rosewood Sliding Bevels, Brass Plated, with special Brass Lever Locking Nut for quick action adjustment	33/-	34/6	36/-	37/6 dozen



	7½	9	10½	12 inches
2234 Rosewood Sliding Bevels, Brass Plated.....	33/-	34/6	36/-	37/6 dozen




MARPLES "Shamrock Brand" TOOLS




JOINERS' SQUARES.

WITH BLUED STEEL BLADES.




2200 Best Quality Rosewood Try Squares, with Heavy Brass Plated Stocks, and Blade secured by Brass Diamonds—

3	4½	6	7½	9	10½	12	15	18	21	24 ins.
30/-	33/-	37/6	45/-	54/-	63/-	72/-	96/-	120/-	144/-	180/- doz.




2202 Best Quality Ebony Try Squares, with Heavy Brass Plated Stocks and Blade secured by Brass Shields.—

3	4½	6	7½	9	10½	12	15	18 inches
36/-	40/6	45/-	54/-	66/-	75/-	90/-	120/-	144/- dozen




2204 Best Quality Solid-Blade Rosewood Try Squares, Heavy Brass Plated Stocks. The Blade is L shaped, and is secured by rivets down the full length of the stock. This renders the Square almost impervious to knocks and careless handling.—

4½	6	7½	9	10½	12 inches
48/-	55/6	63/-	72/-	84/-	97/6 dozen



2208 Rosewood Try Squares, with Brass Plated Stocks and Blade secured by Brass Washers—

4½	6	7½	9	10½	12 inches
22/6	25/6	31/6	36/-	40/6	48/- dozen



No. 2203 Rosewood Try Squares, with Brass Plated Stocks. Rule-marked both sides in ½ in. Blade secured by Brass Washers—

4½	6	9	12 inches
27/-	33/-	39/-	54/- dozen



MARPLES "Shamrock Brand" TOOLS





"Shockproof" Spirit Levels

A CONCLUSIVE TEST



Dropped over 1,000 times
and still true!



To prove the efficacy of this "Shockproof" fitting, a No. 2336 Level 24" was selected at random from stock, and dropped from the roof of one of our factories on to the concrete pavement, 45 feet below. This was repeated three times, and on inspection the tubes were found to be intact, and, the buckled end plates having first been removed, the Level still accurate.

This same Level travelled 35,000 miles round the world, was demonstrated before at least 400 clients, and on its return to Sheffield was dropped again from the factory roof. Subjected to extremes of heat and cold, buffeted as no level can have been buffeted before, with brass end plates long since gone, and with the ends battered and splintered, the original "Shockproof" tubes remained accurate and intact. Any visitor to our works can see the Level for himself.

Read This Practical Man's Opinion

South Harrow, Middx. 12/7/36.

To Messrs. Wm. Marples & Sons, Ltd.,
44 Upper Thames Street, E.C.4.

Dear Sirs,

With reference to your "Shockproof" Level, one of which I am using. I really must say that these are up to their reputation. My "Shockproof" Level has suffered a fall of 35 feet, and on its way down hit poles and planks, yet, when it was picked up, it was absolutely intact in every way.

I must say that the MARPLES "Shockproof" Level is a perfect Level.

If this letter is of any use, you may use it as you wish.

(Signed): S.T.B. (Bricklayer).

One of the many proofs we have received of the unusual durability of Marples patent "Shockproof" Levels.



MARPLES "Shamrock Brand" TOOLS



"Shockproof" Spirit Levels

Here are some of the points which go to make these Levels the most popular range of wood Spirit Levels on the market.

TUBES.

These are made of specially tough glass of extra heavy section; they are filled with a fluorescent spirit, the peculiar properties of which enable the bubble to catch and hold the light, rendering the location of the bubble very much easier than heretofore. Added to this, each horizontal tube—where possible—is fitted with a special "background." The magnification and refraction thus caused in the bubble make it easily discernible, even in a poor light.

STOCKS.

The stocks or bodies are made of selected hard woods, which before use are carefully kiln dried and treated to withstand all climatic conditions.


FINISH.

All Levels are highly polished, which provides not only a pleasing exterior but an essential protective coat against the weather.

"SHOCKPROOF" PATENT No. 423896.

MARPLES Levels, fitted with "Shockproof" Tubes, are different from any others, in that the chances of the glass being broken are reduced to a minimum. The most vulnerable part of a Level is the tube and a knock will often break the glass. "Shockproof" Levels contain Tubes set in patent rubber mountings, which provide insulation against the jars and knocks which a Level encounters.

Should one of these Levels be dropped, the glass will be found unbroken, though our guarantee cannot be held to cover such treatment. If a tube ever requires replacing, no difficulty will be experienced in refitting in the usual manner.



Patent 423896

*Illustration showing Patent
"Shockproof" Rubber Mounting.*



MARPLES "Shamrock Brand" TOOLS



BEST PROVED SPIRIT LEVEL TUBES.

All Spirit Level Tubes are marked with a proof-mark at one end.
When a Tube is fitted into a Spirit Level, the proof-mark must be at the top.




2340



2341

	1	1½	1½	1¾	2	2¼	2½	3	3½	4	4½	5	inches
2340 Plain	3/6	3/6	3/6	3/9	3/9	4/-	4/-	4/6	5/-	6/-	7/6	9/-	dozen
	1	1½	1½	1¾	2	2¼	2½	3	3½	4	4½	5	inches
2341 Divided	4/-	4/-	4/-	4/3	4/3	4/6	4/9	5/3	5/9	7/-	8/6	10/-	dozen

"GREEN LINE" SPIRIT LEVEL TUBES.



	1	1½	1½	1¾	2	2¼	2½	3	3½	4	4½	5	inches
2342 "Green Line"	5/6	5/6	6/6	6/9	7/-	7/6	8/-	9/-	10/-	11/-	13/-	15/-	dozen

These Tubes are strongly recommended as being very superior to any that have hitherto been offered.
The colours are enamelled into the glass, they can never fade or lose their original brilliance.

SPIRIT LEVELS.



2329 Roadmakers' Brass Level for fitting to wood straight edge, 7½ inches, with "Shockproof" Tube...3/6 each.



2338 Brass Tube Levels, 2¼ inches.....15/- dozen
2339 Brass Tube Levels in Nickelled cases.....18/- dozen



	8	9	10	12	14	16	18	inches
2301 Wide Mahogany, with Plumb Tube, heavy Brass Plated and Tipped, fitted with "Shockproof" Tubes	54/-	57/-	61/6	70/6	81/-	93/-	105/-	dozen

BUILDERS' LONG LEVELS COMBINED WITH LEAD PLUMB-BOB



2350

Narrow Plumb Level, 1½ inches × 2½ inches, with Horizontal Tube, Plumb Tube, and 8 oz. Lead Plumb-Bob complete with line. Made from specially treated Mahogany, Brass face-plate, fitted with patent "Shockproof" Tubes. Supplied with or without Aluminium Tip rebated into the wood.

	Length	36	42	48	inches
2350 With plain end		8/3	8/9	9/3	each
2351 With aluminium tip		9/6	10/-	10/6	each



"SHOCKPROOF" SPIRIT LEVELS.



	4	6	8	9	10	12	inches
2270 Narrow Mahogany, fitted with "Shockproof" Tube	12/-	15/-	18/-	21/-	24/-	28/-	dozen
2271 Narrow Mahogany, Brass Tipped, fitted with "Shockproof" Tube.	—	19/6	22/6	25/6	28/6	33/-	dozen



	6	8	9	10	12	inches
2317 Mahogany "Boatshape," with Plumb Tube, Brass Tipped, and fitted with "Shockproof" Tubes	30/-	33/-	36/-	39/-	42/-	dozen



	6	8	9	10	12	14	inches
2318 Narrow Mahogany, with Plumb Tube, Brass Tipped, and fitted with "Shockproof" Tubes	30/-	33/-	36/-	39/-	42/-	54/-	dozen



	6	8	9	10	12	inches
2327 Narrow Boxwood, with Plumb Tube, Rule marked $\frac{1}{4}$ ths, and fitted with "Shockproof" Tubes	22/6	25/6	27/-	30/-	34/6	dozen



	6	8	9	10	12	inches
2273 Ebony, heavy brass plated and tipped, fitted with "Shockproof" Tube	36/-	39/-	42/-	45/-	51/-	dozen



2321 Cast Aluminium "Boatshape" with Plumb Tube, 9 inches long, finished Red and Bright, Machined Base, fitted with "Shockproof" Tubes, packed individually in wood box.....							60/-	dozen
--	--	--	--	--	--	--	------	-------



MARPLES "Shamrock Brand" TOOLS



"BLINDMAN'S" LONG SPIRIT LEVELS.



2320

Wide Hardwood Level, $1\frac{1}{4}$ inches \times $3\frac{1}{2}$ inches, with Horizontal and Two Plumb Tubes (one not visible in illustration). Ends protected by heavy aluminium plates. In this new Level, an ingenious arrangement of unbreakable mirrors makes the reading of the bubbles easy, even in dark corners with one's back to the light, thus overcoming the chief fault of the ordinary Level. Fitted with patent "Shockproof" Tubes.

Length	24	27	30	36 inches
--------	----	----	----	-----------

2320 With Four Tubes.....	10/6	11/3	12/-	12/9 each
---------------------------	------	------	------	-----------

BUILDERS' "SIX-WAY" LEVELS.



2358

Narrow Level with Double Plumb, $\frac{1}{2}$ inches \times $2\frac{1}{4}$ inches. Made from specially treated Mahogany. Each aperture is fitted with two tubes in such a way that, no matter how the level is picked up, a reading can be taken. Ends protected by heavy Aluminium plates rebated into the wood. Fitted with patent "Shockproof" Tubes.

Length	36	42	48 inches
--------	----	----	-----------

2358 With Six Tubes	13/-	14/-	15/6 each
---------------------------	------	------	-----------

ADJUSTABLE LEVELS.

Pat. No. 444852.



2333

Wide Hardwood Adjustable Level with Plumb, $1\frac{1}{4}$ inches \times $3\frac{1}{2}$ inches. Adjustable Horizontal Fitting containing patent "Shockproof" Tube. The Plumb is fitted with patent adjustment whereby the Tube can be rotated through a complete circle. The ends are not tipped.

Length	24	27	30	36 inches
--------	----	----	----	-----------

2333 Single Plumb.....	8/6	8/9	9/-	9/6 each
------------------------	-----	-----	-----	----------



2334

Wide Hardwood Adjustable Level with 1 or 2 Plumbs, $1\frac{1}{4}$ inches \times $3\frac{1}{2}$ inches. As 2333, but with the added advantage that the ends are protected by heavy Brass plates, rebated into the wood.

Length	24	27	30	36 inches
--------	----	----	----	-----------

2333 $\frac{1}{2}$ Single Plumb	10/-	10/6	10/9	11/6 each
2334 Double Plumb	13/6	13/9	14/-	14/6 each



2330

Narrow Hardwood Adjustable Level, $\frac{1}{2}$ inches \times $2\frac{1}{4}$ inches, with Four Tubes. Each Tube is fitted in a patent mounting, enabling it to be rotated through a complete circle. The Level is sent out with the Tubes so adjusted that a reading can be taken, no matter how the Level is picked up. Ends protected by heavy Aluminium plates. Finished Black with Chromium Plated Fittings.

Length	36	42	48 inches
--------	----	----	-----------

2330 With Four Tubes.....	15/-	16/-	17/- each
---------------------------	------	------	-----------



MARPLES "Shamrock Brand" TOOLS



BUILDERS' LONG SPIRIT LEVELS.



2332

Hardwood Level, with Plumb, $1\frac{3}{8}$ inch wide, Brass face plate, Tubes protected by glass "windows."
(Not fitted with "Shockproof" Tubes)

	Length	12	15	18	24	30	36	inches
	Depth	$2\frac{1}{4}$	$2\frac{1}{4}$	$2\frac{1}{4}$	$2\frac{1}{4}$	$2\frac{1}{4}$	$2\frac{1}{4}$	inches
2332 Plain Base		$\frac{3}{8}$	$\frac{3}{8}$	$\frac{4}{3}$	$\frac{5}{3}$	$\frac{6}{3}$	$\frac{7}{-}$	each
2332 $\frac{1}{2}$ Brass Tips		$\frac{4}{6}$	$\frac{5}{-}$	$\frac{5}{9}$	$\frac{7}{-}$	$\frac{8}{3}$	$\frac{9}{-}$	each



2337

Narrow Level with Plumb, $\frac{7}{8}$ inches wide \times $2\frac{1}{4}$ inches deep, made of specially treated Mahogany, with Brass face plate, fitted with patent "Shockproof" Tubes. The ends are not tipped.

	Length	24	30	36	inches
2337 Single Plumb.....		$\frac{5}{-}$	$\frac{5}{6}$	$\frac{6}{-}$	each



2336

Narrow Level with 1 or 2 Plumbs, $\frac{11}{8}$ inches wide \times $2\frac{1}{4}$ inches deep, made of specially treated Mahogany, with Brass face plate. Fitted with Patent "Shockproof" Tubes. Ends protected by heavy brass plates rebated into the wood.

	Length	24	30	36	42	48	inches
2335 Single Plumb.....		$\frac{8}{-}$	$\frac{8}{6}$	$\frac{9}{-}$	$\frac{10}{-}$	$\frac{11}{6}$	each
2336 Double Plumb.....		$\frac{9}{-}$	$\frac{9}{9}$	$\frac{10}{6}$	$\frac{11}{-}$	$\frac{12}{6}$	each



2357

Wide Hardwood Level with Plumb, $1\frac{1}{4}$ inches wide \times $3\frac{1}{8}$ inches deep, Brass face plate, fitted with patent "Shockproof" Tubes. The ends are not tipped.

	Length	24	27	30	36	inches
2357 Single Plumb.....		$\frac{6}{-}$	$\frac{6}{6}$	$\frac{7}{-}$	$\frac{8}{9}$	each



2356

Wide Hardwood Level with 1 or 2 Plumbs, $1\frac{1}{4}$ inches wide \times $3\frac{1}{8}$ inches deep, Brass face plate. Ends protected by heavy aluminium plates rebated into the wood. Fitted with patent "Shockproof" Tubes.

	Length	24	27	30	36	inches
2355 Single Plumb		$\frac{8}{-}$	$\frac{8}{6}$	$\frac{9}{-}$	$\frac{11}{-}$	each
2356 Double Plumb		$\frac{9}{-}$	$\frac{9}{6}$	$\frac{10}{-}$	$\frac{12}{-}$	each

MARPLES TOOLS



SHAMROCK BRAND
BRITISH MADE



*Your
level-best
Choice!*



MARPLES "Shamrock Brand" TOOLS



SPOKESHAVES.

For Coachmakers' Spokeshaves and Coopers' Shaves.—see Index.



2360—3 inches.

	1½	1¾	2	2¼	2½	2¾	3	3½	4 inches
2360 Best Beech Spokeshaves	22/-	22/-	22/-	23/-	24/-	25/6	27/-	31/6	36/- dozen
2360B Special ditto	19/6	19/6	19/6	20/6	21/-	22/6	23/-	27/-	30/- "



2370—2 inches, with Round Front.



2370—2½ inches, with Square Front.

	1½	1¾	2	2¼	2½	2¾	3	3½	4 inches
2370 Best Boxwood Spokeshaves	30/-	30/-	30/-	31/6	33/-	36/-	39/-	46/6	54/- dozen
2370B Special ditto	26/6	26/6	26/6	28/-	29/6	32/6	34/6	40/6	45/- "

Spokeshaves up to 2 inches are made with Round Front, unless "Square Front" is specified, both patterns same prices. Spokeshaves 2¼ inches and above are made with Square Front, unless "Round Front" is specified, price 1/6 dozen extra in these sizes.

Spokeshaves "Round Back and Front" made to order, price 3/- dozen extra, all sizes.

BRASS-PLATED SPOKESHAVES.



2361—3 inches.

	1½	1¾	2	2¼	2½	2¾	3	3½	4 inches
2361 Best Beech Plated Spokeshaves	28/-	28/-	28/-	29/-	30/-	31/6	33/-	40/6	48/- dozen

BRASS-PLATED SPOKESHAVES with Screw Adjusting Iron.



2362—3 inches.

	1½	1¾	2	2¼	2½	2¾	3	3½	4 inches
2362 Best Beech Plated and Screwed Spokeshaves	54/-	54/-	54/-	57/-	60/-	63/-	66/-	72/-	81/- dozen
2372 Best Boxwood Plated and Screwed Spokeshaves	66/-	66/-	66/-	69/-	72/-	75/-	78/-	84/-	93/- "

(Iron Spokeshaves—see Index).



PATTERNMAKERS' BOXWOOD SHAVES.



Length Overall	...	4	5	6	7	7½	8	inches
Width of Cut	...	1	1	1½	1½	1½	2	inches

2375	Patternmakers' Shaves, Round Back and Front	30/6	30/6	31/-	31/-	31/6	32/6	dozen
------	---	------	------	------	------	------	------	-------

RADIUS BOXWOOD SPOKESHAVES.



Length Overall	...	5	5	5	7	7	7	8½	9	inches
Width of Cut	...	1	1	1	1½	1½	1½	2	2½	inches
Diameter of Circle	...	2	4	6	2	4	6	6	6	inches

2376	Radius Shaves, Square Front	60/-	51/-	48/-	63/-	54/-	51/-	57/-	60/-	dozen
------	-----------------------------	------	------	------	------	------	------	------	------	-------

SPOKESHAVE IRONS.




2380

To	2½	2¾	3	3½	4	inches
----	----	----	---	----	---	--------


2380	Cast Steel Spokeshave Irons	7/6	8/-	8/-	9/-	10/6	dozen
2381	Ditto ditto Screwed Tangs	10/-	10/6	10/6	12/-	13/6	„

Spokeshave Irons with Rounded Backs, 9d. dozen extra, all sizes.
Iron Spokeshaves—see Index.

TURNING OR BOW SAWS.



2400



2400A

		All sizes up to 10							12	14	16	18	20	22	24	inches
2400	Best Beech Handled Turning Saw Frames, Twine Strained	6/-	7/-	8/-	9/-	10/6	12/-	13/6	15/-	16/6	18/-	20/-	22/-	24/-	each	
2400A	Ditto ditto ditto with Wire Stretcher	7/-	8/-	9/-	10/6	12/-	13/6	15/-	16/6	18/-	20/-	22/-	24/-	„		
2403	Beech Handled Turning Saw Frames, Twine Strained	3/9	4/6	4/6	6/6	—	—	—	—	—	—	—	—	„		
2403A	Ditto ditto ditto with Wire Stretcher	4/6	5/6	5/6	7/6	—	—	—	—	—	—	—	—	„		
		All sizes up to 10							12	14	16	18	20	22	24	inches
2405	Round Beechwood Handles, for Saw Frames	24/-	24/-	24/-	27/-	30/-	33/-	36/-	36/-	42/-	42/-	48/-	48/-	54/-	doz. pairs	
2408	Wire Straining Rods for Saw Frames	12/-	12/-	12/-	18/-	18/-	21/-	22/6	24/-	24/-	24/-	24/-	24/-	24/-	dozen	
		8	10	12	14	16	18	20	22	24	inches					
2410	Best Cast Steel Turning Saw Blades	4/-	4/6	5/-	6/-	7/6	10/-	12/6	15/-	17/6	dozen					
2411	Medium Quality Turning Saw Blades	2/9	3/3	3/9	4/6	—	—	—	—	—	„					



MARPLES "Shamrock Brand" TOOLS



COMBINED HAND AND PIT SAW SETS.



- 2480 Bright Solid Steel Combined Hand and Pit Saw Sets (9 to 20 W.G.) 31/6 dozen
- 2481 Ditto ditto ditto ditto with Brass Gauge 45/- ..

PIT SAW AND CIRCULAR SAW SETS.




Pit or Circular Saw Sets, Black—

Gauges	4 11-14	5 10-14	6 9-14	gates. W.G.
--------	------------	------------	-----------	----------------

- 2484 Single-Handed,..... 30/- 33/- 36/- dozen

Pit or Circular Saw Sets—

- 2486 Strong, Single-Handed, 6 gates (8 to 13 W.G.) 45/- doz.
- 2488 Strong, Double-Handed ditto 66/- doz.




2494

Strong Circular Saw Sets, Black, 8 Gates (8 to 15 W.G.)—

- 2490 Single-Handed, Iron Handled 72/- dozen
- 2492 Double-Handed ditto 96/- ..
- 2494 Single-Handed, Hardwood Handled ... 84/- dozen
- 2496 Double-Handed ditto ... 108/- ..

N.B.—Pit Saw and Circular Saw Sets with Brass Gauge..... 15/- dozen extra.

PLIER SAW SETS.



2498 Plier Type Saw Sets..... 48/- dozen

SAW SETTING HAMMERS AND ANVILS.



- Saw Setting Hammers, 4 ozs., 6 ozs., or 8 ozs.
- 2506 Heads only 27/- dozen
- 2507 Handled 33/- ..

2508 Saw Setting Anvils, to screw to Bench 6/- each


For Saw Sharpening Vices—see Index.



SAW PADS AND BLADES.



2419	Beechwood Sawpads	Small	...	12/-	dozen
2420	Medium Quality Beechwood Sawpads	...	Small	...	13/6	..	
2422	Best Quality Beechwood Sawpads	...	Small	...	24/-	..	
2423	Best Quality Beechwood Sawpads	...	Large	...	27/-	..	
2428	Best Quality Boxwood Sawpads	...	Large	...	33/-	..	



		Assorted to 12 ins.	6	7	8	9	10	12	14	16 inches
2431	Best Cast Steel Pad Saw Blades ...	6/- dozen	5/6	5/9	5/9	6/-	6/-	6/6	7/6	9/- dozen
2432	Medium Quality ditto ...	2/9 ..	2/6	2/6	2/6	2/9	2/9	3/-	—	— ..

HANDLED KEYHOLE SAWS.



2440 Beechwood Handled Keyhole Saws, with 8 in. Blade—
8/- dozen



2442 "Lock-Tooth" Iron Pad Keyhole Saws,
Small, with 7 inch Blade 10/- dozen
2443 As above, Large, with 11-inch Blade 12/- ..




2441 Iron Pad Keyhole Saws, with 10 inch Blade 8/- dozen

HAND SAW SETS.



Hand Saw Sets, Plain End (Gauges 14 to 20 W.G.)—
2470 Beech Handled..... 18/- dozen



Hand Saw Sets, Plain End, with Brass Gauge—
2476 Beech Handled..... 30/- dozen



Hand Saw Sets, Turnscrew End (14 to 20 W.G.)—
2471 Beech Handled..... 19/6 dozen



2478 Bright Solid Steel Hand Saw Sets (15 to 20 W.G.)—
7/6 dozen




MARPLES "Shamrock Brand" TOOLS




THE "SHAMROCK" SAW.

A Warranted Hand Saw, for Household Use.




	16	18	20	22	24	26	28 inches
Points stocked ...	8	7, 8	7, 8	6, 7, 8	5, 6, 7	4½, 5, 6, 7	4 (Rip.)
2520B "Shamrock" Straight Back	2/6	2/9	3/-	3/3	3/9	4/-	4/6 each

FARMERS' HAND SAWS.




	24	26	28 inches
2523 Farmers' Best Quality Lightning Tooth Hand Saws, Beech Handle, for green and wet wood...	6/9	7/-	7/3 each
2523B As above, "Special" quality	4/3	4/6	4/9 each

BACK SAWS.



Joiners' Brass Back—	8	10	12	14	16 inches
2527 Best Quality	9/-	9/-	10/-	11/6	13/- each
2527A "Special"	8/-	8/-	9/-	10/-	11/6 ..



Joiners' Bright Steel Back—	8	10	12	14	16 inches
2526 Best Quality	7/-	7/-	7/6	8/-	9/- each
2526A "Special"	6/-	6/-	6/6	7/-	8/- ..



Bright Steel Back, for Household use—	8	10	12	14	16 inches
2526C "Henry"	2/6	3/-	3/6	3/9	4/3 each



Joiners' Super-Quality Stainless Steel Back Saws (Rustless throughout), Carved Black Handle—	10	12	14 inches
	10/6	12/6	14/6 each

For Plumbers' Hand Saws—see index.



MARPLES "Shamrock Brand" TOOLS



JOINERS' HAND SAWS.


Ground thin to back.



		22	24	26	inches
	Points stocked ...	10	8	6, 6½, 7	
2515	Joiners' Super Quality Stainless Steel , Skew Back, Mirror Finish Blade, Carved Black Handle, Nickel-plated Screws	13/6	14/6	15/6	each
	The Teeth of these Stainless Steel Saws keep a sharp edge for long periods without attention—they can be sharpened and set when necessary like an ordinary cast steel saw.				




		20	22	24	26	28	inches
	Points stocked ...	10, 12	10, 12	6, 7, 8	5, 5½, 6, 6½, 7	4 (Rip.)	
2518	Joiners' Super Quality Cast Steel, Skew Back, Mirror Finish , Carved Beech Handle	10/6	11/-	12/6	13/6	—	each
2521	Joiners' Best Quality Skew Back, Beech Handle	8/6	9/-	10/-	10/6	11/6	„



		20	22	24	26	28	inches
	Points stocked ...	10, 12	10, 12	6, 7, 8	5, 5½, 6, 6½, 7	4 (Rip.)	
2520	Joiners' Best Quality, Straight Back, Beech Handle.....	7/3	8/-	9/-	9/6	10/-	each

THE "HIBERNIA" SAW.

A good quality Skew Back Hand Saw.




		18	20	22	24	26	28	inches
	Points stocked ...	8	7, 8	6, 7	5, 6, 7	4½, 5, 6, 7	4 (Rip.)	
2521B	"Hibernia" Skew Back.....	5/6	6/-	6/6	7/3	7/6	8/3	each



MARPLES "Shamrock Brand" TOOLS



WOODCUTTERS' OR BUCK SAWS.




2557

Buck Saws, complete with Steel Straining Rod and Blade, 30×2 inch, Set and Sharpened, ready for use—

2557	With Hand Saw Tooth.....	6/- each
2557½	Blades only, 30×2 in., for above	21/- dozen
2559	With Lightning Tooth	7/- each
2559½	Blades only, 30×2 in, for above	30/- dozen

ENDLESS BAND SAWS.



2560 Endless C.S. Band Saws, Set, Sharpened and Joined—

Width $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 1½ 1¼ 1½ 1⅝ 1¾ 2 2½ 2⅝ inches.

1/3 1/3 1/6 1/9 1/9 2/- 2/3 2/6 2/9 3/3 3/9 4/3 4/6 5/- 5/6 6/- per yard

Saws less than 12 feet long charged as 12 feet. Odd inches in length charged as one foot

PRUNING SAWS.



C. S. Pruning Saws, Single Edge—

14 16 18 20 inch


2580	Best Quality	4/3	4/6	5/-	5/6 each
2580B	"Henry"	3/-	3/3	3/6	3/9 ..



C.S. Pruning Saws, Double Edge—

14 16 18 20 inch


2581	Best Quality	4/6	5/-	5/9	6/6 each
2581B	"Henry"	3/3	3/6	4/-	4/3 ..



2584 "Grecian" Pruning Saws, Curved Blade—

12 14 16 inches

3/6 3/9 4/- each



2586

Strong C.S. Pruning Saws, 18 in. Blade with iron socket to fix on pole—

2586	Straight Blade	6/6 each
2587	Curved Blade	7/6 ..




2588 Flexible Chain Saws, 3 feet 9 inches long, for use with rope, for pruning high forest trees ... 9/- each



MARPLES "Shamrock Brand" TOOLS



PIT AND CROSS CUT SAWS.



	To	4	4½	5	5½	6	6½	7	7½	8 feet
2540 Best Quality Cast Steel Pit Saws	15/-	16/6	18/-	19/6	22/6	24/6	26/6	30/6	36/6	each

For prices of Tillers and Handles, see Index.



	3	3½	4	4½	5	5½	6	6½	7 feet	
2546 Best Quality Cast Steel Cross Cut Saws, Set and Sharpened	12/-	12/9	13/6	15/6	18/-	19/6	22/6	24/6	26/6	each
2546B As above, "Special" Quality	7/6	8/-	9/-	10/6	12/-	13/6	16/6	18/-	19/6	each

Handles extra — For prices, see Index.



	2½	3	3½	4	4½	5 feet
2548 Best Quality Yankee-pattern One Man Cross Cut Saws, complete with Supplementary Handle	11/3	12/-	13/6	15/-	17/3	19/6
2548B As above, "Special" Quality	7/6	8/6	10/-	10/9	—	—


24 26 28 30 inches

10/3 11/- 12/- 13/6 each

STONE SAWS.

2554 Cast Steel Hand Saws, for Stone	24	26	28	30
--------------------------------------	----	----	----	----

CIRCULAR SAWS.



2550 Best Cast Steel Circular Saws, Set and Sharpened—

Diam.....	4	4½	5	6	7	8	9	inches
Gauge	21	21	21	20	19	19	18	W.G.
	4/6	5/-	5/6	6/6	7/6	8/6	10/-	each
Diam.....	10	12	14	16	18	20	22	inches
Gauge	18	17	17T	16	15	14	14T	W.G.
	12/-	15/-	18/-	22/6	27/-	33/-	39/-	each
Diam.....	24	26	28	30	32	34	36	inches
Gauge	13	13	12	12	12	12T	11	W.G.
	42/-	50/-	60/-	70/-	80/-	96/-	108/-	each
Diam.....	38	40	42	44	46	48	48	inches
Gauge	11	11T	10E	10	9E	9	9	W.G.
	130/-	144/-	162/-	195/-	216/-	243/-	—	each

Saws thicker than above standard Gauges are charged extra.

N.B.—When ordering Circular Saws give diameter of spindle hole, diameter and position of pin-holes, and pattern of tooth, distance from point to point, and state whether required to cut hard or soft wood.

For Saw Spindles and Saw Benches, see Index.



MARPLES "Shamrock Brand" TOOLS



"SHAMROCK" HACK SAW BLADES.



2645 "Shamrock" Tungsten Steel Hack Saw Blades, for Hand Frames, 1/2 inch wide x 23 Gauge—

	8	9	10	11	12	inches.
For General Use ...	14	14	14	14	14	Teeth per inch.
For Tool Steel ...	18	18	18	18	18	Teeth per inch.
For Brass ...	22	22	22	22	22	Teeth per inch.
For Thin Tubing ...	32	32	32	32	32	Teeth per inch.
Price ...	33/4	37/6	41/8	45/10	50/-	per gross.

Prices of Power Blades on Application.



2647 Double Edge Hack Saw Blades, 1 inch wide x 21 Gauge x 22 Teeth per inch—


	9	10	12	inches
For Brass and Soft Metals	81/-	90/-	108/-	per gross

HACK SAW FRAMES.


COMPLETE WITH ONE BLADE.




2655 Cast Iron Solid Back. Thumbscrew Strainer—
Blades 8 9 10 12 inches
2/- 2/- 2/3 2/6 each




2658 Steel Solid Back with Straining Screw in Handle—
For Blades 9 10 12 inches
Dull Nickelled Finish. Black Handle 3/6 3/9 4/3 each




2662 Sliding Pillar Adjustment, with straining screw in Handle. Dull Nickelled Finish. Polished Hardwood Handle. For Blades 8 to 12 inches. 6/6 each



2664 Sheath Adjustment. Thumbscrew Strainer. Pistol Grip. Nickel Plated Frame. Black Wood Handle. For Blades 8 to 12 inches..... 3/- each



2666 Sheath Adjustment, Straight Handle. Thumbscrew Strainer, Nickel-Plated Frame—
For Blades 8 to 12 inches..... 1/8 each



2677 Coping Saws, complete with One Dozen Spare Blades 1/- each
2678 Blades for Coping Saws, Looped Ends.... 7/6 gross
2679 Ditto ditto Pinned Ends 12/- ..



MARPLES "Shamrock Brand" TOOLS




COMPASS SAWS.



C.S. Compass Saws—


	10	12	14	16 inch
2594 Best Quality	2/6	2/8	2/9	3/- each
2594B "Henry"	1/5	1/6	1/8	1/9 "



Nests of Interchangeable Saws, with Three Blades
viz.: Table, Compass and Keyhole—


2595 Best Quality	3/3 per nest
2595C Cheaper Quality	2/6 " "

BUTCHERS' BOW SAWS.



Butchers' Bow Saws, Oval Back, complete with One Blade—

	14	16	18	20	22	24 inch
2607 Rivetted	8/-	8/6	8/9	9/-	9/6	10/- each
2608 Thumbscrew	9/6	10/-	10/6	11/-	11/6	12/6 "



Butchers' Bow Saws, Flat Back, complete with One Blade

	14	16	18	20	22	24 inch
2614 Rivetted.....	5/6	6/-	6/6	7/-	each	
2615 Butchers' C.S. Bow Saw Blades—	14	16	18	20	22	24 inch
	19/6	21/-	22/6	24/-	28/6	33/- dozen

KITCHEN BOW SAWS.



2635 Best Kitchen Bow Saws, 14 inches, Round Steel Back, Closed Handle 3/3 each



2632 Kitchen Bow Saws, 10 inches, Straight Handle..... 1/3 each

SALT SAWS.



2638 Zinc Salt Saws, 16 inches 2/- each

" FANCY " BACK SAWS.



" Fancy " Brass Back Saws, Straight Handle—

	Blade	4	5	6	7	8 inches
2640 (For Wood)	12/6	15/-	16/6	18/6	21/-	dozen
2642 Jewellers'	10/6	12/-	13/6	—	—	"




MARPLES "Shamrock Brand" TOOLS



(BB) Brand BEECHWOOD PLANES.




Double Iron Technical Jack Planes.
 $14 \times 1\frac{3}{4}$ inches 14×2 inches
 9/- each 9/- each




Single Iron Roughing Planes—
 $1\frac{1}{2}$ $1\frac{3}{4}$ 2 inches


4/3 4/6 4/9 each
 Square Irons are fitted as standard, but round nose Irons can be supplied at the same price on request.




Skew Rabbet Planes—
 $\frac{1}{2}$ 1 $1\frac{1}{4}$ $1\frac{1}{2}$ inches
 3/6 3/6 3/6 3/6 each




Adjustable Rabbet and Fillister Plane
 With Moving Fence ... 5/- each




Fixed Grooving Planes—
 With $\frac{3}{16}$ inch Iron ... 3/3 each



Moving Grooving Planes
 With Adjustable Fence and set of 3 Irons, $\frac{1}{8}$, $\frac{3}{16}$, $\frac{1}{4}$ ins. ... 5/- each



Plough Planes (Wedge Stem)—
 With Screw Stop and set of 8 Irons
 $\frac{1}{4}$ to $\frac{1}{8}$ ins. ... 15/- each



Plough Planes (Screw Stem)
 With Screw Stop and Set of 8 Irons
 $\frac{1}{4}$ to $\frac{1}{8}$ ins. ... 17/6 each



MARPLES "Shamrock Brand" TOOLS



BB Brand BEECHWOOD PLANES.

Over 100 years of Plane making, coupled with modern methods of manufacture, render it possible for us to offer this high-class range of Beechwood Planes at popular prices.

The Blocks are made from seasoned close-grained timber, carefully selected for its hard wearing qualities.

The Irons are faced with refined crucible cast Tool Steel, specially hardened and tempered to retain a keen cutting edge without constant resharpening.

We are the only firm in this country manufacturing Beechwood Planes with their Irons, in every detail and in every stage, from the Raw Material to the Finished Article.




BEECHWOOD IN ITS NATURAL SETTING.



Double Iron Smoothing Planes—

1¼	2	2½	2¾	inches
5/6	5/6	5/9	6/-	each

Single Iron Smooth Planes—
 6 ins. long × 1½ ins. 3/- each



Double Iron Jack Planes—

16 × 2	17 × 2½	17 × 2¾	inches
7/6	7/9	8/-	each



Double Iron Trying Planes, 22 × 2½ ins. 10/- each



MARPLES "Shamrock Brand" TOOLS




BEST "SHAMROCK BRAND" HAND MADE PLANES.

We can also supply Planes in the celebrated "John Moseley & Son" make at the same prices.


Plough Planes.

N.B.—For details of B.B. Plough Planes see page 78.




2903

- 2903 Plough Planes, Screw Stop, 8 irons ... 39/- each
2905 Ditto ditto Capped Stems 42/- "



2907

- 2907 Best Plough Planes, Improved Stop,
8 irons ... 48/- each
2909 As above, with Beechwood Screw Stems 54/- "
2911 Ditto with Boxwood Screw Stems ... 60/- "



- 2910 Best Solid Handled Plough Planes, Improved Stop,
Skate Front, 8 Irons, with Beechwood Screw
Stems ... 63/- each
2912 As above, with Boxwood Screw Stems... 69/- "


Moving Fillister Planes.



2923

- Moving Fillister—
2922 Brass Slip Stop and Tooth ... 18/- each
2923 Brass Screw Stop and Forked Tooth,
Shoulder Boxed ... 27/- "
2924 Ditto with improved Fence ... 30/- "
2925 Ditto Dovetail Boxed ... 36/- "


Dado Grooving Planes.



2941


- 2940 Dado Grooving or Trenching Planes—
all sizes to 1 inch, Wood Stop 12/- each
2941 As above, with Brass Screw Stop 15/- "

Match Grooving Planes.



- 2944 Match Grooving Planes—
For Deals $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ 1 inch.
15/- 15/- 15/- 15/- 15/- 15/- 15/- pr. pair
Every $\frac{1}{8}$ inch above 1 inch, 1/- per pair extra.
2947 Match Grooving Planes, with Moving
Fence and 3 pairs of Irons, to $\frac{3}{4}$ inch ... 26/- pr. pair
N.B.—For details of B.B. Grooving Planes see page 78.

Sash Fillister Planes.



2935

- 2932 Sash Fillister, Screw Stop, Capped Stems 27/- each
2933 Ditto Improved Stop, ditto ditto 33/- "
2934 Ditto Shoulder Boxed, with Eye-hole
left-handed Shoulder Boxed,
Forked Tooth and Improved
Stop 42/- "
2935 Ditto ditto Dovetail Boxed 48/- "






MARPLES "Shamrock Brand" TOOLS



BEST "SHAMROCK BRAND" HAND MADE PLANES.

We can also supply Planes in the celebrated "John Moseley & Son" make at the same prices.

(For "BB" Brand Planes, see page 77).



Smoothing Planes.

2700	Cast Steel Double Iron Smooth Planes, 2 in.	7/6 each
2701	Ditto ditto ditto 2 1/4 "	8/- "
2702	Ditto ditto ditto 2 1/2 "	8/6 "
2703	Ditto ditto ditto 2 3/4 "	9/6 "
2704	Ditto ditto ditto 2 7/8 "	10/6 "
	Smoothing Planes with Parallel Iron	6d. each extra
	Ditto with Boxwood Striking Nub	6d. " "
2730	Cast Steel Double Iron Smooth Planes with Iron Front and Parallel Iron 2 inches	17/- each
2731	Ditto ditto ditto 2 1/4 "	18/- "
2732	Ditto ditto ditto 2 1/2 "	19/- "
2741	Cast Steel Double Iron Smooth Planes, with Steel Plate Sole and Parallel Iron 2 1/4 inches ...	18/- each
2742	Ditto ditto ditto 2 1/2 "	19/- "

Jack Planes.

2760	Cast Steel Double Iron Jack Planes, 14" to 17" long—	
2761	Ditto ditto ditto 2 in.	9/6 each
2762	Ditto ditto ditto 2 1/4 "	10/- "
2763	Ditto ditto ditto 2 1/2 "	10/6 "
2764	Ditto ditto ditto 2 3/4 "	12/- "
	Ditto ditto ditto 2 7/8 "	13/- "
	Jack Planes, with Parallel Iron	6d. each extra
	Ditto with Boxwood Striking Nub	6d. " "
	Ditto with Closed Handle	6d. " "
2785	Steel-faced C.S. Double Iron Jack Planes, 17" long, 2 1/4 inches.....	24/- each


Technical Jack Planes.

With Sunk Handle and Boxwood Striking Nub.

2790	C.S. Double Iron Technical Jack Planes, 1 1/4 in.	12/6 each
2791	Ditto ditto ditto 2 "	12/6 "

Above Planes can be supplied either 14 or 15 inches in length.

Trying Planes and Panel Planes.



2794	Cast Steel Double Iron Trying Planes,	
2795	Ditto ditto ditto 22" long x 2 1/4 "	13/6 each
2796	Ditto ditto ditto 24" long x 2 1/2 "	14/- "
2797	Ditto ditto ditto 26" long x 2 3/4 "	15/- "
	Ditto ditto ditto 28" long x 2 7/8 "	16/- "
	Try Planes, with Parallel Iron	6d. each extra
	Ditto with Boxwood Striking Nub	6d. " "

2814	Steel-faced C.S. Double Iron Try Planes,	
	22" long, 2 1/4 inches.....	30/- each
2825	Cast Steel Double Iron Panel Planes, 16" long,	
	2 1/2 in.	13/- each
2826	Ditto ditto Slipped 16" long,	
	2 1/2 in.	15/- each




MARPLES "Shamrock Brand" TOOLS



BEST "SHAMROCK BRAND" HAND MADE PLANES.

We can also supply Planes in the celebrated "John Moseley & Son" make at the same prices.

Hollows and Rounds.




2950 (Hollow)

2950 (Round)

2950 Hollows and Rounds, Square Mouth, to 1 1/8 inch. (No. 15)..... 10/6 pair


2951 Hollows and Rounds, Skew Mouth, to 1 1/8 inch. (No. 15)..... 12/- ..

Every 1/8 inch above 1 1/8 inch, 8d. per pair extra



Hollow and Round Sweeps.

Bead Planes.




3001



	To 1/2	3/4	7/8	1 inch
3001 Beads, boxed	6/9	7/-	7/6	8/- each
3002 Ditto slipped.....	7/9	8/-	8/6	9/- ..

Every 1/8 inch above 1 inch, 6d. extra.

Sash Planes.



3041 Ovaloe Sash Planes, to 1/2 inch 6/6 each
 3042 Ditto and Templets to 1/2 inch. 15/- pair
 Every 1/8" above 1/2" 1/- pair extra
 Sash Templets ... 3/- pair

Air-Tight Planes



2938 Hook Joint Planes Single Iron ... 13/- each
 2939 Ditto, Dovetail Boxed Two Irons ... 33/- each




Table Planes—
 2967 Table Planes— 15/- pair

Moulding Planes.



3000 Astragal— to 1/2 inch ... 7/6 each
 Every Additional 1/8" to 1" 6d. extra
 Ditto above 1 inch 8d. extra



3020 Common Ovaloes— to 1/2 inch ... 7/6 each
 Every Additional 1/8" 6d. extra




3021 Common Ogees— to 1/2 inch ... 7/6 each
 Every Additional 1/8" 6d. extra




3022 Grecian Ovaloes— to 1/2 inch ... 10/- each
 Every Additional 1/8" 8d. extra



3023 Grecian Ogees— to 1/2 inch ... 10/- each
 Every Additional 1/8" 8d. extra



3036 Reed Planes, single reed— to 1/2 inch... 9/6 each



3037 Reed Planes, two reeds— to 1/2 inch ... 10/- each



3038 Reed Planes, three reeds— to 1/2 inch ... 12/- each
 Every Additional 1/8" 6d. extra

3040 Scotia Planes— to 1/2 inch ... 7/6 each
 Every Additional 1/8" 6d. extra

N.B.—Special Moulding Planes can be made to order, prices on application.



MARPLES "Shamrock Brand" TOOLS



BEST "SHAMROCK BRAND" HAND MADE PLANES.


We can also supply the celebrated "John Moseley & Son" make at the same prices.

Skew or Badger Planes.




- 2827 Cast Steel Double Iron Skew Badger Planes,
17" long, 2 1/4 in. 19/- each
- 2828 Ditto ditto Box-edged
2 1/4 in. 22/- "

Compass Planes.



- 2830 Cast Steel Double Iron Compass Smooth Planes—
2 in. 8/6 each
- 2831 Ditto ditto ditto 2 1/4 in. 9/- "
- 2832 Ditto ditto ditto 2 1/2 in. 9/6 "


Rabbit Planes.



To 1 1/4 1 3/8 1 1/2 1 5/8 1 3/4 1 7/8 2 ins.


- 2875 Square Rabbit 5/- 5/6 6/- 6/6 7/- 7/6 8/- each
 - 2876 Skew Rabbit .. 5/- 5/6 6/- 6/6 7/- 7/6 8/- "
 - Rabbit Planes with Boxed Edges, double price.
 - 2879 Side Rabbit Planes 11/- pair
- N.B.—For details of "B.B." Rabbit Planes see page 78.

Greenhouse Rabbit Planes.




- 2917 Greenhouse Rabbit Planes..... 1/2 5/8 inch
5/- 5/- each

Toothing Planes.




- 2840 Toothing Planes, Coarse, Medium or Fine, 2 in. 6/6 each
- 2841 Ditto ditto 2 in. with two Irons, assorted
Teeth 9/- each

Old Woman's Tooth Planes.




- 2861 Old Woman's Tooth Planes, Router Pattern, with
5/8 inch Iron 6/6 each

Stop Chamfer Planes.



- 2890 Stop Chamfer Planes 11/- each
- 2891 Ditto ditto Improved 13/6 "
- 2892 Ditto ditto with Fence 13/6 "

Mast or Spar Planes.



- 2855 Cast Steel Double Iron Mast or Spar Planes—
all sizes to 2 1/4 inches 15/- each

MARPLES PLANES



THE CHOICE OF CRAFTSMEN



MARPLES "Shamrock Brand" TOOLS



BEST "SHAMROCK BRAND" HAND MADE PLANES.

We can also supply Planes in the celebrated "John Moseley & Son" make at the same prices.



2986	Mitre Shuteing Planes, 22 ins. long, 2 1/4 ins. Single Iron, Square Mouth	23/- each
2987	Ditto ditto ditto ditto Skew Mouth	25/- "

PLANE FITTINGS.

Handles and Nubs.



3165	Best Beech Jack Plane Handles	9/6 dozen
3165A	Common ditto ditto	7/6 "
3166	Extra Thick Jack Plane Handles— 1 1/4 inch wide	13/6 "
3167	Best Beech Technical Jack Plane Handles	9/6 "
3168	Roughing Plane Handles or Rams' Horns	7/6 "
3169	Best Beech Trying Plane Handles	15/- "
3169A	Common ditto ditto	12/6 "


Plane Fronts, Faces and Levers.



3170	Iron Fronts for Smooth Planes— 2, 2 1/8, 2 1/4, or 2 1/2 inches	2/6 each
3174	Steel Faces for Smooth Planes— 2, 2 1/8 or 2 1/4 inches	4/6 "
3175	Steel Faces for Jack Planes, 17 x 2 1/4 ins.	8/- "
3176	Steel Faces for Trying Planes, 22 x 2 1/2 ins.	10/6 "
3180	Polished Brass Plane Levers, with Thumbscrew— 2 2 1/8 2 1/4 2 1/2 2 3/8 2 1/2 inches	


42/- 43/6 45/- 48/- 51/- dozen

Plough Plates.




3181	Steel Plates, for Ploughs Nos. 2900 to 2905	2/3 pair
3182	Best Steel Plates— for Ploughs Nos. 2907, 2909, 2911	3/9 "
3183	Best Steel Plates, Skato Front— for Ploughs Nos. 2910 and 2912	4/6 "

Plane Stops.



3184	Slip Stops	3/9 each
3185	Compass Plane Stops	6/- "
3186	Dado Grooving Plane Stops	6/- "



3187	Moving Fillister Plane Stops	6/- each
3188	Left Hand Sash Fillister Stops	6/- "
3189	Right Hand Sash Fillister Stops	6/- "



3191	Plough Stops for Ploughs Nos. 2903 and 2905—	6/- each
3193	Improved Plough Stops for Ploughs Nos. 2907 to 2912—	6/6 each



MARPLES "Shamrock Brand" TOOLS




IRON SMOOTH PLANES.



Pattern.	Length.	Width of Cutter.	Price Complete.	Spare Cut Irons
M3	8"	1 3/4"	13/-	1/6 each
M4	9"	2"	13/6	1/9 "
M4 1/2	10"	2 3/8"	16/-	2/2 "

With Corrugated Base : M3C, 14/- . M4C, 14/6. M4 1/2 C, 17/- each.

IRON JACK PLANES.



Pattern.	Length.	Width of Cutter.	Price Complete.	Spare Cut Irons
M5	14"	2"	16/6	1/9 each
M5 1/2	15"	2 1/4"	18/6	2/- "

With Corrugated Base : M5C, 17/6. M5 1/2 C, 20/- each.

IRON JOINTER PLANES.



Pattern.	Length.	Width of Cutter.	Price Complete.	Spare Cut Irons
M6	18"	2 3/8"	21/-	2/2 each
M7	22"	2 3/8"	25/-	2/2 "

With Corrugated Base : M6C, 22/6. M7C, 27/- each.



MARPLES "Shamrock Brand" TOOLS





IRON GROOVING PLANE.



With adjustable depth gauge and adjustable fence. Will cut grooves $\frac{1}{2}$ in. deep up to 3 in. from edge. Complete with three Cutters $\frac{1}{8}$, $\frac{3}{16}$, $\frac{1}{4}$ ins. Nickel plated fittings.

M40 ... 6/6 each

IRON PLOUGH PLANE.





Rustless plated. With adjustable depth gauge and adjustable fence. Will cut grooves $\frac{1}{2}$ in. deep up to 5" from edge. Complete with two pairs fence arms and eight Cutters $\frac{1}{8}$ to $\frac{3}{8}$ ins.

M44 ... 17/6 each

IMPROVED COMBINATION PLANE.

Rustless plated. With screw adjustment to Cutter and Clamping Bracket for narrow Cutters. Complete with Seventeen Cutters, viz.: Plough or Grooving Cutters $\frac{1}{8}$, $\frac{3}{16}$, $\frac{1}{4}$, $\frac{5}{16}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$ ins. Beading Cutters $\frac{1}{8}$, $\frac{3}{16}$, $\frac{1}{4}$, $\frac{5}{16}$, $\frac{3}{8}$, $\frac{1}{2}$ ins. Tongueing Cutter $\frac{1}{4}$ ".

M50 ... 30/- each



The M50 Combination Plane is suitable for a large number of planing operations, including use as a Plough, Dado, Bead and Centre Bead, Rabbet and Fillister, Tongueing and Grooving Plane. Spurs are provided for cross-grain, shaving deflector for tongueing, match-beading stop, adjustable depth gauge and adjustable fence.

The main castings are of Steel and the Plane is practically unbreakable.

An instruction card is included with each Plane, illustrating in simple language the method of setting up the Plane for different jobs.



MARPLES "Shamroek Brand" TOOLS




CARRIAGE RABBET PLANES.



The Body of these Planes is a malleable casting, making them practically unbreakable.

Pattern.	Length.	Width of Cutter.	Price Complete.	Spare Cut Irons
M10 $\frac{1}{2}$	9"	2 $\frac{1}{8}$ "	21/6	2/3 each
M10	13"	2 $\frac{1}{8}$ "	23/-	2/3 "

DUPLEX RABBET AND FILLISTER.



Fitted with Hardened Steel Spur, Adjustable Depth-Gauge and Adjustable Fence. Cutter can be moved forward into "bull nose" position.

M78	Length 8 $\frac{1}{2}$ in., Cutter 1 $\frac{1}{2}$ in.	11/3 each
	Spare Cutter.....	1/3 "

BULL NOSE RABBET.

ADJUSTABLE MOUTH.



A useful Plane for many odd jobs. The position of the Cutter enables it to work into corners.

M75	Length 4in. Cutter 1in.	2/6 each
	Spare Cutter	1/- "

ROUTER PLANES.

With Adjustable Fence and Three Cutters.



M71	With Open Throat. Length 7 $\frac{1}{2}$ in., complete with 3 Cutters, $\frac{1}{4}$ in., $\frac{1}{8}$ in., and Smoothing	15/- each
-----	--	-----------



M71 $\frac{1}{2}$	With Closed Throat. Length 7 $\frac{1}{2}$ in., complete with 3 Cutters, $\frac{1}{4}$ in., $\frac{1}{8}$ in., and Smoothing.....	12/- each
-------------------	---	-----------



MARPLES "Shamrock Brand" TOOLS



HANDLED SCRAPERS.



- M70 Box Scraper, Ash Handled, for scraping stencil marks off packing cases, etc. Length 13 in. Blade 2 in..... 4/- each
Spare Blades for M70..... 1/- "



- M80 Cabinet Scraper. Raised Handles, Reversible Blade. Length 11 in. Blade 2 1/4 in. 4/6 each
Spare Blades for M80 1/- "

IRON SPOKESHAVES.

Castings of Best Grey Iron, Cutters of MARPLES Special Edge Tool Steel, Crucible-Cast.



- M51 Raised Handles. Length 10 in. Cutter 2 1/2 in. 2/- each
M51R As above, with Round Face 2/- "
Spare Cutters for M51 and M51R -/10 "



- M151 Adjustable Cutter, Raised Handles. Length 10 in. Cutter 2 1/2 in. 2/9 each
M151R As above, with Round Face 2/9 "
Spare Cutters for M151 and M151R -/10 "



- M53 Adjustable Mouth for Coarse or Fine Work. Raised Handles. Length 10 in. Cutter 2 1/2 in. 2/6 each
Spare Cutters for M53 -/10 "



- M55 Hollow Face, Raised Handles, Length 10 in. Cutter 2 1/2 in. 2/3 each
Spare Cutters for M55 -/10 "



- M64 Light Pattern, Straight Handles. Length 9 in. Cutter 1 1/2 in. 1/6 each
M63 As above with Round Face 1/6 "
Spare Cutters for M64 and M63 -/8 "

For Wood Spokeshaves—see page 67.



IRON BLOCK PLANES.



Non-adjustable. Ground on sides and bottom.

M102 Length 5½ in. Cutter, 1½ in. 2/6 each
Spare Cutter..... 1/- "



Non-adjustable. Ground on sides and bottom

M110 Length, 7 in. Cutter, 1½ in. 4/- each
Spare Cutter 1/3 "



Cutter adjustable by means of a knurled-headed screw

M120 Length, 7 in. Cutter, 1½ in. 5/6 each
Spare Cutter 1/6 "




Non-adjustable. Cutter can be moved into a "bull-nose" position for working into corners.

M130 Length 8". Cutter 1½" 6/- each
Spare Cutter 1/3 "

MARPLES "M" PLANES.

PRICES OF PARTS FOR IRON BENCH PLANES.



No.	Name of Part.	M3	M4	M4½	M5	M5½	M6	M7
3	Top Iron Screw ...	-6	-6	-6	-6	-6	-6	-6
4	Lever Cap ...	2/-	2/-	2/-	2/-	2/-	2/-	2/-
5	Lever Cap Screw ...	-6	-6	-6	-6	-6	-6	-6
6	Frog (complete) ...	3/-	3/-	3/-	3/-	3/-	3/-	3/-
7	"Y" Lever ...	-6	-6	-6	-6	-6	-6	-6
8	Adjusting Nut ...	-9	-9	-9	-9	-9	-9	-9
9	Adjusting Lever ...	-9	-9	-9	-9	-9	-9	-9
10	Frog Screw ...	-6	-6	-6	-6	-6	-6	-6
11	Plane Handle ...	1/9	1/9	1/9	1/9	1/9	1/9	1/9
12	Plane Knob ...	1/3	1/3	1/3	1/3	1/3	1/3	1/3
13	Handle Bolt and Nut ...	-9	-9	-9	-9	-9	-9	-9
14	Knob Bolt and Nut ...	-9	-9	-9	-9	-9	-9	-9
15	Handle Toe Screw ...	-6	-6	-6	-6	-6	-6	-6
16	Plane Bottom ...	8/3	8/3	10/-	10/-	10/-	13/9	19/6
	Ditto Corrugated	9/3	9/3	11/-	11/-	11/6	15/3	21/6
17	Frog Adjusting Screw ...	-6	-6	-6	-6	-6	-6	-6

For Prices of Cutting Irons—see page 27.




MARPLES "Shamrock Brand" TOOLS



COOPERS' TOOLS—(continued).


Froes.



3256 Froes, or Splitting Knives—

	8	9	10	11	12 inches
	4/6	5/3	6/-	7/-	8/- each

Axes.




3257 Coopers' Axes—

	8	9	10	11	12 inches
	7/6	7/9	8/-	8/6	9/3 each

Handles fitted to above Axes, 1/3 each extra.

Saw Frames.



		18	20	22 inches
3260	Saw Frames, complete with—			
	Webs, 3/4 inch wide	17/6	19/6	21/6 each
3261	Webs only, 3/4 inch wide	15/-	18/-	21/- dozen
3262	Webs only, 1 1/4 inch wide ...	32/-	36/-	40/- "


Spokeshaves.



	To	4	4 1/2	5 inches
3263	Shaves, Straight	5/6	5/9	6/3 each
3264	Irons only, Straight.....	24/-	26/-	28/- dozen

	To	4	4 1/2	5 inches
3265	Shaves, Bent	8/-	8/3	8/9 each
3266	Irons only, Bent	27/-	29/-	31/- dozen

Hammers.



3268 Coopers' Hammers (Unhandled)—

Weight	2 1/2	2 3/4	3	3 1/4	3 1/2	3 3/4	4 lbs.
	3/-	3/4	3/8	3/11	4/3	4/6	4/10 each

Handles fitted to above Hammers, 7 1/2d. each extra.

Drivers.



3270 Stocked Drivers, Burton-Pattern..... 4/9 each



3271 Stocked Drivers, Scotch-pattern..... 6/3 each



COOPERS' TOOLS.

Jointers.



3200

Length 5½ 6 feet


- | | | | |
|------|--|------|-----------|
| 3200 | Jointers, Single Mouth, 3¼ inch Iron | 60/- | 63/- each |
| 3201 | Jointers, Double Mouth, with two 3¼ inch Single Irons..... | — | 72/- " |

Stoup Planes



- 3202 Clearing-out or Stoup Planes, 2 inch, Single Iron..... 12/- each

Topping Planes



- 3205 Topping or Sun Planes, Right or Left Hand, 14 in. x 2 in., Single Iron . 21/- each
Illustration shows a right-hand plane.

Swifts and Downrights



3220


- | | | | | | | |
|------|--|------|------|------|------|-----------|
| 3220 | Heading Swifts, Plated on Top— | 2¼ | 3 | 3¼ | 3½ | 4 ins. |
| | | 21/- | 22/6 | 24/- | 27/- | 30/- each |
| 3221 | As above, but Steel Faced— | 27/- | 30/- | 33/- | 36/- | 39/- each |
| 3223 | Downrights, Plated on Top, and Steel Faced, 2 inch | | | | | 30/- each |

Tub Shaves



- | | | | |
|------|---------------------------|------|-----------|
| | | 1¼ | 2 inch |
| 3225 | Tub and Pail Shaves | 18/- | 18/- each |

Cheves



- | | | | |
|------|-------------|---------|-----------|
| | | Firkin. | Barrel |
| 3246 | Cheves..... | 36/- | 39/- each |

Crozes and Irons



- | | | | |
|------|------------------------------|---------|-----------|
| | | Firkin. | Barrel |
| 3249 | Crozes, Plain Cutters..... | 18/- | 21/- each |
| 3250 | Irons only, Plain | 6/- | 7/6 " |
| | | Firkin. | Barrel. |
| 3251 | Crozes, Patent Cutters | 27/- | 30/- each |
| 3252 | Irons only, Patent | 7/6 | 9/- " |



MARPLES "Shamrock Brand" TOOLS



COOPERS' TOOLS—(continued).

Flagging Irons




3321 Coopers' Flagging Irons or Stave Wrenches—
21 inches..... 5/- each

Punches.




3324 Coopers' Punches, made from $\frac{1}{2}$ inch Octagon Steel—
1/3 each

Rivet Sets and Snaps



3326 Coopers' Rivet Sets or Draw Pipes, with clearance hole

$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{4}$	inch
1/6	1/6	1/6	1/9	2/-	2/3 each



3327 Coopers' Rivet Snaps—

$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{4}$	inch
1/6	1/6	1/6	1/9	2/-	2/3 each

Compasses



3330 Coopers' Bright Wing Compasses—

8	9	10	12	14	16	18	inches
4/9	5/3	5/6	7/-	8/-	9/6	11/6	each

Vices



3332 Coopers' Vices 2/6 each

Buzz Irons



3334 Coopers' Bright Steel Buzz Irons, 4 inches 9/- dozen

Socket Scrapers



3335 Coopers' Triangular Socket Scrapers, 4 $\frac{1}{2}$ inches, Wood Handled— 2/3 each.

Whittles




3337 Coopers' Whittles or Hand Knives with Polished Ash Handle 2/- each

For Coopers' Knives, Plane Irons, Adzes, and Timber Scribes, see Index.




COOPERS' TOOLS—(continued).

Wood Braces



3280 Coopers' Wood Braces or Dowelling Stocks, for Flat-tanged Bits 10/- each
For Steel Braces, see Index.

Tap Borers




Solid Steel Tap Borers with Screw Nose—
3300 Unhandled—

1/2	3/4	1	1 1/4	1 1/2	1 3/4	1 1/2	1 3/4	2	inches
2/-	2/6	2/9	3/3	3/9	4/6	5/-	6/9	8/9	each

3301 Handled—

2/6	3/-	3/6	4/-	4/6	5/3	6/-	8/-	10/-	„
-----	-----	-----	-----	-----	-----	-----	-----	------	---

Bung Borers



Solid Steel Bung Borers, Open Nose—

2	2 1/4	2 1/2	2 3/4	3	3 1/4	3 1/2	4	inches
---	-------	-------	-------	---	-------	-------	---	--------

3302 Unhandled—

11/6	12/9	15/6	17/6	19/6	22/6	27/-	31/6	each
------	------	------	------	------	------	------	------	------

3303 Handled—


13/-	14/3	18/-	20/-	22/-	25/-	29/6	34/-	„
------	------	------	------	------	------	------	------	---

Single Knife Borers



3308 Taper Borers, Eyed 1 1/2 2 2 1/4 inches
57/- 60/- 66/- each

Flush Borers



3309 Flush Borers, Eyed, for Screw Bushes—

1 1/2	2	2 1/4	inches
-------	---	-------	--------

70/- 75/- 80/- each

Fixing Keys




3310
Fixing Keys, Square Shank, for Screw Bushes—

1 1/4	2	2 1/4	inches
-------	---	-------	--------

3310 Fluted, complete with Wrench 100/- 100/- 105/- each
3310 1/2 Six Jaw Pattern Fixing Keys (without wrench)..... 100/- each
Wrenches only 10/6 „

Bick Irons



3320 Coopers' Bick Irons or Anvils—
average weight, 30 lbs..... 1/4 per lb.




MARPLES "Shamrock Brand" TOOLS



BUSHING OR BOXING MACHINES.


3396 Wheelwrights' Bushing Engines,
£4 10s. 0d. each.



These Machines are Wrought throughout and are fitted with two Round Nose Cutters made from best Cast Steel and Adjustable, to bore from 2 inches to 6 inches diameter.

3398 Square Nose Cutters, to suit above Machines (extra)..... 15/- pair

ADJUSTABLE WRENCHES.



3414 (old No. 0214) Double Bar Coach Wrenches—
Size... 6 8 10 12 14 16 18 inches
Will Span 1 1½ 1¾ 2½ 3 3½ 4½ ..
8/- 9/- 10/- 13/6 17/6 21/- 25/6 each



3419 "King Dick" Cycle Wrenches—
Size 3 4 6 9 inches
1/4 1/9 2/9 15/- each



3416 Improved Screw Wrenches, Wood Core Handle—
Size ... 8 10 12 inches
Will Span 1½ 1¾ 2 ..
3/- 3/6 4/6 each




3425 Adjustable Spanners—
6 8 10 12 inches
2/3 2/6 3/6 5/- each

CLYBURN SPANNERS.



3420



3421

Size ...	6	8	10	12	14	15	16	18	21	24	26	28	30 inches
Will Span	¾	1	1¼	1½	1¾	2	2¼	2½	2¾	3	3¼	3½	3 inches

3420 (old No. 020) Bent Clyburn Spanners }
3421 (old No. 021) Straight " " }
5/- 5/9 7/3 8/6 9/6 10/6 11/3 15/9 19/6 22/6 30/- 36/- 51/- each



MARPLES "Shamrock Brand" TOOLS




COACHMAKERS' AND WHEELWRIGHTS' TOOLS.



3355 Hollow Augers, Brace Tang, complete with Auger Bit.

$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	inches
9/3	9/3	11/3	12/-	13/6	15/-	18/-	19/6	22/6	each

Hollow Augers fitted with $\frac{1}{4}$ inch round Shank,
for use in Machine, extra 2/- each



3358 Spoke Trimmers, Brace Tang—


	No. 1	2
Takes round stock	$1\frac{7}{8}$	3 inches
Takes square stock	$1\frac{5}{8}$	$2\frac{1}{8}$ "
	8/-	10/- each

Wheelers' Rounders and Fork Shaft Rounders



3363 Wheelers' Best Beech Rounders—

Tapering $\frac{1}{2}$ to $\frac{3}{4}$	$\frac{3}{8}$ to $\frac{7}{8}$	$\frac{3}{4}$ to 1	$\frac{7}{8}$ to $1\frac{1}{8}$	1 to $1\frac{1}{4}$ inch
10/6	10/6	12/-	12/9	13/6 each
Tapering $1\frac{1}{4}$ to $1\frac{3}{4}$	$1\frac{1}{2}$ to $1\frac{3}{4}$	$1\frac{3}{4}$ to $1\frac{7}{8}$	$1\frac{3}{4}$ to $1\frac{1}{2}$	inch
14/3	15/9	17/3	18/9	each



3364 Best Beech Fork Shaft Rounders, with Beechwood Screws, adjustable down to $1\frac{3}{8}$ in. dia. 24/- each
3365 As above, but Brass Bushed..... 31/6 "

Miscellaneous Coach Tools



3366 Wheelers' or Coach Shaves, Beechwood—

2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$ inches
39/-	40/-	42/-	44/-	46/-	48/-	52/-	63/- dozen

3367 Irons only for Coach Shaves—


2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{2}$	4	$4\frac{1}{2}$ inches
13/6	13/6	13/6	15/-	16/6	18/-	22/6	27/- dozen



3380 Coach Solid Steel Framing Hammers—

Heads $2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{2}$	$3\frac{3}{4}$	4 lbs. weight
50/-	55/-	60/-	65/-	70/-	80/- dozen

Handles fitted to above Hammers 9/- doz. extra.



3385 Coach Draw Bore Pins $6 \times \frac{1}{2}$ $7 \times \frac{1}{8}$ inch
6/- 7/- dozen



3373 Coach Panel Gauges, Beechwood, 18 in. Stem, 6/3 each

For Coachmakers' and Wheelwrights' Axes, Adzes, Bruzzes; Coach Trimmers' and Upholsterers' Tools, see Index.



MARPLES "Shamrock Brand" TOOLS



SOLID STEEL BOX SPANNERS.

Single-End Box Spanners



3480 Solid Steel Box Spanners, Single End, for Whitworth Standard Hexagon Nuts—

"Nut" size ...	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	inch
Length	4	4 $\frac{1}{2}$	5	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7 $\frac{1}{2}$	inches

2/3 2/9 3/3 4/- 5/- 6/6 8/6 each

"Nut" size ...	$\frac{7}{8}$	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	inch
Length	8	9	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11	12	inches

10/6 13/6 16/- 18/6 21/6 24/- each


3481 Solid Steel Box Spanners, T Handled, Single End, for Whitworth Standard Hexagon Nuts—

"Nut" size.....	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	inch
Length	4	4 $\frac{1}{2}$	5	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7 $\frac{1}{2}$	inches

3/- 3/9 4/6 5/3 6/3 8/- 10/- each

"Nut" size.....	$\frac{7}{8}$	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	inch
Length	8	9	9 $\frac{1}{2}$	10 $\frac{1}{2}$	11	12	inches

12/6 15/6 19/6 22/6 25/6 28/6 each



3482 Solid Steel Box Spanners, Bent Handled, Single End, for Whitworth Standard Hexagon Nuts—

"Nut" size.....	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	inch
Length	4	4 $\frac{1}{2}$	5	6	7 $\frac{1}{2}$	8 $\frac{1}{2}$	10	inches

2/3 2/9 3/3 4/- 5/- 6/6 8/6 each

"Nut" size.....	$\frac{7}{8}$	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	inch
Length	11	12 $\frac{1}{2}$	13 $\frac{1}{2}$	15	16	17 $\frac{1}{2}$	inches

10/6 13/6 16/- 18/6 21/6 24/- each

Short Double-End Box Spanners



3484 Solid Steel Short Box Spanners, Double End, for Whitworth Standard Hexagon Nuts—

"Nut" sizes ...	$\frac{1}{4} \times \frac{5}{16}$	$\frac{1}{4} \times \frac{3}{8}$	$\frac{3}{8} \times \frac{7}{16}$	$\frac{3}{8} \times \frac{1}{2}$	inch
Length	5	5	6	6	inches

4/9 4/9 6/9 6/9 each

"Nut" sizes ...	$\frac{1}{2} \times \frac{3}{8}$	$\frac{3}{8} \times \frac{1}{2}$	$\frac{1}{2} \times \frac{3}{4}$	$\frac{3}{4} \times 1$	inch
Length	6 $\frac{1}{2}$	7 $\frac{1}{2}$	8 $\frac{1}{2}$	9 $\frac{1}{2}$	inches

9/- 11/6 15/- 18/6 each

"Nut" sizes ...	1 x 1 $\frac{1}{4}$	1 $\frac{1}{8}$ x 1 $\frac{1}{2}$	1 $\frac{1}{4}$ x 1 $\frac{3}{8}$	1 $\frac{3}{8}$ x 1 $\frac{1}{2}$	inch
Length	10 $\frac{1}{2}$	11 $\frac{1}{2}$	12 $\frac{1}{2}$	13 $\frac{1}{2}$	inches

21/6 24/6 28/6 33/- each

Long Double-End Box Spanners



3485 Solid Steel Long Box Spanners, Double End, for Whitworth Standard Hexagon Nuts—

"Nut" sizes ...	$\frac{1}{4} \times \frac{5}{16}$	$\frac{1}{4} \times \frac{3}{8}$	$\frac{3}{8} \times \frac{7}{16}$	$\frac{3}{8} \times \frac{1}{2}$	inch
Length	7	7	8	8	inches

5/6 5/6 8/- 8/- each

"Nut" sizes ...	$\frac{1}{2} \times \frac{3}{8}$	$\frac{3}{8} \times \frac{1}{2}$	$\frac{1}{2} \times \frac{3}{4}$	$\frac{3}{4} \times 1$	inch
Length	9	10	11	12	inches

10/3 12/9 16/6 21/- each

"Nut" sizes ...	1 x 1 $\frac{1}{4}$	1 $\frac{1}{8}$ x 1 $\frac{1}{2}$	1 $\frac{1}{4}$ x 1 $\frac{3}{8}$	1 $\frac{3}{8}$ x 1 $\frac{1}{2}$	inch
Length	13	14	15	16	inches

24/6 27/6 33/- 37/6 each

TUBULAR STEEL BOX SPANNERS.



3494 Box Spanners, made from Weldless Steel Tube—

"Nut" sizes	$\frac{1}{16} \times \frac{1}{4}$	$\frac{1}{8} \times \frac{1}{8}$	$\frac{1}{8} \times \frac{1}{16}$	$\frac{1}{16} \times \frac{1}{16}$	$\frac{1}{16} \times \frac{1}{8}$	$\frac{1}{16} \times \frac{1}{4}$	$\frac{1}{16} \times \frac{1}{2}$	$\frac{1}{16} \times \frac{3}{8}$	$\frac{1}{16} \times \frac{1}{2}$	$\frac{1}{16} \times \frac{3}{4}$	$\frac{1}{16} \times 1$	1 x 1 $\frac{1}{4}$ inch
-------------	-----	-----	-----------------------------------	----------------------------------	-----------------------------------	------------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-------------------------	--------------------------

-/6 -/6 -/8 -/10 1/1 1/2 1/2 1/2 1/4 1/6 1/9 2/9 each

3494 Tubular Steel Box Spanners in Sets, each set complete with Tommy Bar—

Set of 3, $\frac{1}{4}$ to $\frac{3}{8}$ in. Whitworth Nuts

Set of 4, $\frac{1}{4}$ to $\frac{3}{8}$ in. Whitworth Nuts

Set of 3 for Motor Cycles

2/9 set

4/3 set

1/- set

"Workshop" Set of 7 (covering all regular nuts on British and French Cars)

Tommy's only

9/- set

-/2 each

3495 Tubular Steel Box Spanners for Sparking Plugs (26 m.m across Flats) complete with Tommy 9d. each




MARPLES "Shamrock Brand" TOOLS



SPANNERS OR SCREW KEYS.

Bright Tacklers' Spanners.



3463 Bright Steel Tacklers' Spanners, made to "Span" sizes—

Nos.	0	1	2	3	4	X5	XX5	5	X6	6	7	8	9
Will Span	$\frac{1}{16} \times \frac{1}{16}$	$\frac{1}{8} \times \frac{1}{8}$	$\frac{1}{4} \times \frac{1}{4}$	$\frac{3}{8} \times \frac{3}{8}$	$\frac{1}{2} \times \frac{1}{2}$	$\frac{5}{8} \times \frac{5}{8}$	$\frac{3}{4} \times 1$	$\frac{7}{8} \times 1$	$1 \times 1\frac{1}{8}$	$1 \times 1\frac{1}{4}$	$1\frac{1}{8} \times 1\frac{1}{4}$	$1\frac{1}{4} \times 1\frac{1}{4}$	$1\frac{3}{8} \times 1\frac{3}{8}$
	14/6	14/6	16/6	21/-	24/-	36/-	36/-	33/-	45/-	42/-	46/6	57/6	72/- dozen

3463½ Tacklers' Spanners, made to "Nut" sizes—

"Nut" Size	$\frac{1}{16} \times \frac{1}{16}$	$\frac{1}{8} \times \frac{1}{8}$	$\frac{1}{4} \times \frac{1}{4}$	$\frac{3}{8} \times \frac{3}{8}$	$\frac{1}{2} \times \frac{1}{2}$	$\frac{5}{8} \times \frac{5}{8}$	$\frac{3}{4} \times \frac{3}{4}$	$\frac{7}{8} \times \frac{7}{8}$	1×1	$1\frac{1}{8} \times 1\frac{1}{8}$	$1\frac{1}{4} \times 1\frac{1}{4}$	$1\frac{3}{8} \times 1\frac{3}{8}$	$1\frac{1}{2} \times 1\frac{1}{2}$
	16/6	16/6	18/-	22/6	26/6	26/6	34/6	42/-	48/-	60/-	75/-	dozen	

Drop-Forged Steel Spanners



3464



3466

3464 Drop-Forged Steel Spanners, Single-End (Jaws Machined and Hardened, Bright Cheeks)—

"Nut" size	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2					
	5/3	5/3	6/-	6/9	7/6	9/-	9/9	12/-	15/-	19/6	19/6	24/-	31/6	45/-	54/-	66/-	96/-	114/-	120/-	168/-
																				dozen

3466 Drop-Forged Steel Spanners, Double-End (Jaws Machined and Hardened, Bright Cheeks)—

"Nut" sizes	$\frac{1}{16} \times \frac{1}{16}$	$\frac{1}{8} \times \frac{1}{8}$	$\frac{1}{4} \times \frac{1}{4}$	$\frac{3}{8} \times \frac{3}{8}$	$\frac{1}{2} \times \frac{1}{2}$	$\frac{5}{8} \times \frac{5}{8}$	$\frac{3}{4} \times \frac{3}{4}$	$\frac{7}{8} \times \frac{7}{8}$	1×1	$1\frac{1}{8} \times 1\frac{1}{8}$	$1\frac{1}{4} \times 1\frac{1}{4}$	$1\frac{3}{8} \times 1\frac{3}{8}$	$1\frac{1}{2} \times 1\frac{1}{2}$		
	5/9	6/3	6/9	8/3	9/-	12/-	12/9	13/6	16/6	22/6	36/-	42/-	57/-	66/-	126/-
															dozen

Crowfoot Spanners



3468 Steel Crowfoot Spanners—

"Nut" size.....	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	inch
Length	4½	5	5½	6½	7	8	inches
	3/3	4/-	4/6	6/6	9/-	12/-	each
"Nut" size.....	$\frac{7}{8}$	1	1½	1¾	1¾	1¾	inch
Length	9	9½	10	10½	11	12	inches
	15/-	19/6	22/6	25/6	28/6	33/-	each

Ratchet Spanners



3475 Strong Forged Ratchet Spanners, Square Socket—

Square Hole ...	$\frac{3}{8}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	inch
Length ...	18	20	22	24	26	inches
	27/-	30/-	34/6	37/6	41/6	each
Square Hole ...	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	inch	
Length	28	30	34	40	inches	
	48/-	60/-	72/-	99/-	each	

N.B.—When ordering Spanners state whether size given is "Nut Size" or "Span between Jaws."

OUTSIDE DIMENSIONS OF WHITWORTH STANDARD HEXAGON NUTS


"Nut" size	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2	ins.	
Outside Measurement (Face to Face)	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2	ins.



MARPLES "Shamrock Brand" TOOLS



PATTERNMAKERS' HAMMERS.



3520




3522

Weight of Head 3 6 ozs

- | | | | | |
|------|--|------|------|-------|
| 3520 | Patternmakers' or Telephone Hammers, Cross Pane, Handled | 18/- | 24/- | dozen |
| 3522 | Patternmakers' or Telephone Hammers, Ball Pane, Handled | 18/- | 24/- | " |

ADZE-EYE NAIL HAMMERS.



3525 Best Bright Cast Steel Nail Hammers, Adze Eye, Hickory Handle....

Nos.	1	2	3	4
Weight of Head ...	13	16	20	24
	57/-	60/-	63/-	66/-
				dozen

HANDLED TACK HAMMERS.



3527



3528



3529

- | | | | |
|-------|--|------|-------|
| 3527 | Black Warrington-Pattern Tack Hammers, Polished Ball Handle | 12/- | dozen |
| 3528 | Black Exeter-Pattern Tack Hammers ditto | 12/- | " |
| 3529 | Black Exeter Claw-Pattern Tack Hammers ditto | 12/- | " |
| 3534 | Joiners' Warrington-Pattern Tack Hammers, Straight Handle | 10/6 | " |
| 3533½ | Small N.P. Tack Hammers, assorted four patterns, in boxes of one dozen | 9/- | " |

TACK CLAWS.




3541




- | | | |
|------|--|-----------|
| 3541 | Best Tack Claws, Polished Beech Handle | 10/6 doz. |
| 3542 | Tack Claws, Ash Handle (as illustrated) | 9/- doz. |
| 3543 | Best Tack Claws, Short Shank, Polished Beech Ball Handle | 9/- doz. |

GEOLOGISTS' HAMMERS



3547



3549

Geologists' Solid Steel Pane Hammers, Handled—

Weight of Head ¾ 1 1¼ 1½ lbs.

- | | | | | | |
|-------|--|------|------|------|------|
| 3547 | Geologists' Solid Steel Pick Hammers, Handled— | | | | |
| | Weight of Head ... | 1 | 1½ | | |
| | | 45/- | 48/- | doz. | |
| 3549 | Straight Pane | 33/- | 33/- | 39/- | 45/- |
| 3549A | Cross Pane | | | | |
| 3549B | Double Faced | | | | |



MARPLES "Shamrock Brand" TOOLS



HANDLED JOINERS' HAMMERS.




3510 Exeter Hammers, Handled—

No.	000	00	0	1	2	3	4
Weight of Head	3	4	6	7	8	10	11 ozs.

13/- 13/3 13/6 14/3 15/9 17/3 20/3 doz.

Nos.	5	6	7	8	9	10
Weight of Head	13	15	17	19	21	24 ozs.

24/- 28/6 31/6 36/- 45/- 54/- doz.



3511

Joiners' Warrington-Pattern Hammers, Handled—

Nos.	000	00	0	1	2	3	4
Weight of Head	5	6	8	10	12	14	16 ozs.

3511 Half-Bright 13/- 13/3 13/6 14/3 15/9 17/3 20/3 doz.


3511½ All-Bright 21/- 21/- 21/- 22/6 24/- 25/6 30/- "

Nos.	5	6	7	8	9	10	12
Weight of Head	18	20	22	25	28	31	33 ozs.

3511 Half-Bright 24/- 28/6 31/6 36/- 45/- 54/- 60/- doz.


3511½ All-Bright 33/- 39/- 45/- 51/- — — — "

HANDLED CLAW HAMMERS.



3513 Handled Canterbury Claw Hammers (Strapped)—

Nos.	0	1	2	3	4	5	6	7	8
	36/-	39/-	45/-	51/-	57/-	66/-	72/-	84/-	96/- doz.



3514 Handled Bright Kent Claw Hammers (Strapped)—

Nos.	00	0	1	2	3	4	5	6
	18/-	19/6	21/-	24/-	27/-	33/-	39/-	45/- doz.



3518 Handled Bench Claw Hammers (Eyed)—

Nos.	00	0	1	2	3	4	5	6
Wt. of Hd.	½	¾	¾	1	1¼	1½	1¾	2 lbs.
	21/-	22/6	24/-	25/6	30/-	36/-	48/-	60/- doz.



3519 Boxmakers' Hammers, Handled—
Weight of Head 14 16 18 20 ozs.

60/- 63/- 66/- 72/- dozen



MARPLES "Shamrock Brand" TOOLS



IRON HANDLED HAMMERS.



3600 Grocers' Iron Handled Hammers—			
Nos.	1	2	3
	51/-	54/-	60/- dozen



3602 Packers' Iron Handled Hammers—			
Nos.	1	2	3
	36/-	39/-	45/- dozen




CASE OPENERS.

3610 Strong Steel-Faced Packing Case Openers—				
Length ...	12	14	16	18 inches
	39/-	42/-	48/-	54/- dozen



3611 Strong Flat Steel Case-Opening Chisels, Clawed, 12 inches long.....	24/- dozen
---	------------



3612 Strong Square Steel Case-Opening Chisels— 13 inches long	12/- dozen
--	------------



3615 Round Steel Case-Opening Chisels, with Hammer Head, 12 in. long, 12/- dozen	
---	--



3618 Heavy Octagon Steel Case Openers. Chisel and Hook End—			
12 x 1/2	18 x 1/2	24 x 1/2	inch octagon
18/-	24/-	30/-	dozen.



COMBINATION TOOL.

3620 Combination Case Openers (Hammer, Hatchet, Nail Extractor, Case Opener)—	
13 inches long	4/6 each

Packed singly in attractive cartons.




MARPLES "Shamrock Brand" TOOLS




COAL HAMMERS.

3550 Coal Hammers, 1½ lbs., "Stay-on" Handle,
14 inches long ... 24/- dozen




3552 Coal Hammers, 2½ lbs., Handle, 24 inches long—
45/- dozen

3553 Cast Iron Coal Hammers, 1½ lbs., Handled—
18/- dozen




3555 "Stop-on" Cast Iron Coal Hammers, 1½ lbs.,
Handled—
24/- dozen




FRUIT HAMMERS.


3594 Handled Fruiterers' Hammers, Eyed—
51/- dozen



3595 Handled Fruiterers' Hammers, Strapped—
72/- dozen



3596 Handled Orange Chest Hammers, Strapped—
84/- dozen



N.B.—Various Hammers for different Trades are shown under the Trade Headings—see Index.



MARPLES "Shamrock Brand" TOOLS



BASKETMAKERS' TOOLS.

Knives



3670 Shop or Hand Knives, 4½ inches..... 15/- dozen



3671 Picking Knives 18/- dozen

Bodkins



	4	5	6	7	inches
3672 Solid Bodkins	10/6	12/6	15/-	16/6	dozen



3673 Hollow Bodkins, Straight,	4½ inches	24/-	dozen
3674 Ditto, Bent,	4½ inches	27/-	"

Commanders



3680 Round Bar Commanders, Black, 17 inches long (2 lbs) 5/- each

Mauls



3684 Basketmakers' Mauls, Bright, 11 inches (1½ lbs.) 3/9 each

Squeezers



3683 Can Squeezers or Kinking Tong, 13 inches 6/6 each

Shears



	8	9	10	12	14	inches
3687 Basketmakers' Shears.....	5/3	6/-	7/6	10/6	13/6	each

Shaves



3690 Basketmakers' Shaves 12/- each

Uprights



3691 Basketmakers' Uprights 13/6 each

Cleaves



3692 Boxwood Three-wing Cleaves—	24/-	dozen
3692A Ditto ditto Brass Tipped—	36/-	dozen
3693 Boxwood Four-wing Cleaves—	24/-	dozen
3693A Ditto ditto Brass Tipped—	36/-	dozen



MARPLES "Shamrock Brand" TOOLS



NAIL PULLERS.



- 3640 Nail Pullers, Large size, 19½ ins. 12/- each
 3642 Ditto Small size, 16 ins. 10/6 „



- 3645 Nail Pullers, Large size, with
 Hammer Head 16/6 each

SMALL BOX OPENERS.



- 3649 Blued Flat Steel Box Openers, 8½ ins.,
 Beech Handled 12/- dozen



- 3650 Bright Round Steel Box Openers, 9 ins.
 Boxwood Handled 18/- dozen

BALE OPENERS.




- 3656 Cotton Bale Openers..... 20/- each

STEEL BAG HOOKS.




- 3660 Stevedores' Strong Cargo Hooks,
 8 inches, Wood Handled—
 13/6 dozen



- 3662 Two-prong Bag Hooks, Wood
 Handled—
 Small 24/- dozen. Large 30/- dozen
 3664 Malleable 17/3 dozen.



- 3665 Wheat Bag Hooks, Wood Handled
 45/- dozen



- 3666 New Zealand Wool Hooks, 11 inches,
 Wood Handled..... 26/- dozen



- Length 6 7 inches
 3667 Cotton Hooks, Solid Steel..... 16/6 18/- dozen



MARPLES "Shamrock Brand" TOOLS




SHOEMAKERS' TOOLS.

Eyelet Closing Pliers



3722 Bright Eyelet Closing Pliers—
Nos. 0 1 2
5/3 5/9 6/3 each

Button Hole Pliers and Punches



Bright Button Hole Punch Pliers—
Size of Cutter

	1/2	3/8	1/2	3/4	1 inch
3727 Round Hole	6/3	6/6	7/-	7/6	8/9 each
3728 Oval Hole	6/3	6/6	7/-	7/6	8/9 "



Button Hole Hand Punches—
Size of Cutter

	1/2	3/8	1/2	3/4	1 inch
3729 Round Hole	2/6	2/9	3/-	3/3	3/6 each
3730 Oval Hole	2/6	2/9	3/-	3/3	3/6 "

Shoe Irons



3731 Forepart Irons, assorted 12/- dozen



3732 Glazing Irons, assorted 12/- dozen
3734 Combination Irons..... 9/- "

Welt Knives and Fudge Wheels



3736 Circular Welt Knives..... 6/- each




3738 Fudge Wheels..... 2/6 each

Peg Rasps



3739 Shoe Peg Rasps and Cutters, Wood Handled—
3/6 each

Awls and Handles



3740 Sewing Awls, assorted, 15/- gross



3741 Pegging Awls, assorted, 13/6 gross



3742 Sewing Awl Handles, with Iron Ferrule—
19/6 gross



3743 Pegging Awl Handles, with Brass Hoop—
22/6 gross


Hand-Forged Shoe Knives




3750 Shoe Knives, Round Handle 4 4 1/2 5 inches
7/6 9/- 10/6 dozen



3751 Shoe Knives, Rivetted Oval Handle, Broad Blade—
4 1/2 5 inches
10/6 12/- dozen



3753 Shoe Knives, Rivetted Oval Handle, Curved Edge—
4 1/2 5 inches
10/6 12/- dozen



3754 Shoe Knives, Rivetted Oval Handle, Clipt Edge—
4 1/2 5 inches
10/6 12/- dozen



3758 Clicker Knives, 4 inches, Rosewood Handled—
10/6 dozen



MARPLES "Shamrock Brand" TOOLS



SHOEMAKERS' TOOLS.


Shoe Hammers



Shoe Hammers, Handled—

Nos. 0 1 2 3 4


- | | | | | | | | |
|------|-------------------|------|------|------|------|------|-------|
| 3700 | Iron | — | 24/- | 27/- | 30/- | — | dozen |
| 3701 | Steel-faced | 24/- | 27/- | 30/- | 33/- | 39/- | „ |



Best London-Pattern Shoe Hammers, Polished Handle—

Nos. 0 1 2 3 4

- | | | | | | | | |
|------|-------|------|------|------|------|------|-------|
| 3702 | | 36/- | 39/- | 45/- | 48/- | 54/- | dozen |
|------|-------|------|------|------|------|------|-------|



Best Double-Faced Shoe Hammers, Polished Handle—

Nos. 0 1 2 3 4

- | | | | | | | | |
|------|-------|------|------|------|------|------|-------|
| 3703 | | 48/- | 52/6 | 57/- | 61/6 | 66/- | dozen |
|------|-------|------|------|------|------|------|-------|

Closers' Hammers



- | | | | |
|------|------------------------------------|------|-------|
| 3709 | Bright Shoe Closers' Hammers | 21/- | dozen |
|------|------------------------------------|------|-------|


Pincers and Punch Pliers



3713 Bright Shoe Pincers—

7 7½ 8 8½ 9 inches

4/3 4/6 [4/9 5/3 5/9 each



Bright Shoe Punch Pliers, with one Nipple—


Size 6 6½ 7 7½ 8 inches

To take Nipples 0 to 10 0 to 10 0 to 10 0 to ¼ 0 to ⅜ in.

- | | | | | | | | |
|------|--------|-----|-----|-----|-----|-----|------|
| 3715 | Pliers | 3/9 | 4/- | 4/3 | 5/- | 8/- | each |
|------|--------|-----|-----|-----|-----|-----|------|

3716 Extra Nipples—

7/6 7/6 7/6 12/- 18/- dozen



3719 Improved Bright Shoe Punch Pliers, 7 inches, with

six assorted Nipples, Nos. 5 to 10..... 10/6 each



- | | | | |
|------|---|-----|-----------|
| 3720 | Bright Revolving Punch Pliers, 9 inches, with assorted Nipples— | 4 | 6 Nipples |
| | | 8/- | 8/6 each |




MARPLES "Shamrock Brand" TOOLS




SHOEMAKERS' TOOLS.

Eyelet Closing Pliers



3722 Bright Eyelet Closing Pliers—
Nos. 0 1 2
5/3 5/9 6/3 each

Button Hole Pliers and Punches



Bright Button Hole Punch Pliers—
Size of Cutter 1/4 3/8 1/2 5/8 1 inch
3727 Round Hole 6/3 6/6 7/- 7/6 8/9 each
3728 Oval Hole 6/3 6/6 7/- 7/6 8/9 ..



Button Hole Hand Punches—
Size of Cutter 1/4 3/8 1/2 5/8 1 inch
3729 Round Hole 2/6 2/9 3/- 3/3 3/6 each
3730 Oval Hole 2/6 2/9 3/- 3/3 3/6 ..

Shoe Irons



3731 Forepart Irons, assorted 12/- dozen



3732 Glazing Irons, assorted 12/- dozen
3734 Combination Irons..... 9/- ..

Welt Knives and Fudge Wheels



3736 Circular Welt Knives..... 6/- each




3738 Fudge Wheels..... 2/6 each

Peg Rasps



3739 Shoe Peg Rasps and Cutters, Wood Handled—
3/6 each

Awls and Handles



3740 Sewing Awls, assorted, 15/- gross



3741 Pegging Awls, assorted, 13/6 gross



3742 Sewing Awl Handles, with Iron Ferrule—
19/6 gross



3743 Pegging Awl Handles, with Brass Hoop—
22/6 gross


Hand-Forged Shoe Knives




3750 Shoe Knives, Round Handle 4 4 1/2 5 inches
7/6 9/- 10/6 dozen



3751 Shoe Knives, Rivetted Oval Handle, Broad Blade—
4 1/2 5 inches
10/6 12/- dozen



3753 Shoe Knives, Rivetted Oval Handle, Curved Edge—
4 1/2 5 inches
10/6 12/- dozen



3754 Shoe Knives, Rivetted Oval Handle, Clipt Edge—
4 1/2 5 inches
10/6 12/- dozen




3758 Clicker Knives, 4 inches, Rosewood Handled—
10/6 dozen



MARPLES "Shamrock Brand" TOOLS



SADDLERS' TOOLS.



Hammers

3829 Saddlers' Hammers, Handled—
Nos. 1 2 3 4
5/- 5/6 6/- 6/6 each

Screw Racers




3794 Screw Racers 5/- each

Awls, Creases, Prickers and Miscellaneous Tools



3833 Saddlers' Palm Irons, Bent—
2/3 each



3834 Saddlers' Awls, assorted—
16/- gross



3835 Improved Plough Gauges—
5 inches 42/- each



3841

3841 Single Creases 2/- each
3843 Double Creases ... 2/6 "
3845 Bevel Creases 2/6 "



3846 Screw Creases 3/9 each




3850 Pricking Irons, 5/6 per doz. teeth




Hand Wheel Prickers—
3857 Frames only, (without wheel) 8/- each.
3858 Pricker Wheels, various (extra) 7/6 "



3860 Seam Turners 3/3 each



3861 Lignum Vitæ Smashers or Rubbers—
5/- each



3862 Screw Shoulder Veins 7/6 each



3865 Edge Irons 4/6 each



3873 Edge Shaves 2/- each



3876 American Racers 3/9 each



Best Chain Burnishers on Buff Leather
3½ 4 4½ 5 ins.

3880 Single 2/- 2/6 3/- — each
3881 Double 2/3 2/9 3/3 4/- "


Saddlers' Clams

3885 Birch Wood Clams, Upright,
38 in. high × 3½ in. Jaws, 12/- each.
3886 As above, Folding Pattern.
38 in. high (21 ins. when folded,
× 3½ in. Jaws) 12/- each




UPHOLSTERERS' TOOLS.

Upholsterers' and Cabriolet Hammers




	No. 1	2	3
3901 London Upholsterers' Hammers, Polished Handle	42/-	45/-	51/- dozen


3900 Common Upholsterers' Hammers, with unpolished Handle..... 39/- dozen



	Nos. 1	2	3	4
3902 Benwell's Upholsterers' Hammers, Polished Handle	57/-	63/-	69/-	75/- dozen



3903 Double Face Upholsterers' Hammers, Unpolished Handle 39/- dozen



	Nos. 1	2	3
--	--------	---	---

3904 London Cabriolet Hammers, Polished Handle 57/- 63/- 69/- dozen



3904½ Scale Handled Upholsterers' Hammers—
72/- dozen

Magnetic Hammers



3890 Magnetic Hammers, Unpolished Handle ... 54/- dozen

Trimmers' Hammers




3905½ Coach Trimmers' Hammers, Handled... 63/- doz.

Veneering Hammers



	Nos. 2	3	4
3906 London Veneering Hammers, Handled—	42/-	45/-	51/- dozen



3907 London-Pattern Veneer Flatteners
18/- dozen

Tuft Punches



	1	1½	1¼	1½	inch
3912 Mattress Tuft Cutting Punches—	22/6	25/-	28/-	35/-	each




MARPLES "Shamrock Brand" TOOLS



UPHOLSTERERS' TOOLS—(Continued).

Carpet Stretchers



3915 Best Nickel-plated Carpet Stretchers—

	8	10	12 teeth
Not handled	4/6	4/9	5/- each



3917 Best N.P. Carpet Stretchers, Handled—

	8	10	12 teeth
--	---	----	----------

3917 Polished Beech Handle 7/3 7/6 7/9 each
 3917½ As above, Jointed Handle ... 10/6 10/9 11/- ,,
 3918 Common Japanned Carpet Stretchers, 10 teeth,
 Handled 3/- each

Web Strainers



3922 Upholsterers' Polished Beechwood Bat Web Strainers
 3/6 each



3923 Upholsterers' Polished Beechwood Toothed Web Strainers 2/3 each



3924 Upholsterers' Pincers, Bright—

	7	8	9	10 inches
	5/6	6/-	6/6	10/- each

Ripping Chisels




3920 Upholsterers' C.S. Ripping Chisels, Boxwood Handled

	½	¾	inch
	18/-	19/6	dozen

Linoleum Knives




3921 Beech Handled Linoleum Knives, Double Shear Steel
 15/9 dozen



3921½ Linoleum Knives, Long Blade Pattern... 16/6 dozen

Upholsterers' Scissors.



3928 Upholsterers' Scissors, Glazed—

	6	7	8	9	10 inches
	27/-	33/-	42/-	72/-	84/- dozen



3929 Leather-Cutting Scissors, 6 8 10 inches
 Serrated Edge, Japanned
 Bows 36/- 63/- 84/- dozen

These Scissors are suitable for Cardboard, Linoleum, Carpet, etc.



MARPLES "Shamrock Brand" TOOLS



UPHOLSTERERS' TOOLS—(Continued).



3913


Half-round Pinking Irons—

Sizes to	$\frac{3}{4}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	inch
3913 with V Teeth	4/6	4/6	5/-	5/-	6/-	7/-	each	
3913 $\frac{1}{2}$ Round Teeth	5/-	5/-	5/6	5/6	6/6	7/6	"	

Straight Pinking Irons—

Sizes to	$\frac{3}{4}$	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	inch
3914 with V Teeth	4/-	4/-	4/6	4/6	5/6	6/6	each	
3914 $\frac{1}{2}$ Round Teeth	4/6	4/6	5/-	5/-	6/-	7/-	"	

Needles and Regulators



3930

3930 Upholsterers' Needles, Two-pointed	4	5	6	7	8	9	10	12	14	16	18	inches
3931 Mattress Needles, Single-pointed	1/9	2/-	2/3	2/6	2/9	3/3	3/9	4/3	5/3	6/9	7/6	dozen



3933 Trussing Needles, Single Bayonet-pointed	6	7	8	9	10	11	12	inches
	2/6	2/9	3/-	3/6	4/-	4/6	5/-	dozen



3933 $\frac{1}{2}$ Upholsterers' Skewers	3	3 $\frac{1}{2}$	4	inches
	5/-	5/-	5/-	gross



3934 $\frac{1}{2}$ Upholsterers' Half-Moon Needles, Two-pointed

	2	2 $\frac{1}{2}$	3	4	5	6	7	8	inches
	2/6	2/9	3/-	3/3	3/9	4/6	5/3	6/-	dozen
Assd., 3 to 7 inches, 3/9 dozen.									
<i>Measured round curve, not across points.</i>									



3940 Upholsterers' Regulators—

	6	7	8	9	10	11	12	inches
	7/6	8/-	9/-	10/6	11/-	12/-	13/6	dozen

Garnish Awls and Trimmers' Awls



3935 $\frac{1}{2}$

3935 Garnish Awl Blades, assorted	3/-	dozen
3935 $\frac{1}{2}$ Garnish Awl Blades, Box Handled	8/6	dozen $\frac{1}{2}$
3937 Upholsterers' Square Awl Blades, assd.	1/6	"



3939 Trimmers' Awls, 2 $\frac{1}{4}$ inches, Egg-shape Boxwood Handle..... 9/6 dozen



3938 Trimmers' Awls, 3 inches, Peg-top Boxwood Handle— 10/6 dozen



3941 Trimmers' Awls, 3 $\frac{1}{2}$ inches, Blade Solid through Handle and Headed, Pinned through Ferrule..... 15/- dozen

For Awl Handles—see Index.



MARPLES "Shamroek Brand" TOOLS



SHIPWRIGHTS' TOOLS.

Bright Caulking Irons



$\frac{1}{16}$ $\frac{1}{8}$ inch

- 4000 Caulking Irons, Blunt 26/3 27/- dozen
- 4000 $\frac{1}{2}$ Sharp Irons..... 27/- dozen
- 4001 $\frac{1}{2}$ Fantail Reaming Irons, 3 inches wide 39/- dozen



$\frac{1}{8}$ $\frac{7}{16}$ $\frac{1}{4}$ inch

- 4002 Single Crease Irons 30/- 31/6 33/- dozen


$\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ inch

- 4004 Double Crease Irons 33/- 34/6 — dozen
- 4004 $\frac{1}{2}$ Treble Crease Irons — 36/- 39/- „



$\frac{1}{16}$ $\frac{1}{8}$ inch

- 4000B Bent Caulking Irons 28/6 30/- dozen
- 4000 $\frac{1}{2}$ B Bent Sharp Irons 30/- dozen.



- 4007 Spike Irons..... 27/- dozen



- 4008 Trenail Irons..... 27/- dozen



- 4009 Jerry Irons 30/- dozen

Deck Irons


Width... 2 $\frac{1}{2}$ 3 3 $\frac{1}{2}$ 4 inches

- 4013 Strong Deck Irons 54/- 57/- 60/- 66/- dozen

Sets of above Caulking Irons

- Sets of Six Caulking Irons, assorted 15/- Set
- Sets of Eight Caulking Irons, assorted 20/- „

Caulking Mallets



- 4016 London-Pattern Caulking Mallets,
Lignum-Vitae Head 10/6 each
- 4016B As above, but Beechwood Head—
6/- each

Mauls and Hammers




- 4020 Solid Steel Ship Mauls, Oval Eye—
Weight 2 to 2 $\frac{1}{4}$ lbs. 3 to 5 $\frac{1}{4}$ lbs. 6 lb. each & above.

1/6 1/3 1/1 $\frac{1}{2}$ per lb.
Handling (extra) 1/- each.



- 4025 London-Pattern Coppering Hammers ... 3/9 per lb.
Handling (extra), -/9 each.



- 4030 Sheathing Hammers, Polished Handle—
Weight of Head $\frac{1}{2}$ 1 1 $\frac{1}{2}$ 1 $\frac{3}{4}$ 1 $\frac{1}{2}$ 2 lbs.

22/8 25/8 30/- 36/- 48/- 60/- dozen




MARPLES "Shamrock Brand" TOOLS




SHIPWRIGHTS' TOOLS—(Continued).

Scrapers



4035	Yacht or Boat Scrapers, Polished Beech Handled—					
Size	2½ × 6	2½ × 8	3 × 10	3½ × 12	4 × 14	ins. long
	12/-	15/-	18/-	21/-	27/-	dozen



Socket Ship Scrapers, Ash Handled—		
4036	Common	18/- 19/6 dozen
4037	Best	27/- 30/- "

Splicing Tools



4040	Wire-Rope Splicing Tools, Hardwood Handled—				
	Length of Blade	5	6	7½	9 inches
		45/-	46/6	48/-	51/- dozen




4050	Bright Steel Marline Spikes—							
	Length	8	9	10	11	12	14	16 inches
		24/-	25/6	27/-	30/-	33/-	39/-	45/- dozen

Sail Prickers



4052	Bright Steel Sail Prickers, Polished Handled—							
	Length of Blade	4	5	6	7	8	9	10 inches
		12/-	12/9	13/6	15/-	16/6	18/-	21/- dozen

Sheath Knives




4053½		Sailors' Sheath Knives, 5 inches—	
4053	Beechwood 3-pin Handled		12/- dozen
4053½	Rosewood 3-pin Handled		15/- "
4055	Ebony 3-screw Handled		21/- "

Sheaths and Belts



4056	Sailors' Leather Sheaths, No. 2, 10/6 dozen
4056½	Sailors' Leather Belts—
	Width ¾ 1 inch
	15/- 17/6 dozen

Eyelet Beds and Punches




4057	Sail Eyelet Beds and Punches—				
	Nos.	1	2	3	4
	Size of Eyelet	½ × ½	¾ × ¾	¾ × ¾	¾ × ¾
		9/-	9/-	9/-	9/- per pair
	Nos.	5	6	7	8
	Size of Eyelet	¾ × ¾	¾ × ¾	¾ × 1	¾ × 1
		10/6	10/6	12/-	12/- per pair

Hooks, Needles and Palms



4060	Sail Hooks, Plain	2/3 dozen
------	-------------------------	-----------



4061	Sail Hooks, Brass Swivel.....	3/6 dozen
------	-------------------------------	-----------

4061½	Ditto Iron Swivel.....	3/- "
-------	------------------------	-------

4065	Sail Needles, assorted	24/- gross
------	------------------------------	------------



4070	Sailors' Seaming Palms—				
	Nos.	2	5	7	13
		7/6	13/6	15/-	54/- dozen



MARPLES "Shamrock Brand" TOOLS



STONEBREAKERS' AND MASONS' HAMMERS.

4100 Solid Steel Stonebreakers' Hammers—
Weight ... 1 1½ 1½ 1¾ 2 lbs. each



15/- 18/- 21/- 24/- 27/- dozen
Hazel Rods, 36 inches long, for above Hammers, 4/6 dozen. Fitting (extra) 3/- dozen
4100½ Stonebreakers' Gauze Goggles in tin box (Foreign) 12/- dozen



Masons' Solid Steel Dressing Hammers—
Weight ... 2 2½ 3 3½ 4 lbs. each

4101 Heads 22/6 24/- 28/6 31/6 34/6 dozen
4101½ Handled 27/- 28/6 33/- 36/- 39/- ..



Masons' Solid Steel Lump Hammers—
Weight ... 2 2½ 3 3½ 4 lbs. each

4102 Heads 22/6 24/- 28/6 31/6 34/6 dozen
4102½ Handled 27/- 28/6 33/- 36/- 39/- ..



Masons' Solid Steel Walling Hammers—
Weight ... 2 2½ 3 3½ 4 lbs. each

4105 Heads 24/- 30/- 36/- 42/- 48/- dozen
4105½ Handled 28/6 34/6 40/6 46/6 52/6 dozen.



4108 Masons' Improved Dressing Hammers, 4½ ins x 1¼ ins.,
with 3 loose Bits 10/6 each
4109 Extra Bits for above Hammers 1/3 ..
Handling (extra) 6d. each.

STONE PICKS, MILL BILLS AND QUARRY HAMMERS.



4110 Solid Steel Stone Picks 1/- per lb.



4112 Solid Steel Granite Axes 1/- per lb.



4116 Solid Steel Mill Bills 3/- per lb.



4118 Rivetted Handles for Mill Bills 6/- each



4120



4125



4126



4122



4129


4120 to 4129 Solid Steel Quarry Hammers 1/- per lb. To 5½ lbs. 6 lbs. weight each and above
Handling with 36 in. Shafts extra, 1/9 each -/10½ per lb.



MARPLES "Shamrock Brand" TOOLS



DRILLING HAMMERS.



4140

4141

Miners' Solid Steel Drilling Hammers, 6 lbs. weight and above—

- 4140 Square-cornered Face -/7 per lb.
- 4141 Circular Face -/7 per lb.

Handling with 36 inch Shafts, extra 1/9 each.

WEDGES.



4146



4148

Weight : 2 lbs. each and above

- 4146 Solid Steel Quarry Wedges -/9 per lb.
- 4148 Ditto Road Wedges..... -/7 1/2 "

Sizes of 4148 Road Wedges—

	12x1 1/2	14x1 1/2	16x1 1/2	18x2	20x2 inches
Approx. Weight.....	9	10 1/2	12	16	18 lbs. each

DRILLS.




- 4160 Round Steel Jumper Drills 1/- per lb.



- 4162 Octagon Steel Mining Drills, Chisel Point 1/2 per lb.

PAVIORS' BEETLES AND MONKEYS.



4170



4172

- 4170 Paviors' Elm Beetles, with Head 14 x 8 14 x 10 inches
16/6 21/- each.
- 4172 Paviors' Elm Monkeys, with two Handles and Iron Ring
48 x 6 48 x 7 48 x 8 inches
42/- 48/- 51/- each

CROW BARS.



4180 Pinch Bars, Plain End.

4180 1/2 Pinch Bars, Pointed End.



4181 Crow Bars, Plain End.

4181 1/2 Crow Bars, Pointed End.



4182 Claw Bars, Plain End.

4182 1/2 Claw Bars, Pointed End.

Crow Bars, Nos. 4180 to 4182 1/2—

Length	3 1/2 ft.	4 ft.	4 1/2 ft.	5 ft.	5 1/2 ft.	6 ft.
Square Part.....	1 ins.	1 ins.	1 1/2 ins.	1 1/2 ins.	1 3/4 ins.	1 1/2 inches
Round Part	5/8 in.	3/4 ins.	3/4 in.	7/8 in.	7/8 in.	1 inch.
Approximate Weight ...	8 lbs.	10 lbs.	12 1/2 lbs.	18 1/2 lbs.	27 lbs.	35 lbs. each
	6/-	6/9	7/6	10/6	15/9	21/- each



MARPLES "Shamrock Brand" TOOLS



MASONS' TOOLS.

Masons' Chisels



4200 Mallet Head Chisels—
To $\frac{5}{8}$ inch. $\frac{3}{4}$ inch and above
16/6 dozen. 1/4 per lb.



4200H Hammer Head Chisels—
To $\frac{5}{8}$ inch. $\frac{3}{4}$ inch and above
16/6 dozen. 1/4 per lb.



4202 Mallet Head Points..... 1/4 per lb.
4202H Hammer Head Points 1/4 per lb.



4203H Hammer Head Pitching Tools 1/9 per lb.


Masons' Tools, patterns Nos. 4200 to 4203H for Granite,
advance above prices by 6d. per lb.



Patent Stone Dressing Tools—
 $\frac{1}{2}$ 1 1 $\frac{1}{2}$ 2 ins. wide

4208A Steel Handles (only)	2/-	2/6	3/-	4/-	each
Cutters (only)—					
4208B Double Toothed ...	16/6	22/6	33/-	42/-	per gross
4208C Single Toothed ...	15/-	18/-	27/-	33/-	" "
4208D Plain (no teeth)	12/-	15/-	21/-	24/-	" "

Lettering Chisels



4214 Sculptors' C.S. Mallet Head Carving or Lettering
Chisels, assorted sizes 18/- dozen



4215 Sculptors' C.S. Mallet Head Carving or Lettering
Gouges, assorted sizes 19/6 dozen

Lettering Chisels and Gouges for Granite,
advance above prices 4/6 dozen.


Brick Bolsters and Cleaners



4220 Brick Bolsters—
Width 2 3 3 $\frac{1}{2}$ 4 4 $\frac{1}{2}$ 5 inches
15/9 27/- 28/6 30/- 31/6 33/- dozen




4221 Double-End Brick Cleaners, 5 inches ... 54/- dozen



4222 Brick Cleaning Axes, Double-Edge, with Strong
Ash Handle—
Weight ... 1 $\frac{1}{4}$ 1 $\frac{3}{4}$ lbs.
45/- 51/- dozen

Masons' Mallets



4240 Beechwood Mallets—
Diam. of Head 6 7 8 inches
8/- 7/6 9/- each



MASONS' TOOLS—(Continued).

Dummies and Lettering Mallets




- 4241 Masons' Lead Dummies, Cane Handled—
 Weight of Head ... 2½ 3 3½ 4 lbs.
 5/9 6/9 7/9 8/9 each




- 4242 Marble-Masons' Lettering Mallets, with Lignum Vitae Head, 5½ ins. x 3 ins. 39/- dozen

Depth Squares




- Masons' Depth Squares or Gauges, with Steel Blade—
 6 8 10 12 inches
 4246 Brass Head..... 4/6 7/6 10/6 12/6 each

Trammel Heads



- 4247 Brass Trammel Heads, with Pencil Holders—
 Nos. 1 2 3 4 5
 For Lath ... 1/8 x 1/4 1/8 x 1/8 1/8 x 7/16 1 x 1/2 1 3/8 x 5/8 inch
 4/6 5/9 6/9 8/6 13/- pair

Shift-Stocks



- Masons' Shiftstocks or Bevels—
 7½ 9 12 inches


- 4248 Bright Steel..... 51/- 57/- 63/- dozen
 4249 Solid Brass 60/- 69/- 84/- ..

Sculptors' Drills




- 4253 Sculptors' Drill Stocks, 12 inches long, Gun Metal Fittings, with 6 Drill Bits, 5½ ins. long, assorted 3/2 to 1/2 inch..... 31/6 each
 4253½ As above, with Extra Drill Socket and 6 smaller Drills, 3½ ins. long, assorted 1/8 to 1/4 in. 40/6 each
 4254 Fiddle Drill Bows, to suit above 5/3 each

Drags and Cocks' Combs



- 4257 Masons' Drag Saws, 8 inches wide, Fine, Medium or Coarse 15/- dozen




- 4258 Masons' Cocks' Combs, assd. patterns, A to D—9/- doz.




MARPLES "Shamrock Brand" TOOLS



MASONS' TOOLS—(Continued). Steel Squares and Measures.




					18 x 12	24 x 12	inches			
4260	Bright Steel Squares, rule-marked on one side, Inches in 8ths	3/-	3/6	each					
		12 x 6	18 x 12	24 x 12	24 x 18	30 x 18	36 x 24	48 x 24	inches	
4261	Bright Steel Squares, rule-marked both sides, Inches in 8ths	3/-	3/3	4/-	6/3	10/6	15/-	19/6	each
				18 x 12	24 x 12	24 x 18	30 x 18	inches		
4262	Galvanised Steel Squares, rule-marked both sides, Inches in 8ths	3/9	4/6	7/6	—	—	each		
4263	Bright Steel Squares, rule-marked both sides, Inches in 8ths	8/-	9/-	12/-	—	—	..		
4264	As above, marked on four edges, Inches in 8ths, 12ths and 16ths	—	15/-	18/-	22/6	..			



4267 Black Iron Stocked Squares, Plain Blade—

8	10	12	15	18	21	24	30	ins
3/6	4/3	5/-	6/3	7/6	9/-	10/6	13/6	each



4268 Bright Iron Stocked Squares, Rule-marked Blade—


12	15	18	24	inches
8/9	10/-	11/3	12/9	each



4272 Bright Steel Measures, 1 1/2 in. wide x 1/2 in. thick, rule-marked both sides, inches in 8ths—

24	36	48	60	72	inches
2/6	3/9	5/-	8/-	10/6	each

Plumb Boards and Plumb Bobs.



4 4 1/2 5 feet

4276 Masons' Wood Plumb Boards, with Plumb-bob Hole

.....	3/6	3/9	4/-	each
-------	-----	-----	-----	------

For Masons' Plumb Board Levels, see page 64.



4280



4282



4285

4280	Lead Plumb Bobs	10/6	12/9	15/-	18/-	21/-	25/6	28/6	34/6	40/6	dozen						
4282	Improved Iron Plumb Bobs	25/6	28/6	36/-	42/-	48/-	54/-	69/-	—	—	..						
		Nos.	4°	3°	2°	0	1	2	3	4	5	6	7	8	9	10	12	
4285	Brass Plumb Bobs, with Steel Point—	Weight	1/2	1	1 1/2	2 1/2	3 1/2	4 1/2	6 1/2	9	10 1/2	12	14	17	22	27	32	ozs. each
			11/3	11/3	12/-	12/-	15/-	21/-	27/-	33/-	39/-	45/-	54/-	63/-	78/-	96/-	108/-	dozen

Prices of Lead and Brass Plumb Bobs fluctuate according to market prices for materials.




MARPLES "Shamrock Brand" TOOLS



MASONS' TOOLS—(Continued).


Brick Trowels



	8	9	10	10½	11	11½	12	12½	13 inches
4300 London-Pattern Brick Trowels	45/-	46/6	48/-	51/-	52/6	54/-	55/6	57/-	61/6 dozen
4300B "Henry" Quality ditto. ditto	36/-	36/-	36/-	—	39/-	—	48/-	—	— ..



	8	9	10	10½	11	11½	12	12½	13 inches
4301 London-pattern Brick Trowels, through-tanged and capped	48/-	49/6	51/-	54/-	55/6	57/-	58/6	60/-	66/- dozen



	10	10½	11	11½	12 inches
4303 Broad-Heel Brick Trowels, through-tanged and capped	66/-	69/-	72/-	76/6	81/- dozen

Pointing Trowels



4310



4311

	5	5½	6	6½	7	7½	8	9 inches
4310 Pointing Trowels	25/6	25/6	25/6	27/-	30/-	31/6	34/6	39/- dozen
4311 Ditto. ditto. Narrow	16/6	16/6	16/6	16/6	16/6	—	—	— ..
4310B "Henry" Quality Pointing Trowels	16/6	16/6	16/6	16/6	16/6	—	—	— ..



MARPLES "Shamroek Brand" TOOLS




MASONS' TOOLS—(Continued).

Gauging Trowels



Gauging Trowels—	6	6½	7	7½	8 inches
4312 Round Nose	33/-	34/6	36/-	37/6	39/- dozen
4312½ Pointed Nose					

Margin Trowels



4316 Margin Trowels, 5 to 6 ins. long × 2 to 3 ins. wide 48/- dozen

Daubers' Trowels



4314 Daub Trowels, 8 inches..... 54/- dozen

Window Trowels



4318 Window Trowels, 6 ins. long × ½ to 1½ ins. wide—
30/- dozen

For Slaters' Trowels—see page 123.

Bright C.S. Jointers



			Width of Face	¼	⅜	½	⅝	¾	inch.
4320	Mason's Bright Jointers, Plain, 5 inches long	22/6	22/6	24/-	24/-	25/6	dozen	
4321	Ditto. ditto Plain, 2½ inches long	21/-	21/-	22/6	22/6	24/-	„	
4322	Mason's Bright Jointers, Fluted, 5 inches long	30/-	30/-	31/6	31/6	33/-	dozen	
4323	Ditto. ditto. Fluted, 2½ inches long	28/6	28/6	30/-	30/-	31/6	„	

Line Pins



Bricklayers' Malleable Iron Line Pins—	
4330 Japanned	3/- dozen
4331 Bright	4/6 ..



Bricklayers' Best Wrought Steel Line Pins—	
4335 Half-Bright	6/9 dozen
4336 Bright	7/6 ..

For Masons' Lines—see Index.




MASONS' TOOLS—(Continued).

Brick Hammers




- 4340 Bricklayers' Hammers, Chisel
Pane, Ash Handled—
No. 1—11 inches No. 2—12½ inches
- | | |
|------------|------------|
| 45/- dozen | 48/- dozen |
|------------|------------|




- 4341 Bricklayers' Yankee-Pattern Hammers, All Bright,
Chisel Pane, Short Head, 8 inches, Polished
Ash Handled 45/- dozen

Brick Scutches



- 4342 Bricklayers' Double-Edge Scutch
Hammers, 14 inch Head.
Ash Handled... 48/- dozen



- 4346 Improved Ash Scutches, complete
with one blade ... 54/- dozen

- 4346½ Scutch Blades, 12 × 1¼ inches, for
above (spare) 15/- dozen

MISCELLANEOUS TOOLS.




- 4347 Double-pointed Mortar Picks, 13 ins..... 42/- dozen
4347½ As above, Ash Handled 48/- ..



- 4348 Joint Rakes, ½ inch. Octagon, painted red 15/- dozen



- 4349 Paviers' Hammers, Ash Handled—
Weight of Head 2½ 3 3½ lbs.
- | | | |
|------|------|------|
| 69/- | 84/- | 96/- |
|------|------|------|
- dozen



- 4350 Scaffolding Hammers, 2 lbs. with Claw,
Ash Handled ... 63/- dozen



MARPLES "Shamrock Brand" TOOLS




MISCELLANEOUS TOOLS.

Mortar Larries




- 4351 Socket Mortar Larries, 9½ inches wide 3/6 each
 4351½ As above, complete with 6ft. Ash shaft 6/6 ..



Hods

- 4352 Hod Sockets, with 8 inch arms—
 2/9 each
 Hod Boxes 5/6 each
 Hod Staffs 1/6 ..


Brick Saws



Brickmakers' Saw Frames, with twisted Wire Cutter—

- | | | | | | |
|----------------------------------|-----|-----|-----|-----|--------|
| | 18 | 20 | 22 | 24 | inches |
| 4353 Frames complete | 6/- | 6/9 | 7/6 | 9/- | each |
| 4353½ Cutters only (spare) | 3/- | 3/3 | 3/6 | 3/9 | dozen |

Tile Cutters



- 4354 Tile-Cutting Machines, for reducing Glazed Tiles, Floor Tiles or Roofing Tiles to size and shape required, leaving a clean edge on the face of the tile 25/- each
 4354½ Cutters only (spare) 4/6 pair

MARPLES WRECKING BARS.



- | | | | | | | |
|---|--------|--------|--------|----------|----------|-------|
| 4355 Octagon Cast Steel Wrecking Bars, Red with Bright Ends | 12 × ½ | 18 × ¾ | 24 × 1 | 30 × 1 ¼ | 36 × 1 ½ | inch |
| | 18/- | 24/- | 30/- | 33/- | 36/- | dozen |

MARPLES Wrecking Bars have been introduced particularly to speed up the stripping of Casing Boards off Concrete. Every point in their design has been standardised after the most careful experiments—angle of leverage, shape of claw, temper of cutting edge and toughness of steel are all adjusted to one end—maximum results with minimum effort. The largest sizes will draw a 6 inch nail in oak at one pull. The smallest size makes an efficient Case opener and Nail-drawer for household use.




MARPLES "Shamrock Brand" TOOLS



PLASTERERS' TOOLS.

Moulding Tools



Plasterers' Small Tools—

Patterns G. H. Q.	24/-	25/6	27/-	28/6	30/-	31/6	33/-	36/-	45/-	48/-	57/-	dozen
Patterns K. L. M. P.	22/6	24/-	25/6	27/-	28/6	30/-	31/6	33/-	39/-	42/-	48/-	"
Patterns S. T. W. X. (Scratch Tools).....	27/- dozen											

Joint Rules, Set Squares, and Quirking Tools.



4361 Joint Rules—

3	4	5	6	8	10	12	14	16	18 ins.
7/6	10/6	13/6	15/-	21/-	25/6	30/-	36/-	40/6	45/- doz.



4362




4362½

6	7	8	10 inches
---	---	---	-----------


4362 Plasterers' Set Squares 24/- 27/- 30/- 36/- dozen
 4362½ Plasterers' Quirking Tools, 18/- dozen.

Plasterers' and Flooring Trowels.



4363 Plasterers' Single Tang Trowels—


Size ...	10½ × 4½	11 × 4½ inches
	69/-	72/- dozen



4365 Plasterers' Double Tang Trowels ... 85/6 90/- dozen
 4365B "Henry" Quality, 10 × 4½ inch 21/- dozen.



4364 Plasterers' Single-Tang Finishing Trowels, with Extra Thin Blade and Extra Rivets, size 11 × 4½ ins.—
 75/- dozen



4366 Cementers' Flooring Trowels or Floats—

Length	14	16	18	20 inches
	11/6	13/6	15/-	16/6 each



MARPLES "Shamrock Brand" TOOLS



PLASTERERS' TOOLS. Cove Trowels and Twitchers




4367 Cove or Circle Trowels—
Width ... 2½ 3 3½ 4 inches
10/3 10/9 11/6 13/6 each




4368 Plasterers' Twitchers, or Angle Trowels—
4 × 2½ 4 × 3 4 × 4 inches
60/- 63/- 72/- dozen

For Prices of Gauging Trowels, see page 118.

Lath Hammers




4374 Bright Forged Lath Hammers, Strapped—
Nos. 1 2
48/- 51/- dozen



4375 Yankee-Pattern Half-Bright Lath Hammers, Eyed.
2½ inches wide on cut..... 60/- dozen

PLASTERERS' BEST WHITE PINE WOOD TOOLS.



4376 Plasterers' Hawks, Dovetailed, 12 × 12 ins. 5/- each
4376½ Small Hawks, for Pointing, 9 × 9 ins. 3/9 ..
4385 Aluminium Hawks, 13 × 13 ins. 8/6 ..



4382 Plasterers' White Pine Darby, 39 × 4 inches—
5/9 each



4377 Cross Grain Floats, 11 × 5 inches..... 3/3 each
4383 Straight Grain Skimmer Floats, 13 × 5 in. 2/6 ..



Length 6 7 8 9 inches
4378 Square or Skimmer Floats 1/6 1/6 1/6 1/6 each



4379 Angle Floats, 10 × 3 ins., Right Hand ... 1/9 each
4379½ Angle Floats, 10 × 3 ins., Left Hand ... 1/9 ..

For prices of Plumb Boards and Plumb Bobs, see page 116.



MARPLES "Shamrock Brand" TOOLS




SLATERS' TOOLS.

Trowels




		6	6½	7	inches
4380	Slaters' C.S. Trowels— Riveted Through-Tang	42/-	45/-	48/-	dozen

Rippers



		24	27	30	inches
4387	Slaters' Rippers	57/-	63/-	69/-	dozen

Boring Machines



4390 Slate Boring Machines, complete with Guides, Punch and Die. Will either clamp on a plank as illustrated, or can be bolted on bench..... 60/- each

Saxes



Slaters' Saxes or Knives, with Pick—

		9 × 2½	10 × 2½	inches
4393	Right Hand, as illustrated	63/-	72/-	dozen
4393½	Left Hand (opposite crank).....	63/-	72/-	„


Pick Hammers



4395 Slaters' Eyed Pick Hammers, London - Pattern (without claw), Handled 45/- dozen



4396 Slaters' Eyed Pick Hammers with Claw, Handled 66/- dozen



4397 Slaters' Strapped Pick Hammers, with Claw, Handled..... 75/- dozen

Rests



Slaters' Dressing Irons or Rests—

		10	12	14	inches
4399	As illustrated	30/-	33/-	36/-	dozen
4399½	Single Tang ...	30/-	33/-	36/-	„



MARPLES "Shamroek Brand" TOOLS



FENCING AND LINESMEN'S TOOLS. Fencing Pliers




		8	9	10	12	inches
4420 Fencing or Telegraph Pliers		36/-	42/-	48/-	54/-	dozen

Straining Vices



4426 Wire Straining Vices, with key—		4	5	6	8	inches
Length Overall ...	7 1/4	9	10 1/4	13 1/4		inches
Suitable for Wire ...	1/4	3/8	1/2	3/4		inch
	28/6	33/-	39/-	68/-		each

Straining Ratchets




4435 Straining Ratchets for use with Draw Tongs—	12/-	each
4436 Straining Ratchets with Tension Spring, indicating to either 110, 150, 160, 170, or 175 lbs.	33/-	each

Wire Dogs



4427 Lions' Claws or Wire Dogs, Light 5/- each




4428 Lions' Claws or Wire Dogs, Strong ... 5/9 each

Sliding Draw Tongs



4438 Sliding Draw Tongs 5/6 each

Staple Pullers



4440 Staple Pullers, Hammer Head 36/- dozen

Dutch Draw Tongs



4429 Dutch Draw Tongs or Wire Dogs 8/6 each

Climbing Irons



4445 Pole Climbing Irons.....	13/6	pair
Set of Four Straps (extra)	6/-	set
Pads (extra)	10/-	pair

For Wire Nippers and Pliers and Wire Gauges, see index.




MARPLES "Shamrock Brand" TOOLS




IRONMOULDERS' TOOLS.

Trowels




4451 English Trowels, Handled—

5 × 1	5½ × 1¼	5½ × 1½	5½ × 1¾	inches
33/-	39/-	42/-	48/-	dozen
6 × 1½	6 × 1¾	6½ × 1½	7 × 1½	inches
42/-	48/-	48/-	51/-	dozen




4453 Taper Trowels, Handled—

6	6½	7	inches
39/-	42/-	48/-	dozen



4454 Scotch Trowels—

5 × 1	5½ × 1¼	5½ × 1½	5½ × 1¾	6 × 1½	6 × 1¾	inches
39/-	42/-	45/-	48/-	45/-	48/-	dozen




4460 Long Heart Trowels, Handled, 5 × 1¼ ins. 45/- doz.



4461 Broad Heart Trowels, Handled—

3½ × 2½	4 × 3	4½ × 3½	inches
45/-	48/-	51/-	dozen


Heart and Squares



4462 Heart and Square Trowels—


1½ × 1¼	2¼ × 1½	2¼ × 1¾	inches
36/-	39/-	42/-	dozen

Gait Knives and Spoon Tools



4465 Gait Knives.....	45/-	48/-	dozen
Large End	1½ × 1	1¾ × 1¼	inches
4466 Spoon Tools	48/-	54/-	dozen

Beads



4467 Straight Beads	45/-	48/-	54/-	dozen
	½ × ¼	¾ × ½	1 × ¾	inch



4468 Fluted Beads	48/-	54/-	60/-	dozen
	¾ × ½	¾ × ¾	1½ × 1	inch



4469 Circular Beads	45/-	48/-	54/-	dozen
	¾ × ¾	¾ × ¾	¾ × ¾	inch



MARPLES "Shamrock Brand" TOOLS



IRONMOULDERS' TOOLS. Boss Tools, Girder Tools and Upsets



4470 Boss Tools $1 \times \frac{3}{4}$ $1 \frac{1}{8} \times 1 \frac{1}{8}$ inch
72/- 78/- dozen




4472 Girder Tools $\frac{1}{2} \times \frac{1}{2}$ $\frac{3}{4} \times \frac{3}{4}$ $\frac{1}{2} \times \frac{1}{2}$ inch
66/- 69/- 72/- dozen



4474 Flange Bead Upsets $\frac{1}{2}$ $\frac{3}{4}$ $\frac{1}{2}$ $\frac{3}{4}$ inch
54/- 60/- 66/- 72/- dozen

Cleaners



4475 Flange Cleaners— $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ inch
60/- 66/- 72/- 78/- dozen



4476 English Cleaners— $\frac{1}{2}$ $\frac{3}{4}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 inch
27/- 30/- 36/- 42/- 48/- 54/- 63/- dozen.



4478 Scotch Cleaners— $\frac{1}{2}$ $\frac{3}{4}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 inch
28/6 31/6 37/6 42/- 48/- 57/- 66/- dozen



4479 Scotch Club Cleaners $\frac{1}{2}$ $\frac{3}{4}$ $\frac{1}{2}$ $\frac{3}{4}$ inch
60/- 66/- 72/- 78/- dozen

Smoothers



4480



4481

4480 Square Corner Smoothers ... $1 \frac{1}{2}$ $1 \frac{1}{2}$ $1 \frac{1}{2}$ inch
30/- 36/- 42/- doz.
4481 Round Edge Corner Smoothers 30/- 36/- 42/- ..



4482



4483

4482 Flange Corner Smoothers ... $1 \frac{1}{2}$ $1 \frac{1}{2}$ $1 \frac{1}{2}$ inch
30/- 36/- 42/- doz.
4483 Round Edge Flange Smoothers 30/- 36/- 42/- ..



4484



4485

4484 Oval Pipe Smoothers— $2 \frac{1}{2} \times 1 \frac{1}{2}$ $3 \times 1 \frac{1}{2}$ $3 \frac{1}{2} \times 1 \frac{1}{2}$ $4 \times 1 \frac{1}{2}$ inch
31/6 36/- 42/- 48/- dozen

4485 Egg Smoothers $2 \frac{1}{2} \times 1 \frac{1}{2}$ $2 \frac{1}{2} \times 1 \frac{1}{2}$ inches
34/6 39/- dozen



4486



4487

4486 Back Box Smoothers— $1 \frac{1}{2} \times 1 \frac{1}{2}$ $2 \frac{1}{2} \times 1 \frac{1}{2}$ $2 \frac{1}{2} \times 1 \frac{1}{2}$ $3 \times 1 \frac{1}{2}$ inches
30/- 34/6 39/- 45/- dozen

4487 Safe-end Pipe Smoothers— 1 $1 \frac{1}{2}$ $1 \frac{1}{2}$ $1 \frac{1}{2}$ inch
34/6 39/- 45/- 51/- dozen



FARRIERS' TOOLS.

Hammers



4503 Farriers' London-Pattern Shoeing Hammers, Handled—
 Nos. 0 1 2 3
 Head (about) 10 12 14 16 ozs.
 33/- 36/- 39/- 42/- dozen



Farriers' Scotch-Pattern Shoeing Hammers, Bright Cheeks—
 Head (about) 12 14 16 ozs.
 4505 Heads only 69/- 72/- 75/- dozen
 4506 Handled 75/- 78/- 81/- ..



4507 Shoe Turning Hammers.... 2/3 per lb.
 Handling (extra) -/7½ each



4508 Improved Shoe Turning Hammers—
 Handling (extra) 2/9 per lb.
 -/7½ each



4509 London-Pattern Shoe Turning Hammers
 Handling (extra) 2/6 per lb.
 -/7½ each

Pincers



4512 Farriers' Pincers—
 10 12 13 14 16 inches
 72/- 78/- 90/- 102/- 114/- dozen



4514 Farriers' Yankee-Pattern Pincers, 13 inches 9/6 each

Hoof Parers




4515 Farriers' Yankee-Pattern Hoof-paring Pincers, 13 ins. 11/6 each

Clinch Cutters



4516 Farriers' Buffers or Clinch Cutters 24/- dozen

Buttresses



4517 Farriers' Buttresses 54/- dozen



MARPLES "Shamrock Brand" TOOLS



FARRIERS' TOOLS—(Continued).

Pritchels



9 12 inches

4519 Farriers' Pritchels 21/- 27/- dozen

Farriers' Knives



4525

Farriers' Knives, Buck Horn Handled—

4525 Single Edge 19/6 dozen
4526 Double Edge 19/6 ..



4527 Farriers' Searchers, Buck Horn Handled, 19/6 dozen

Lamb Castrators



4528 Lamb Castrators, Plain Steel Grips ... 48/- dozen



4529 Lamb Castrators, Pressed Horn Scale Grips—
51/- dozen



4530 Parallel-Grip Lamb Castrators, Pressed Horn
Scales, Central Spring 54/- dozen

*Castrators with "Sheep foot" Blade can be supplied at the
same prices.*

Castrating Knives




4534 Clasp Castrating Knives, 3 inch, Black Buff, Bolstered
30/- dozen

Lamb Pincers



4535 Gregory's Pattern Lamb Pincers..... 39/- dozen

Clams and Searing Irons



Castrating Clams, Rack Fastener—

4536 Best Quality 22/6 each
4537 Common 6/9 ..



Castrating Clams, Loop Fastener—

4538 Best Quality 22/6 each
4539 Common 6/9 ..



4540 Searing Irons, Beech Handle 4/6 each



4542 Horse Tail Searing Irons, Hardwood Handle—
6/- each



MARPLES "Shamrock Brand" TOOLS



FARRIERS' TOOLS—(Continued).

Balling Irons



4544 Horse Balling Irons, Handled 15/- each

Mouth Rasps



4545½ Horse Mouth Rasps, Beech Handled ... 9/- each

Cattle Holders



4548 Cattle Holders, Black, 5¼ inches long, with Thumb-screw 3/3 each



4549 Cattle Holders, Bright, 4¼ inches long, with Spiral Spring 2/3 each



4550 Cattle Holders, Strong, 8 inches long, with Thumb-screw 6/6 each



4551 Cattle Holders, Strong, 8 inches long, with Flat Steel Spring 6/9 each

Shepherds' Crooks



4552 Shepherds' Crooks, Black 3/- each

Bull Leaders and Pliers



4553½

Bright Socket Bull Leaders—
4553 Without Staff 6/6 each
4553½ Complete with Staff, 4½ ft. long 10/- ..




4555

Bright Bull Leaders with Chain and Socket—
4555 Without Staff 7/- each
4555½ Complete with Staff, 4½ ft. long 10/6 ..



4556 Bull Ring Punch Pliers, Black, 9½ inches, with Solid Punch 6/6 each

4558 Pig Ring Punch Pliers, 7 inches, Solid Punch 2/6 each



4557 Bull Ring Punch Pliers, Bright, 11½ inches, with Hollow Punch 10/6 each

Bull Rings

4559 Wrought Copper Bull Rings, Self-piercing, ¾ inch thick—

Diameter 2¼ 2½ 2¾ 3 inches

21/- 22/6 24/- 27/- dozen




Prices vary with Market value of Copper.




MARPLES "Shamrock Brand" TOOLS




SHEEP AND CATTLE EAR PLIERS.





4560 Black Solid Punch Sheep Ear Pliers, 5 inches, to cut in centre of ear. Made in 6 patterns as illustrated—
5/6 each





4561 Bright Forged Solid Punch Sheep Ear Pliers, 6 inches, to cut from edge of ear. Made in 10 patterns as illustrated 6/3 each



4563 Bright Hollow Punch Sheep Ear Pliers, 8 inches, to cut in centre of ear. Made in 9 patterns as illustrated 12/- each




4566 Melbourne Pattern Best Bright Solid Punch Sheep or Cattle Ear Marking Pliers, 8 inches, to cut from edge of ear. Made in various patterns, as illustrated above 12/- each



4567 Melbourne Pattern Best Bright Solid Punch Sheep or Cattle Ear Marking Pliers, 8 inches, to cut in centre of ear. Made in various patterns as illustrated above 12/- each

*N.B.—The Punches and Nipples of our Ear Pliers are not interchangeable and in all patterns a separate Pliers is required for each design.
Sheep or Cattle Ear Pliers to cut letters or figures or any Special Design made "to order."*

HAY TESTERS.



4574 Bright Steel Hay Testers, 6 feet long, in three lengths, and T handle 30/- each

4575 Leather Cases for above Hay Testers (extra) 7/6 each



MARPLES "Shamrock Brand" TOOLS



BLACKSMITHS' TOOLS. Sets, Swages, Punches, etc.



4600 Hot Sets, Plain } 1/3
4601 Ditto Iron Rodded } per lb.
4602 Ditto Eyed }

	Average Weight	School Size
4601 ...	3 to 5 lbs.	2 lbs. each



4603 Cold Sets, Plain } 1/3
4604 Ditto Iron Rodded } per lb.
4605 Ditto Eyed }

	Average Weight	School Size
4604 ...	3 to 5 lbs.	2 lbs. each



4606 Hardies 1/3 per lb.

	Average Weight	School Size
	1 1/4 to 2 1/2 lbs.	1 lb. each



4607 Ave Weight 5 6 7 lbs. per pair

4607 Top and Bottom Swages, Rodded } 1/3
4608 Ditto ditto Eyed } per lb.

Sizes	1/4 to 1/2	1/2 to 1	1 1/4 to 1 1/2 ins.

4607 Ave Weight 5 6 7 lbs. per pair

Blacksmiths' Tools are supplied "Iron Rodded" unless otherwise ordered.



4609 Top and Bottom Fullers, Rodded } 1/3
4610 Ditto ditto Eyed } per lb.

Sizes	1/4 to 1/2	1/2 to 1	1 1/4 to 1 1/2 inches
4609 Av. Weight	4	5	6 lbs. per pair



4611 Flattoners, Rodded } 1/3
4612 Ditto Eyed } per lb.

Size	2	2 1/2	3 inches
4611 Av. Weight	4	5	6 lbs. each



4613 Set Hammers, Eyed 1/3 per lb.


Average Weight, 2 1/2 lbs. each




4614 Round or Square Punches, Rodded ... 1/3 per lb.

Sizes	1/4 to 1/2	1/2 to 1 in.
Av. Weight	2	3 lbs. each.

Smiths' Hearth Tools




4620 Smiths' Close Tongs ... 1/4 per lb.
Under 3 lbs. weight each, 48/- dozen.
Average Weight, 3 lbs. School Size, 1 1/2 lbs.



4621 Smiths' Side Tongs ... 1/4 per lb.
Under 3 lbs. weight each, 48/- dozen
Average Weight, 3 lbs. School Size, 1 1/2 lbs.



4622 Smiths' Hollow Tongs ... 1/4 per lb.
Under 3 lbs. weight each, 48/- dozen
Average Weight, 3 lbs. School Size, 1 1/2 lbs.



4623 Smiths' Flat Box Tongs... 1/4 per lb.
Under 3 lbs. weight each, 48/- dozen.
Average Weight, 4 lbs. School size, 2 lbs.



4624 Smiths' Square Box Tongs 1/4 per lb.

4625 Smiths' Round Box Tongs } 1/4 per lb.
Under 3 lbs. weight each 48/- dozen.
Average Weight, 4 lbs. School Size, 2 lbs



4626 Smiths' Pokers Weight 1 1/2 2 lbs. each
21/- 30/- dozen



4627 Smiths' Rakes Weight 1 1/2 2 lbs. each
21/- 30/- dozen



4628 Smiths' Shovels..... Weight 1 1/2 2 1/2 lbs. each
27/- 36/- dozen

For Engineers' and Sledge Hammers, see page 141.



MARPLES "Shamrock Brand" TOOLS



BLACKSMITHS' TOOLS—continued.

Anvils



4635 Best London-Pattern Smiths' Anvils, with Steel Face, 1 1/4 cwts each and above..... 78/- per cwt.

Smaller Sizes—

28/50 lbs. 50/56 lbs. 57/70 lbs. 71/83 lbs. 84/139 lbs.

As 50 lbs. -/10 1/4 -/10 -/9 1/2 -/8 1/2 per lb.

Approximate Dimensions—


Cwts.	Face.	Bick and Table	Length Overall.	Square Hole.
1/2	10 1/2 x 3 ins.	7 1/2 ins.	18 ins.	5/8 ins.
1	13 x 3 1/2 ins.	9 1/2 ins.	22 1/2 ins.	3/4 ins.
1 1/4	16 x 4 ins.	10 1/2 ins.	26 1/2 ins.	1 ins.
1 1/2	16 1/2 x 4 1/4 ins.	11 ins.	27 1/2 ins.	1 1/4 ins.
1 3/4	17 x 4 1/2 ins.	12 ins.	29 ins.	1 1/2 ins.
2	17 1/2 x 4 3/4 ins.	12 ins.	29 1/2 ins.	1 3/4 ins.



4636 Bench Anvils, Red and Bright—
Approximate Weight—

Face	1 1/4	4	6	8	10	15	lbs.
3 1/4 x 1 1/4	4 1/4 x 1 1/4	5 1/2 x 2	6 1/4 x 2 1/4	7 1/4 x 2 1/4	8 1/2 x 2 1/4		ins.
Length o/a	5 1/2	7 1/2	9	10	11	12 1/2	ins.
	9/-	12/-	18/-	21/-	25/-	37/6	each.

Swage Blocks, Mandrels and Stands



4637 Cast Iron Swage Blocks 30/- per cwt.
Size 13x13x5 14x14x4 1/2 15x15x5 ins.

Approx. Weight 1-1-21 1-2-7 1-3-0 each.
Size 16x16x5 16x16x6 ins.

Approx. Weight 2-0-7 2-2-0 each

4637 1/2 Cast Iron Cones or Mandrels 48/- per cwt.

4639 Cast Iron Anvil Stands
33/- cwt.

Size 14x12 18x14 ins.

Approx. weight 1-2-0 2-0-0




4639 1/2 Cast Iron Swage Block
Stands ... 33/- cwt.

For Blocks 14x14 15x15 16x16 ins.
Approx. weight 1-0-14 1-1-7 1-1-14 each.

Tue Irons



4640 Tue Irons complete with
Cistern—

Size of Cistern.	Length of Tue Iron.	Price each.
18x18x5 1/2 ins.	6 ins.	69/-
18x18x6 3/4	14	75/-
21x21x6 3/4	14	81/-
21x21x7	15	84/-
21x21x7	18	90/-
24x23x8	16	99/-
26x25x10	17	120/-



4641 Cast Iron Slack and Water Troughs ... 48/- per cwt.

BELLOWS.




	Diameter ...							
	18	20	22	24	26	28	30	inches
4642 Circular Single-blast Bellows	140/-	160/-	170/-	180/-				each
4643 Double-blast ditto				240/-	260/-	280/-	300/-	each
4643 1/2 Weight-balls for Double-blast Bellows, extra				21/-				per set.
4644 Smiths' Long-shape Bellows, with reversible Pipe	80/-	85/-	90/-	100/-	120/-	140/-	160/-	each
	Width							
	7	8	9	10	11	12		inches
4645 Hand Bellows	66/-	69/-	72/-	78/-	84/-	90/-		dozen




MARPLES "Shamrock Brand" TOOLS




PORTABLE FORGES WITH BELLOWS.



4646



4647



4648

Diameter of Bellows	12	14	16	18	20	22	24	inches
Diameter of Hearth	14	16	18	20	22	24	26	"

4646	Circular Rivet Forges, Single Blast	80/-	85/-	90/-	100/-	105/-	115/-	130/-	each
4646½	Ditto ditto Double Blast	—	—	160/-	170/-	190/-	200/-	220/-	"

Weight Balls for No. 4646½ Forges, extra 13/6 per set.

Width of Bellows	18	20	22	24	inches
Size of Hearth	19×24	21×25	23×26	25×29	"


4647	Wrought Iron Portable Forges with Long-Shape Bellows	170/-	180/-	200/-	210/-	each
	Diameter of Bellows	20	22	24	26	inches
	Size of Hearth	21×26	23×28	25×30	27×32	"

4647½	Wrought Iron Portable Forges, with Circular Single Blast Bellows	180/-	200/-	210/-	240/-	each
4648	Improved Wrought Iron Portable Forges, with Circular Double Blast Bellows, Water Tne Iron and Cistern, complete—	360/-	380/-	400/-	440/-	each
	Diameter of Bellows	22	24	26	28	inches

Hoods fitted to No. 4648 Forges ... 54/- each extra.

Weight Balls for No. 4648 Forges ... 15/- per set extra.

PORTABLE FORGES WITH FAN.



4649



4649½

Size of Hearth	20×24	22×26	24×28	26×30	inches
----------------	-------	-------	-------	-------	--------

4649	Portable Fan Forges, Hand geared, Square Pattern	115/-	120/-	130/-	135/-	each.
	Hoods fitted to No. 4649 Forges	48/-	each extra.			

Diameter of Hearth	18	20	22	24	inches
--------------------	----	----	----	----	--------


4649½	Portable Fan Forges, Hand geared, Circular Pattern	80/-	85/-	90/-	100/-	each
-------	--	------	------	------	-------	------



MARPLES "Shamrock Brand" TOOLS




ENGINEERS' BENCH AND STAPLE VICES.



4659 Engineers' Strong Cast Iron Instantaneous and Continuous Grip Bench Vices, with Steel Jaw Plates and Steel Fittings—


Width of Jaws ...	3 1/4	3 3/4	4 1/4	5 1/4	6	7	inches.
To Open ...	4	5	6	7	8	9	inches.
Approx. Weight ...	32	47	62	77	92	112	lbs.
	30/-	37/6	45/-	54/-	65/-	80/-	each.



4660 Black Staple Vices—


Jaws	3	3 1/2	4	ins.	
Approx. Wt.	30	40	48	lbs.	
	57/-	60/-	63/-	each.	
Jaws	4 1/2	5	5 1/2	6	ins.
Approx. Wt.	60	84	96	112	lbs.
	1/2	1/1	1/1	1/1	per lb.

CAST IRON PARALLEL BENCH VICES.



4671 "Handy" Cast Iron Parallel Vices, with Steel Jaw Plates and Steel Fittings—

	00	0	1	2	3	4	5	6	
Width of Jaws ...	2 1/4	2 1/2	3	3 1/2	4	4 1/2	5	6	inches.
To open ...	2	2 1/2	3 1/4	4	4 1/2	5 1/2	6 1/2	7 1/4	"
Approx. Weight ...	5 1/2	8 1/2	12	20 1/2	32	42	59	76	lbs.
	7/6	9/6	11/6	16/6	22/-	27/6	40/-	47/6	each.




4672 "New Design" Cast Iron Parallel Vices, with Steel Jaw Plates and Steel Fittings—

	Nos.	00	0	1	2	3	4	5	
Width of Jaws	2	2 1/2	3	3 1/2	4	4 1/2	5	inches.
To Open	2 1/2	3	3 1/2	4	4 1/2	5 1/2	6	inches.
Approx. Weight	6	9	14	22	33	51	70	lbs.
		13/6	16/6	21/-	30/6	42/-	57/-	80/-	each.

When a new part is required for an old Vice, the whole Vice should be returned to ensure correct fitting.

WOODWORKERS' BENCH VICES.




4681 Woodworkers' Cast Iron Instantaneous and Continuous Grip Bench Vices, with Ribbed Front Jaw, Steel Slides, and Steel Fittings—

Nos.	...	1	2	3	
Width of Jaws	7	9	10 1/2	inches.
To Open	8	13	15	"
Approx. Weight...	...	18	31	36	lbs.
		19/-	26/-	28/6	each.




SMALL BENCH AND TABLE VICES.



4673 Unbreakable
All-Steel
Bench Vices.
2-inch Jaws.
To open 2 inches.
4/6 each.
Approx. Weight 3 lbs.




4676 "Precision"
Table Vices,
with Sliding Bars.
1½ inch Jaws.
To open 2 inches.
3/9 each.
Approx. Weight, 2 lbs.




4674 Unbreakable
All-Steel
Table Vices.
2-inch Jaws.
To open 2 inches.
6/- each.
Approx. Weight, 4 lbs.



4677 "Precision"
Table Vices,
with Swivel Base,
to lock at any angle.
2½ inch Jaws.
To open 2½ inches.
7/6 each.
Approx. Weight, 5 lbs.




4675½ Light
Cast Iron
Bench Vices.
3-inch Jaws.
To open 2½ inches.
7/6 each.
Approx. Weight, 8 lbs.



4678 "Precision"
Bench Vices,
with Sliding Bars.
2½ inch Jaws.
To open 2½ inches.
5/- each.
Approx. Weight, 3½ lbs.

SMALL WOODWORK VICES.



4682 Woodworkers'
Bench Vices.
6-inch Jaws.
To open, 4½ inches.
6/6 each.
Approx. Weight, 5½ lbs.



4682½ Woodworkers'
Table Vices.
6-inch Jaws.
To open 4½ inches.
7/6 each.
Approx. Weight, 7 lbs.





MARPLES "Shamrock Brand" TOOLS



SAW VICES.



4684 Saw Vices,
8½ inch Jaws,
Lever Tension,
9/6 each.



BENCH HOLDFASTS.



4688 Bench Holdfasts—

Nos.	0	1	
Size of Pillar	10 × ¾	12 × ¾ inch.	
	9/-	10/6 each.	
Nos.	2	3	4
Size of Pillar	14 × 1	16 × 1½	18 × 1½ inches.
	13/6	16/6	21/- each.

WOOD BENCH VICES.

4696 "Shamrock" Beechwood Bench Vices, complete with two Steel Screws to affix to wood bench or table—

	No. 1	No. 2
Size of Jaws	12 × 3¼	14 × 3½ inches.
Diam. of Screws	1	1½ inch.
	2/6	5/- each.

BENCH HOOKS.


4697 Beechwood Bench Hooks, 6 inches × 10 inches, Dowelled Ends..... 1/9 each.

4698 Beechwood Chipping Boards, 8 inches × 8 inches— 1/9 each.

BENCH STOPS.



4700 Malleable Iron
Bench Stops,
1/6 each.



4701 Rising Pillar
Bench Stops,
Malleable Iron,
with Steel Pillar,
2/9 each



Black Pegs, with strong steel spring—

4705 Malleable Iron	3/- each.
4706 Beechwood	1/3 ..

4708
Knife
Bench Stops
6/6 each.





MARPLES "Shamrock Brand" TOOLS




BENCH SCREWS.



4710 Bright Steel Bench Screws, with Solid Collar—

Diameter ...	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{2}$	inch
Length	8	10	12	16	18	20	inches
	4/3	5/3	6/6	7/3	9/6	12/-	each




4711 Bright Steel Bench Screws, with Split Collar—

Diameter	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{2}$	inch
Length	12	16	18	20	inches
	6/3	6/9	9/-	11/3	each



4712 Steel Bench Screws, with Malleable Fittings and Wood Handle—


	13 x 1	$14\frac{1}{2} \times 1\frac{1}{8}$	$15\frac{1}{2} \times 1\frac{1}{4}$	$17\frac{1}{2} \times 1\frac{1}{2}$	inch
	6/6	7/-	8/6	10/6	each



4714 Best Beechwood Bench Screws—

Diameter	2	$2\frac{1}{4}$	$2\frac{1}{2}$	inches
	4/-	5/-	6/-	each


HAND SCREWS.



4720 Cabinet Makers' Beechwood Hand Screws—

Jaws	6	8	9	10	12	14	16	18	inches
Screws	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{7}{8}$	$\frac{1}{2}$	1	1	$1\frac{1}{2}$	$1\frac{1}{2}$..
	2/3	2/4	2/6	2/9	3/-	3/9	4/3	4/9	each

G. CRAMPS.



4721 $\frac{1}{2}$ Ribbed G Cramps, with Steel Thumbscrew, Swivel End

To span	2	3	4	5	6	7	8	10	inches
Depth	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	$2\frac{3}{4}$	$3\frac{1}{2}$	$3\frac{1}{2}$	$3\frac{3}{4}$..
	2/-	2/3	3/-	3/9	4/6	5/3	6/6	7/6	each

10-inch size fitted with Vice Handle.




4722 Ribbed G Cramps, with Steel Screw, Vice Handle—

To span	6	7	8	10	12	14	inches
Depth	$3\frac{1}{2}$	4	$4\frac{1}{2}$	$4\frac{1}{2}$	$4\frac{3}{4}$	5	..
	7/6	10/6	12/-	13/6	16/6	21/-	each



4724 Wrought Iron G Cramps, with Steel Screw—

To span ...	5	6	7	8	10	12	inches
Depth	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$4\frac{1}{4}$	$4\frac{1}{2}$	$5\frac{1}{4}$	inches
Bar	$1\frac{1}{4} \times \frac{3}{8}$	$1\frac{1}{2} \times \frac{3}{8}$	$1\frac{1}{2} \times \frac{3}{8}$	$1\frac{1}{2} \times \frac{3}{8}$	$2 \times \frac{3}{8}$	$2 \times \frac{1}{2}$..
Screw	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{11}{16}$..
	12/-	14/-	15/-	17/-	19/-	22/-	each



4725 Coachmakers' Strong Wrought Iron G Cramps, with Steel Screw—

To span ...	8	10	12	14	16	18	inches
Depth	$4\frac{1}{2}$	$4\frac{1}{2}$	5	$5\frac{1}{2}$	$5\frac{1}{2}$	$5\frac{1}{2}$	inches
Bar	$2 \times \frac{1}{2}$	$2 \times \frac{1}{2}$	$2\frac{1}{2} \times \frac{1}{2}$	$2\frac{1}{2} \times \frac{1}{2}$	$2\frac{1}{2} \times \frac{3}{8}$	$2\frac{1}{2} \times \frac{3}{8}$..
Screw	1	1	$1\frac{1}{2}$	$1\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$..
	35/-	36/-	45/-	52/6	63/-	66/-	each


"Depth" is from centre of screw to inside edge of frame.




MARPLES "Shamrock Brand" TOOLS



GLUEING CRAMPS.



4727



4727 1/2

4727 Cabinet Makers' Glueing Cramps; Sliding Arm with Instantaneous Grip, Bright Steel Bar and Black Fittings—


To Span ...	4	5	6	8	10	12	15	18	24	inches
Depth	2	3	3 1/2	4 1/2	4 1/2	5 1/2	6	8	8	inches
Bar	3/4 x 1/4	7/8 x 1/4	1 x 1/4	1 1/4 x 1/4	1 1/4 x 1/4	1 1/4 x 1/4	1 1/2 x 1/8	1 1/2 x 1/8	1 1/2 x 1/8	"
	5/-	6/-	6/9	7/6	8/-	10/-	13/6	16/6	17/6	each

4727 1/2 As above, with Right-angle Attachment (a detachable arm sliding on bar and used to grip edges)—

	9/-	10/6	11/3	12/-	12/6	14/6	18/-	21/-	22/-	"
--	-----	------	------	------	------	------	------	------	------	---

SASH CRAMPS.

Bright Steel Bars



4760 (Pin and Hole)


Length of Bar	18	24	30	36	42	48	inches
To take in ...	12	18	24	30	36	42	"

4760 Sash Cramps, Bar 1 1/2 x 1/4 in., Height of Jaws 1 1/2 ins.—

Pin and Hole ...	7/6	7/9	8/-	8/3	8/6	—	each
------------------	-----	-----	-----	-----	-----	---	------

4760 1/2 As above, but Automatic Grip (Toothed Bar)

	11/3	11/6	11/9	12/-	12/3	12/6	"
--	------	------	------	------	------	------	---



4763 (Pin and Hole)

4763 Improved Sash Cramps, Bar 1 1/4 x 1/4 in., Height of Jaws 2 ins.

Length of Bar	24	30	36	42	48	inches
To take in	18	24	30	36	42	"

4763 1/2 As above, but Automatic Grip (Toothed Bar)

Pin and Hole	9/-	9/3	9/6	9/9	10/-	each.
	13/6	13/9	14/-	14/3	14/6	"



4765 (Automatic Grip).

4765 Improved Sash Cramps, Bar 1 1/4 x 1/8 in., Height of Jaws, 2 ins.—

Length of Bar	24	30	36	42	48	54	60	inches
To take in	18	24	30	36	42	48	54	"

4765 1/2 As above, but Automatic Grip (Toothed Bar)

Pin and Hole ...	11/-	11/3	11/6	12/-	12/9	13/6	14/-	each.
	16/-	16/3	16/6	17/-	17/9	18/6	19/-	"



MARPLES "Shamrock Brand" TOOLS



SASH CRAMPS—(Continued).



4767½ (Automatic Grip).

	24	30	36	42	48	54	60	inches
4767 T-Bar Sash Cramps, Bar $1\frac{1}{4} \times \frac{1}{2} \times \frac{3}{16}$ in. Height of Jaws, 2 inches	18	24	30	36	42	48	54	..
	13	13 6	14	14 6	15	15 6	16	each
4767½ As above, but Automatic Grip (Toothed Bar)	15 6	16	16 6	17	17 6	18	18 6	..

JOINERS' CRAMPS AND LENGTHENING BARS.

Black Steel Bars.



4779 (Pin and Hole).

	3	3½	4	4½	5	5½	6	feet	
4779 Improved Light Joiners' Cramps Bar $1\frac{1}{2} \times \frac{1}{2}$ inch. Height of Jaws $3\frac{1}{2}$ inches.	29	35	41	47	53	59	65	inches	
4779½ As above, but Automatic Grip (Toothed Bar)	21	21 9	22 6	23 3	24	24 9	25 6	each	
	23 6	24 3	25	25 9	26 6	27 3	28	..	
	3	3½	4	4½	5	5½	6	7	feet
4780 Improved Joiners' Cramps— Bar $2 \times \frac{1}{2}$ inch. Height of Jaws $4\frac{1}{2}$ inches.	28	34	40	46	52	58	64	76	inches
4780½ As above, but Automatic Grip (Toothed Bar)	30	30 9	31 6	32 3	33	33 9	34 6	35 3	each
	32 6	33 3	34	34 9	35 6	36 3	37	37 9	..



4785 (Pin and Hole).

	3	3½	4	4½	5	5½	6	7	feet	
4784 Light T-Bar Joiners' Cramps— Bar $2\frac{1}{2} \times \frac{1}{2} \times \frac{1}{2}$ inch. Height of Jaws, 2½ inches.	30	36	42	48	54	60	66	78	inches	
4784½ As above, but Automatic Grip (Toothed Bar)	17	17 6	18	18 6	19	20	20 6	22 6	each	
	22	22 6	23	23 6	24	25	25 6	28	..	
	3	3½	4	4½	5	5½	6	7	8	feet
4785 T-Bar Joiners' Cramps— Bar $2\frac{1}{2} \times \frac{1}{2} \times \frac{1}{16}$ in. Height of Jaws $2\frac{1}{2}$ in.	28	34	40	46	52	58	64	76	88	inches
	18	18 6	19 3	20	20 6	21	22 6	27	30	each




	2½	3	3½	4	4½	5	feet
Lengthening Bars to suit No. 4779	9 6	10	11	12	13	—	each
Ditto ditto 4779½	10 6	11	12	13	14	—	..
Ditto ditto 4780	10 6	11	12	13	14	15	..
Ditto ditto 4780½	12	12 6	13 6	15	16	17	..
Ditto ditto 4784	8 6	9	9 6	10	10 6	11	..
Ditto ditto 4784½	11	11 6	12	12 6	13	13 6	..
Ditto ditto 4785	12	13	14	15 6	16 6	17	..



MARPLES "Shamrock Brand" TOOLS




"HIBERNIA" CRAMP HEADS.




- 4791 "Hibernia" Cramp Heads, to fit on edge of any 1 inch board and convert it to a Joiners' Cramp of the desired length..... 3/- per set
 4792 As above, large size, for 1½ inch board 6/- per set

FLOOR CRAMPS.




- 4806 Bissell's Pattern Side-Action Floor Cramps, for Joists, 1½ to 4½ inches 24/- each
 4806½ As above, for Joists 1½ to 6 inches ... 25/- ..




- 4808 "Handy" Top-Action Floor Cramps for Joists 1½ to 4½ inches 25/- each
 4808½ As above, for Joists 1½ to 6 inches ... 26/- ..

FLOOR CRAMPS.



- 4812 Kimberley's Pattern Single-Prong Floor Cramps for Joists 2 to 4 inches 33/- pair
If a single Cramp only is required state whether right or left hand.



- 4813 Kimberley's Pattern Double-Prong Floor Cramps, for use in either right-hand or left-hand position, for Joists 2 to 4 inches..... 19/6 each



- 4820 Extra Strong Lever Floor Cramps, for Joists 1½ to 3½ inches 25/- each



MARPLES "Shamroek Brand" TOOLS



ENGINEERS' HAMMERS.




Engineers' Ball Pane Hammers—

Weight $\frac{1}{4}$ to 1 $1\frac{1}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 lbs. each

4822	Heads only	12/-	15/-	18/-	21/-	24/-	dozen
4823	Handled	16/6	21/-	24/-	27/-	30/-	„


Above 2lbs each. 1/- per lb. Handling, 6/9 dozen.



Engineers' Best Bright Ball Pane Hammers, fitted with Hickory Handle—

Weight of Head $\frac{1}{4}$ to 1 $1\frac{1}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 2 $\frac{1}{2}$ 3 lbs.

4825	Handled...	27/-	33/-	36/-	39/-	42/-	51/-	57/-	dozen
------	------------	------	------	------	------	------	------	------	-------




Engineers' Cross Pane Hammers—

Weight $\frac{1}{4}$ to 1 $1\frac{1}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 lbs. each

4827	Heads only	13/6	17/3	20/3	24/-	27/-	dozen
4828 $\frac{1}{2}$	Handled	18/-	23/3	26/3	30/-	33/-	„

Above 2 lbs. each 1/2 per lb. Handling, 6/9 dozen.



Engineers' Straight Pane Hammers—

Weight $\frac{1}{4}$ to 1 $1\frac{1}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 lbs. each

4829	Heads only	13/6	17/3	20/3	24/-	27/-	dozen
4830	Handled	18/-	23/3	26/3	30/-	33/-	„

Above 2lbs. each, 1/2 per lb. Handling, 6/9 dozen.

SCALING HAMMERS.



Boiler Scaling or Chipping Hammers—

Weight to 1 $1\frac{1}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 lbs. each

4831	Heads only	13/6	17/3	20/3	24/-	27/-	dozen
4832	Handled	18/-	23/3	26/3	30/-	33/-	„

Above 2 lbs., each 1/2 per lb. Handling, 6/9 dozen.

SLEDGE HAMMERS.



4902 Double-Faced Sledge Hammers—

Weight 3 to 3 $\frac{1}{4}$ lbs. 4 to 5 $\frac{1}{4}$ lbs. 6 lbs. each and above

-/10 per lb. -/8 $\frac{1}{2}$ per lb. -/6 $\frac{1}{2}$ per lb.

Handling with 36 inch Hickory Shaft, extra 1/9 each.



4900 Straight Pane Sledge Hammers—

Weight 3 to 3 $\frac{1}{4}$ lbs. 4 to 5 $\frac{1}{4}$ lbs. 6 lbs. each and above

-/11 per lb. -/9 $\frac{1}{2}$ per lb. -/7 $\frac{1}{2}$ per lb.

Handling with 36 inch Hickory Shaft, extra 1/9 each.



4901 Cross Pane Sledge Hammers—

Weight 3 to 3 $\frac{1}{4}$ lbs. 4 to 5 $\frac{1}{4}$ lbs. 6 lbs. each and above

-/11 per lb. -/9 $\frac{1}{2}$ per lb. -/7 $\frac{1}{2}$ per lb.

Handling with 36 inch Hickory Shaft, extra 1/9 each.



MARPLES "Shamrock Brand" TOOLS



COLD CHISELS.



4910 Octagon Cast Steel Cold Chisels—

Length	4	5	6	7	8	9	10	12	14	16	18	20	24	30	inches
$\frac{1}{4}$ inch	5/6	5/9	6/-	6/3	6/6	6/9	dozen
$\frac{3}{8}$ "	6/6	7/-	7/6	8/-	8/6	9/-	9/6	10/6	"
$\frac{1}{2}$ "	7/3	7/9	8/3	9/-	9/6	10/3	10/9	12/-	13/3	14/6	15/9	"
$\frac{5}{8}$ "	10/-	11/-	11/9	12/9	13/6	15/3	17/-	18/9	20/6	22/3	25/9	...	"
$\frac{3}{4}$ "	12/6	13/6	14/6	15/9	16/9	19/-	21/3	23/6	25/9	28/-	32/6	39/3	"
$\frac{7}{8}$ "	15/9	17/-	18/3	19/9	21/-	23/9	26/6	29/3	32/-	34/9	40/3	48/6	"
1 "	19/-	20/3	21/6	23/9	26/-	30/6	35/-	39/6	44/-	48/6	57/6	71/-	"



4912 Engineers' Diamond Point; Half-Round Point; and Cross-cut Cold Chisels—

	Length	4	5	6	7	8	9	10	12	inches
Size of Octagon $\frac{1}{4}$ inch	Size at point $\frac{1}{4}$ inch	7/9	8/-	8/3	dozen
$\frac{3}{8}$ "	$\frac{3}{16}$ "	8/9	9/3	9/9	"
$\frac{1}{2}$ "	$\frac{1}{8}$ "	11/-	11/9	12/3	"
$\frac{5}{8}$ "	$\frac{1}{4}$ "	14/6	15/3	16/3	"
$\frac{3}{4}$ "	$\frac{3}{16}$ "	18/3	19/6	20/6	...	"
$\frac{7}{8}$ "	$\frac{1}{2}$ "	22/6	24/-	25/3	...	"
1 "	$\frac{7}{16}$ "	26/-	28/3	30/6	35/-	"

4915 Key Cutting Chisels, 4 inches long \times $\frac{1}{4}$ inch Octagon 7/- dozen.

CORRUGATED IRON PUNCHES AND CHISELS.



4916 Punches for Corrugated Iron—

$6 \times \frac{1}{2}$ $6 \times \frac{3}{4}$ $7 \times \frac{1}{2}$ $7 \times \frac{3}{4}$ $8 \times \frac{1}{2}$ $8 \times \frac{3}{4}$ $9 \times \frac{1}{2}$ inch
8/- 10/- 8/6 11/- 10/- 12/- 13/6 dozen



4917 Chisels for Corrugated Iron—


$8 \times \frac{1}{2}$ $8 \times \frac{3}{4}$ $10 \times \frac{1}{2}$ inch
14/6 18/- 21/- dozen

PIN OR RIVET PUNCHES.



4923 Octagon C.S. Pin or Rivet Punches, with Point $\frac{1}{8}$, $\frac{3}{16}$, or $\frac{1}{4}$ inch diameter—

$6 \times \frac{1}{2}$ $7 \times \frac{1}{2}$ $8 \times \frac{1}{2}$ inch octagon
7/3 8/3 10/- dozen



4924 Parallel Pin or Rivet Punches, with Point, $\frac{1}{8}$, $\frac{3}{16}$, or $\frac{1}{4}$ inch—

$7 \times \frac{1}{2}$ inch octagon
11/6 dozen



MARPLES "Shamrock Brand" TOOLS



COPPER TOOLS.



4930 Copper Motor Hammers, Double-Faced, 1 1/4 lbs. weight, Handled, 6/6 each



4932 Copper Motor Punches, 4 1/2 ins. long x 1/2 in. diameter
18/- dozen

BOILER CAULKING TOOLS.



4935 Sets of Six Boilermakers' C.S. Caulking Tools—
8/- set

TUBE EXPANDERS.




4965 Dudgeon's Pattern Tube Expanders, complete with Six Rollers—

Expanding to—

1 1/4	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8	2	2 1/4	2 1/2	2 3/4	ins.
18/-	18/-	18/-	19/6	21/-	22/6	24/-	25/6	27/-	28/6	each
			2 1/2	2 5/8	2 3/4	2 7/8	3	ins.		
			30/-	31/6	34/6	39/-	42/-	each.		

PIPE VICES.



4970 Pipe Vices, with Open Sides, Cast Iron Body, Steel Jaw and Steel Screw—

For Iron Pipes	1/2 to 1 1/4	1/2 to 2	1/2 to 3	1/2 to 4 ins.
	15/-	21/-	28/6	40/6 each.

PIPE CUTTERS.



5002 Engineers' Three-Wheel Pipe Cutters—

	Nos.	1	2	3	
For Iron Pipes		1/2 to 1	1 1/2 to 2	2 1/2 to 3 1/2	inches
		28/6	45/-	75/-	each
Spare Wheels (Extra)		1/3	2/-	2/6	"



5005 Three-Wheel Cable Cutters, for Lead Cable. Capacity 1/2 to 2 1/2 in. dia.
37/6 each.
Spare Wheels (extra) 2/- each.

Pipe Cutter Wheels made to patterns which differ from our regular stock sizes are charged at higher rates.



MARPLES "Shamrock Brand" TOOLS



PIPE WRENCHES.



5010 Black Steel Pipe Grips—
 6 7 9 12 14 16 inches
 20/- 24/- 36/- 54/- 78/- 120/- dozen




5012 Gas Pipe Tongs—
 For Iron Pipes—
 $\frac{1}{2}$ $\frac{3}{4}$ 1 $1\frac{1}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 ins.
 5/- 5/6 6/- 6/6 8/3 10/- 12/- 13/6 15/- each




5017 Improved Pipe Wrenches—
 For Iron Pipes $\frac{1}{2}$ to $\frac{1}{2}$ $\frac{1}{4}$ to $\frac{3}{4}$ $\frac{1}{2}$ to $1\frac{1}{4}$ 1 to 2 $1\frac{1}{4}$ to $2\frac{1}{4}$ $1\frac{1}{2}$ to 3 2 to 4 2 to 5 3 to 6 ins.
 9/3 10/6 13/6 21/- 27/- 36/- 54/- 72/- 90/- each

ENGINEERS' RATCHET BRACES.



5061



5060



5063

	10	12	14	16	18	20	22	24 inches
5060 Engineers' Ratchet Braces	22/6	24/-	27/-	30/-	33/-	36/-	42/-	45/- each
5061 Engineers' Short Head Ratchet Braces	22/6	24/-	27/-	30/-	33/-	36/-	42/-	45/- ..

		12	15	18	24 inches			
	Size of Morse Taper ...	No. 1	No. 2	No. 3	No. 4			
5062 Engineers' Ratchet Braces, with Socket for Morse Taper Shanks.....		37/6	48/-	57/-	75/- each			
5063 Motor Engineers' Ratchet Braces, 8 inches long x 2 1/4 inch across head when down, to take Brace Drill Bits and Bit Stock Twist Drills.....					24/- each			
		12	14	16	18	20	22	24 inches
5065 Engineers' Differential (Double Action) Ratchet Braces.....		45/-	48/-	51/-	54/-	60/-	69/-	84/- each

For Ratchet Brace Twist Drills, see index.



MARPLES "Shamrock Brand" TOOLS




PUNCHING BEARS.



5080 Screw Punching Bears, complete with One Round Punch and Die—

	Nos.	1	2	3	4	
Punching Round Holes up to	...	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{7}{8}$	inch diameter
Through Iron Plates up to	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{7}{8}$	inch thick
		70/-	90/-	150/-	180/-	each.



5081 Duplex Lever Punching Bears, complete with One Round Punch and Die

	Nos.	1	2	2A	3	4	
Punching Round Holes up to		$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{7}{8}$	inch diam.
Through Iron Plates up to		$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{7}{8}$	inch thick
		110/-	155/-	210/-	250/-	375/-	each

For Nos 1 2 2A 3 4

Punches and Dies only (spare) for Nos. 5080 and 5081, Round	9/-	12/-	12/-	13/6	15/-	per pair.
Square or Oval	20/-	25/-	25/-	27/-	30/-	„ „


BOILER CRAMPS.



5084 Solid Wrought Boiler Cramps, with Steel Screw—

To span—	2	3	4	5	6	ins.
Will admit—	3	4	5	6 $\frac{1}{2}$	7 $\frac{1}{2}$	ins.
	13/6	18/-	21/-	27/-	33/-	each

JIM CROWS.



5087 Rail Benders or Jim Crows—

Span between Claws—	12	14	16	20	inches.
Will bend Steel Rails up to—	10	16	20	45	lbs. per yd.
	57/-	63/-	75/-	105/-	each.
Span	24	24	24	inches.	
For Rails	65	75	90	lbs. per yd.	
	150/-	165/-	180/-	each.	

DRILLING PILLARS.



Engineers' Drilling Pillars, Wrought throughout—

5103	21 inch high	\times 1 $\frac{1}{2}$ inch diam.	Arm 15 inches	... 34/6 each
5104	24 inch high	\times 1 $\frac{3}{4}$ inch diam.	Arm 18 inches	... 55/- each




MARPLES "Shamrock Brand" TOOLS




ENGINEERS' TOOLS.

Squares



- 5131 Engineers' Steel Try Squares—
 3 4 5 6 8 10 12 inches
 30/- 33/- 36/- 42/- 54/- 72/- 84/- doz.
- 5132 As above, with rule-marked Blade—
 3 4 5 6 8 10 12 inches
 36/- 39/- 45/- 54/- 66/- 87/- 99/- doz.


Feeler Gauges



- Six Blade Feeler Gauges, with one blade each
 4, 6, 8, 10, 12, 15 thousandths—
 5150 With Parallel Blades, 3 inches long 2/3 each
 5151 With Taper Blades, 3 inches long 2/9 "




- Eight Blade Feeler Gauges, with one blade each—
 2, 3, 4, 6, 8, 10, 12, 15 thousandths—
 5152 With Parallel Blades, 3 inches long 2/9 each
 5153 With Taper Blades, 3 inches long 3/6 "
 5157 With Taper Blades, 4 inches long 4/6 "



- Ten Blade Feeler Gauges, with one blade each—
 1, 2, 3, 4, 6, 8, 10, 12, 15, 25 thousandths—
 5158 With Parallel Blades, 3 inches long 3/9 each
 5159 With Taper Blades, 3 inches long 4/- "
 5167 With Taper Blades, 4 inches long 5/- "

Surface Plates



- 5180 Close-grained Cast Iron Surface Plates, strongly
 ribbed on underside and complete with handles.
 Finished by hand-scraping to fine limits of accuracy.
- 5181 As above, but planed only and without handles
- | | | | | | | |
|-------------|-------|------|-------|------|------------|-----------|
| Sizes ... | 6x4 | 6x6 | 8x6 | 9x9 | 10x8 | 12x8 ins. |
| 5180 ... | 25/- | 30/- | 36/- | 51/- | 57/- | 66/- each |
| 5181 ... | 16/6 | 21/- | 27/- | 30/- | 36/- | 42/- " |
| Sizes | 12x12 | | 15x10 | | 18x12 ins. | |
| 5180 | 96/- | | 99/- | | 140/- each | |
| 5181 | 48/- | | 54/- | | 87/- " | |

Vee Blocks



- 5182 Best Cast Iron V. Blocks,
 2½ inches high x 3 inches
 long x 1½ inch wide—
 20/- per pair

Scribing Blocks

- 5178 Scribing Blocks or Surface Gauges
 6 9 12 inches
 4/- 6/6 9/- each



Drill Chucks



- 5186 Three Jaw Drill Chucks (for Straight-Shank Drills, etc.)—
 Capacity 0 to ½ 0 to ½ inch
- 5186 With Round Parallel Shank,
 (½ in. dia.) 4/6 5/6 each
- 5186½ With No. 1 Morse Taper Shank 5/6 6/6 "
- 5188 Two-Jaw Drill Chucks (for Bit-stock Drills, etc.)
 With Round Parallel Shank, ½ in. dia. 4/6 each



MARPLES "Shamrock Brand" TOOLS



ENGINEERS' TOOLS—(Continued).

Centre Punches



- 5204 Octagon Forged C.S. Centre Punches $4 \times \frac{3}{8}$ $4 \times \frac{1}{2}$ ins.
6/- 7/6 dozen




- 5205 Round Centre Punches, Machine-turned to size, Knurled Grip 5/9 dozen
Sizes $\frac{1}{8}$, $\frac{3}{16}$, $\frac{1}{4}$ inch.



- 5210 Square Head Centre Punches, Machine-turned to size, Knurled Grip 6/9 dozen
Sizes $\frac{1}{8}$, $\frac{3}{16}$, $\frac{1}{4}$ inch.
For Knurled Nail Sets, see page 52.

Bell Centring Punches



- | | Size of Bell | 1 | $1\frac{1}{2}$ | $2\frac{1}{2}$ | inches |
|---------------------------------|--------------|-----|----------------|----------------|--------|
| 5228 Bell Centring Punches..... | | 3/- | 3/6 | 5/- | each |

Scribers



- 5211 Engineers' C.S. Scribers, Hook-end 8/6 dozen



- 5213 Knurled Scribers, Ball-End 7/- dozen
5214 Ditto Double-Point 7/- ..




- 5215 Knurled Scribers, Knife-end 7/6 dozen
5216 Ditto Spear-Point 7/6 ..



- 5217 Knurled Scribers, Hook-end 10/6 dozen


Bearing Scrapers




- 5260 Flat Bearing Scrapers, Beech Handled—
Blade 4 6 8 10 12 inches
9/- 12/- 15/- 21/- 25/6 dozen



- 5261 Straight Half-round Bearing Scrapers, Beech Handled—
Blade 4 6 8 10 12 inches
9/- 12/- 15/- 21/- 25/6 dozen



- 5262 Bent Half-round Bearing Scrapers, Beech Handled—
Blade 4 6 8 10 12 inches
10/6 13/6 16/6 22/6 27/- dozen



- 5263 Bent Half-round Fluted Bearing Scrapers, Beech Handled—
Blade 4 6 8 10 12 inches
12/- 15/- 18/- 24/- 28/6 dozen



- 5264 Three-square Bearing Scrapers, Beech Handled—
Blade 4 6 8 10 12 inches
10/6 13/6 18/- 22/6 27/- dozen

Lathe Carriers



- 5284 Steel Lathe Carriers—
 $\frac{1}{2}$ $\frac{3}{4}$ 1 $1\frac{1}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$ inch
1/3 1/6 2/3 3/- 4/3 4/9 each
2 2 $\frac{1}{4}$ 2 $\frac{1}{2}$ 2 $\frac{3}{4}$ 3 inches
5/6 7/- 8/3 10/- 13/6 each



MARPLES "Shamrock Brand" TOOLS



LIFTING JACKS.



5600 Bottle Screw Jack, Cast Iron Case—

To Lift.	Height when down.	Weight (Approx.)	Price Each
1½ tons	12 ins.	13 lbs.	10/6
2 "	15 "	19 "	12/-
3 "	15 "	20 "	13/6
4 "	18 "	29 "	16/6
5 "	21 "	34 "	19/6
6 "	24 "	50 "	24/-
8 "	24 "	58 "	30/-
10 "	26 "	65 "	36/-
12 "	26 "	70 "	45/-
15 "	26 "	90 "	60/-



5607 Cape Wagon Jacks—

To Lift.	Height when down.	Weight (Approx.)	Price Each
1½ tons.	12 ins.	14 lbs.	15/-
2 "	15 "	16 "	16/6
3 "	15 "	19 "	18/-
4 "	18 "	30 "	21/-
5 "	21 "	33 "	24/-
6 "	24 "	45 "	27/-
8 "	24 "	54 "	33/-
10 "	24 "	58 "	39/-



5603 Bottle Screw Jack, Malleable Iron Case—

To Lift	Height when down.	Weight (Approx.)	Price Each
2 tons.	9 ins.	10 lbs.	13/6
3 "	12 "	15 "	16/6
4 "	15 "	20 "	22/6
5 "	18 "	30 "	27/-
6 "	21 "	44 "	33/-
8 "	24 "	60 "	39/-
10 "	26 "	63 "	50/-
14 "	28 "	79 "	85/-
20 "	30 "	104 "	150/-



5610 Haley Jacks, Wood Case—

To Lift.	Height when down.	Weight (Approx.)	Price Each
2 tons.	28 ins.	68 lbs.	105/-
4 "	31 "	96 "	125/-
6 "	32 "	121 "	145/-
8 "	34 "	144 "	180/-
10 "	34 "	156 "	195/-
12 "	36 "	200 "	245/-
16 "	38 "	255 "	300/-
20 "	41 "	350 "	480/-



5605 Short Lift Screw Jacks—

To Lift.	Height when down.	Weight (Approx.)	Price Each
1 ton.	6 ins.	9 lbs.	13/6
2 "	7 "	10 "	21/-
4 "	8 "	16 "	27/-
5 "	9 "	18 "	33/-
6 "	9 "	22 "	39/-
8 "	10 "	26 "	45/-
10 "	11 "	35 "	57/-
15 "	12 "	38 "	84/-
20 "	14 "	50 "	132/-



5611 Haley Jacks, Malleable Iron Case

To Lift.	Height when down.	Weight (Approx.)	Price Each
2 tons.	25 ins.	79 lbs.	120/-
4 "	26 "	85 "	145/-
6 "	28 "	110 "	170/-
8 "	30 "	132 "	205/-
10 "	31 "	156 "	230/-
12 "	33 "	168 "	300/-
16 "	38 "	275 "	430/-
20 "	39 "	330 "	540/-



MARPLES "Shamrock Brand" TOOLS




LIGHT GALVANIZED PULLEY BLOCKS.



Diameter of Sheave	1	1½	1½	1¾	2	ins.
Width of Groove	¼	¼	⅜	⅜	⅜	ins.

5800	1 Sheave	4/6	5/6	6/6	10/6	15/-	dozen
5801	1 Sheave with Hook	—	9/-	10/6	15/-	21/-	"
5802	2 Sheaves	9/-	10/6	13/6	18/-	30/-	"

LONDON-PATTERN WROUGHT IRON PULLEY BLOCKS.



	Diameter of Sheave	2½	3½	4	4½	5	6	7	8	inches
	Width of Groove	⅜	½	⅝	¾	⅞	1	1¼	1½	"
5810	1-Sheave Blocks	4/-	5/-	6/-	8/-	10/-	12/-	15/-	20/-	each
5811	2-Sheave Blocks	5/6	8/-	9/-	11/6	15/-	18/-	25/-	35/-	"
5812	3-Sheave Blocks	7/-	9/-	11/-	15/-	19/6	22/6	30/-	45/-	"
5813	4-Sheave Blocks	9/6	10/6	15/-	20/-	27/-	30/-	45/-	65/-	"
5815	Snatch Blocks	6/6	7/6	8/6	10/6	13/6	15/-	18/-	24/-	"
5816	Snatch Blocks	10/6	12/-	13/6	15/-	20/-	22/6	27/-	35/-	"

An Eye is supplied with the smaller of each pair of Blocks ordered. Galvanized London Pattern Blocks can be supplied at an advance of 35 per cent. on the above figures.

TABLE SHOWING RELATIVE POWERS OF WROUGHT IRON PULLEY BLOCKS.

Diameter of Sheave	2½	3½	4	4½	5	6	7	8	inches
Each Sheave will lift	1	3	5	7	10	12	18	27	cwt.

To ascertain the approximate lifting powers of a pair of Blocks, add together the single weights each sheave will lift; Example: A 2-Sheave Block, 7 in lifts 36 cwts; a 3-Sheave 7 in. lifts 54 cwt. = 90 cwt. for the pair.

NOTE.—We do not bind ourselves to the exact powers given above, but they are approximately correct. In ordering it is always advisable to leave a sufficient margin for safety.



GIN BLOCKS OR RUBBISH PULLEYS.

Diameter of Pulley	3½	4½	6	8	10	12	14	ins.
Width of Groove	½	¾	1	1½	1½	1½	1½	ins.
Approx. weight	2½	4½	8½	12	16	21	30	lbs.

5820	Gin Blocks	7/6	9/-	10/6	13/6	15/-	19/6	24/-	each
------	------------	-----	-----	------	------	------	------	------	------



MARPLES "Shamrock Brand" TOOLS



5831



5832



5835



5838

"WESTON'S" DIFFERENTIAL PULLEY BLOCKS.

	Tested to	$\frac{1}{2}$	$\frac{3}{4}$	1	1 $\frac{1}{2}$	2	3	4	Tons
5831 Blocks without Chain Guides		9/6	13/6	16/6	20/-	31/6	55/-	70/-	105/- per set.
5832 Blocks with Chain Guides		12/-	18/-	21/-	25/6	36/-	60/-	85/-	130/- "
Bright Chain, for above (extra)		-9	-9	-9	-10 $\frac{1}{2}$	1/-	1/6	1/10 $\frac{1}{2}$	2/- per foot

Allow 4 feet of Chain for each foot of Lift. We send 40 ft of Chain with each set of Blocks, unless otherwise ordered. When ordering "to lift" a given weight we recommend Blocks one size larger than the "tested" size.

"THOMSON'S" SELF-SUSTAINING SCREW PULLEY BLOCKS.

	Tested to	$\frac{1}{2}$	1	1 $\frac{1}{2}$	2	3	4	5	6	7	8	10	Tons.
5835 Blocks	60/-	80/-	105/-	130/-	160/-	190/-	240/-	330/-	360/-	430/-	550/-		per set
Bright Lift Chain	1/1 $\frac{1}{2}$	1/4 $\frac{1}{2}$	1/6	1/7 $\frac{1}{2}$	1/10 $\frac{1}{2}$	2/4 $\frac{1}{2}$	3/-	3/9	4/9	5/6	7/3		per foot
Bright Hand Chain	1/-	1/-	1/1 $\frac{1}{2}$	1/1 $\frac{1}{2}$	1/3	1/3	1/9	1/9	1/9	1/9	1/9		"

Length of Lift Chain required equals the height of Lift. Length of Hand Chain is twice the height of Lift. When ordering "to lift" a given weight we recommend Blocks one size larger than the "tested" size.

SELF-SUSTAINING SACK HOISTS.

	Tested to	2	3	4	5	10	cwt.
5838 Hoist	Speed per minute	34	30	23	20		10 feet.
Bright Lift Chain		75/-	90/-	105/-	120/-	150/-	per set
Bright Hand Chain		1/6	1/6	2/3	2/3	2/3	per foot
		1/6	1/6	1/6	1/6	1/6	"

In sizes 2 to 5 cwt. inclusive, the Lift Chain required equals the height of Lift, and Hand Chain twice the height of Lift. In the 10 cwt. size the Lift Chain required is twice the height of Lift plus 2ft., and Hand Chain twice the height of Lift. When ordering "to lift" a given weight we recommend Blocks one size larger than the "tested" size.



MARPLES "Shamrock Brand" TOOLS



STOCKS AND DIES.

Angular Type.



6120 Engineers' Angular Type Stocks and Dies, Whitworth Bolt Thread, with Taper and Plug Taps—

Sizes.		Prices per Set.	Sizes.		Prices per Set.	Sizes.		Prices per Set.
		£ s. d.			£ s. d.			£ s. d.
1/8	1/8	2 2 0	1/8	1/8	4 0 0	1/8	1/8	7 0 0
3/16	3/16	2 5 0	3/16	3/16	4 11 6	3/16	3/16	7 5 0
1/4	1/4	2 10 0	1/4	1/4	3 18 0	1/4	1/4	7 7 0
5/16	5/16	2 10 0	5/16	5/16	4 10 0	5/16	5/16	7 10 0
3/8	3/8	2 11 0	3/8	3/8	5 0 0	3/8	3/8	7 15 0
7/16	7/16	2 17 6	7/16	7/16	5 2 6	7/16	7/16	8 10 0
1/2	1/2	2 18 6	1/2	1/2	5 2 6	1/2	1/2	9 0 0
5/8	5/8	3 7 6	5/8	5/8	5 2 6	5/8	5/8	10 0 0
3/4	3/4	3 3 0	3/4	3/4	5 7 6	3/4	3/4	10 5 0
7/8	7/8	3 12 6	7/8	7/8	6 6 0	7/8	7/8	11 0 0
1	1	3 15 0	1	1		1	1	11 10 0
								13 0 0

Second Taps can be had with above Sets if required. For extra cost see No. 6220, page 154.

6121 Engineers' Angular Type Stocks and Dies, Whitworth Bolt Thread, with Taper and Plug Taps, Tap Wrenches and Tommies, and fitted in Polished Pine Case (with Lock and Key on sets above 1 inch)—

SIZES.		Prices per Set.
		£ s. d.
1/8	1/8	5 0 0
3/16	3/16	7 2 6
1/4	1/4	8 15 0
5/16	5/16	12 0 0
3/8	3/8	13 0 0
7/16	7/16	14 0 0
1/2	1/2	19 10 0
5/8	5/8	22 0 0
3/4	3/4	28 10 0
7/8	7/8	30 0 0
1	1	30 10 0

Second Taps can be had with above Sets if required. For extra cost see No. 6220, page 154.

6125 Angular Type Stocks and Dies, Iron Gas Thread, with Taper and Plug Taps—

Sizes.		Prices per Set.	Sizes.		Prices per Set.	Sizes.		Prices per Set.
		£ s. d.			£ s. d.			£ s. d.
1/8	1/8	2 17 6	1/8	1/8	8 5 0	1/8	1/8	17 0 0
3/16	3/16	3 18 0	3/16	3/16	7 10 0	3/16	3/16	17 10 0
1/4	1/4	4 10 0	1/4	1/4	9 0 0	1/4	1/4	19 10 0
5/16	5/16	5 5 0	5/16	5/16	10 10 0	5/16	5/16	18 16 0
3/8	3/8	5 5 0	3/8	3/8	11 10 0	3/8	3/8	20 0 0
7/16	7/16	5 17 6	7/16	7/16	11 10 0	7/16	7/16	21 0 0
1/2	1/2	6 10 0	1/2	1/2	14 0 0	1/2	1/2	25 0 0
5/8	5/8	7 5 0	5/8	5/8	16 0 0	5/8	5/8	21 0 0
3/4	3/4		3/4	3/4	15 10 0	3/4	3/4	22 0 0
7/8	7/8		7/8	7/8		7/8	7/8	
1	1		1	1		1	1	

N.B.—If Stocks and Dies are ordered WITHOUT TAPS deduct two thirds of the value of the Taps only, as given on page 154.

Dies only (in pairs), Whitworth Thread, to suit above No. 6120 Type Stocks (A Stock or pattern pair of Dies must be sent)—
Size of Frame ... 1/8 3/16 1/4 5/16 3/8 7/16 1/2 1 1 1/2 1 3/4 2 inches.
8/3 8/3 8/3 10/- 13/6 16/6 16/6 22/6 30/- 35/- 45/- pair.

Dies only (in pairs), Iron Gas Thread, to suit above 6125 Type Stocks (A Stock or Pattern pair of Dies must be sent)—
Size of Frame ... 3/8 1/2 3/4 1 1 1/4 1 1/2 1 3/4 2 inches.
8/3 10/- 13/6 16/6 22/6 25/- 40/- 45/- pair.

N.B.—The cost of Dies is determined by the size of the Frame or Stock, and not by the cutting size of the Dies. (The size of the Frame is the screwing size of the largest pair of Dies it will take).

Dies Re-Cutting are charged at half the price of new dies above, but re-cutting is only undertaken at customers' risk, as dies are liable to develop cracks on re-hardening.

NOTE.—Animal Oil, Fat or Tallow should always be used as a lubricant for Screwing Tackle.
Bad work and broken Tools invariably follow the use of Vegetable and Mineral Oils.

N.B.—For Tables of Standard Screw Threads see front of Catalogue.




MARPLES "Shamrock Brand" TOOLS



STOCKS AND DIES.

Adjustable Dies—All Parts Interchangeable.



6131 Collet Type Stocks and Dies Whitworth Bolt Thread, with Taper and Plugs Taps and Tap Wrench. Each Set complete in Polished Hardwood Case :—


Prices per Set.		Prices per Set.	
£	s. d.	£	s. d.
2	18 6	8	2 6
3	15 0	7	7 0
4	12 6	8	5 0
4	13 6	11	11 0
6	6 0	13	17 6

Second Taps for above Sets extra—See page 154.

Spares for 6131 Stocks and Dies :—

Dies	3/6	3/6	3/6	3/6	3/6	3/6	3/6	4/6	5/9	5/9	7/-	7/-	8/-	9/3	12/9	12/9	18/6	18/6 pair.
------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------------

Diameter of Stock...	1 1/4	1 3/8 or 2	2 1/4	4	inches.
Caps (Die Holder)	1/8	2/3	3/9	7/-	each.
Guides	1/-	1/6	2/3	3/6	..



6133 Stocks and Dies with Guides Iron Gas Thread. (No Taps). Each Set in strong Carton.

Sizes.	Price per Set.	Spare Dies.	Spare Bushings.	Spare Guides.
£	s. d.			
2	2 0	7/6	1/4	3/3 each.
2	15 0	9/3	1/10	4/6 ..
2	2 0	9/3	1/10	4/6 ..
3	5 0	9/3	1/10	4/6 ..
3	5 0	16/6	2/9	5/- ..
4	2 6	21/-	3/6	7/- ..

6134 As above, for Electrical Conduit—

Sizes.	Prices per Set	Spare Dies.	Spare Bushings.	Spare Guides.
£	s. d.			
1	13 6	7/6	1/4	3/3 each.
2	15 0	9/3	1/10	4/3 ..
2	2 0	9/3	1/10	4/3 ..
4	2 6	21/-	3/6	6/6 ..



MARPLES "Shamrock Brand" TOOLS



CIRCULAR DIE STOCKS AND ADJUSTABLE DIES.



6149—11"



6150—11"



6150-1"

	To suit Dies	$\frac{11}{16}$	1	$1\frac{1}{4}$	$1\frac{5}{16}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 inch diameter.
6149 Stocks for Adjustable Circular Split Dies	2/-	4/3	6/6	6/6	9/-	12/-	15/-	each.
	Outside Diam	$\frac{11}{16}$	1	$1\frac{1}{4}$	$1\frac{5}{16}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 inch.
	Screwing Sizes	$\frac{1}{8}$ to $\frac{3}{8}$	$\frac{1}{8}$ to $\frac{1}{2}$	$\frac{3}{16}$ to $\frac{5}{8}$	$\frac{1}{16}$ to $\frac{3}{8}$	$\frac{1}{4}$ to $\frac{3}{4}$	$\frac{3}{8}$ to $\frac{1}{2}$	$\frac{3}{8}$ to 1 ..
6150 Circular Dies, Whitworth Standard Bolt Thread	1/4	2/3	4/6	4/6	6/6	9/-	10/6	each.
	Outside Diam.	$\frac{11}{16}$	1	$1\frac{1}{4}$	$1\frac{5}{16}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 inch.
	Screwing Sizes	$\frac{1}{4}$ to $\frac{3}{8}$	$\frac{1}{4}$ to $\frac{3}{8}$	$\frac{1}{4}$ to $\frac{5}{8}$	$\frac{1}{4}$ to $\frac{3}{8}$	$\frac{1}{4}$ to $\frac{3}{4}$	$\frac{3}{8}$ to $\frac{1}{2}$	$\frac{3}{8}$ to 1 ..
6151 Circular Dies, British Standard Fine Thread	1/4	2/3	4/6	4/6	6/6	9/-	10/6	each.
	Outside Diam.	$\frac{11}{16}$	1	$1\frac{1}{4}$	$1\frac{5}{16}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 inch.
	Screwing Sizes	$\frac{1}{4}$ to $\frac{3}{8}$	$\frac{1}{4}$ to $\frac{3}{8}$	$\frac{1}{4}$ to $\frac{5}{8}$	$\frac{1}{4}$ to $\frac{3}{8}$	$\frac{1}{4}$ to $\frac{3}{4}$	$\frac{3}{8}$ to $\frac{1}{2}$	$\frac{3}{8}$ to 1 ..
6154 Circular Dies, B.A. (British Association) Thread.....								
	Outside Diam.	$\frac{11}{16}$	1	$1\frac{1}{4}$	$1\frac{5}{16}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 inch.
	Screwing Sizes	Nos. 0 to 8	9, 10	Nos. 0 to 8	9, 10	Nos. 0 to 8	9, 10	1 inch.
		1/4	2/3	2/9	4/-			each.
6155 Circular Dies, Iron Gas Pipe Thread								
	Outside Diam.	1	$1\frac{1}{4}$	$1\frac{5}{16}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2 inch.	
	Screwing Sizes	$\frac{1}{8}$ to $\frac{1}{4}$	$\frac{1}{8}$ to $\frac{3}{8}$	$\frac{1}{8}$ to $\frac{3}{8}$	$\frac{1}{8}$ to $\frac{1}{2}$	$\frac{1}{8}$ to $\frac{1}{2}$	$\frac{1}{4}$ to 1 inch.	
		3/6	5/6	5/6	7/-	9/-	10/6	each.

CIRCULAR ADJUSTABLE STOCKS AND DIES IN SETS.

6160 Stocks and Dies, Circular Adjustable Pattern, Whitworth Bolt Thread, with Taper and Plug Taps and Tap Wrench. Packed in Carton :-	$\frac{1}{16}$ $\frac{3}{32}$ $\frac{1}{8}$ inch.	$\frac{1}{16}$ $\frac{3}{32}$ $\frac{1}{8}$ $\frac{3}{32}$ $\frac{3}{16}$ inch.	$\frac{1}{8}$ $\frac{1}{16}$ $\frac{1}{4}$ inch.	$\frac{1}{8}$ $\frac{3}{32}$ $\frac{3}{16}$ $\frac{3}{32}$ $\frac{1}{4}$ inch.
	13/6 Set.	18/- Set.	12/6 Set.	18/- Set.
	$\frac{1}{8}$ $\frac{3}{16}$ $\frac{1}{4}$ $\frac{3}{16}$ $\frac{1}{2}$ inch.		$\frac{1}{8}$ $\frac{3}{32}$ $\frac{3}{16}$ $\frac{3}{32}$ $\frac{1}{4}$ $\frac{3}{16}$ $\frac{1}{2}$ inch.	
	19/6 Set.		24/- Set.	
6164 Stocks and Dies, Circular Adjustable Pattern, B.A. Thread, with Taper and Plug Taps, and Tap Wrench. Packed in Carton :-	Nos. 0 1 2 3 4 5 6		Nos. 0 1 2 3 4 5 6 7 8 9 10	
	24/- Set.		36/- Set.	

Sets comprising other sizes can be made up on request.

STOCKS AND DIES FOR BRASS AND COPPER TUBE.



6168 Stocks and Dies (in gang), with Taper and Plug Taps, for Brass and Copper Tube—	Sizes $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$	$\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$	$\frac{3}{8}$ $\frac{1}{2}$ $\frac{3}{4}$	$\frac{1}{2}$ $\frac{3}{4}$ 1	$\frac{3}{4}$ 1 $1\frac{1}{4}$	1 $1\frac{1}{4}$ $1\frac{1}{2}$	$1\frac{1}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$	$1\frac{3}{4}$ 2 $2\frac{1}{4}$	1 inch.
	£1 18 6	£2 5 0	£2 2 0	£2 7 6	£2 17 6	£3 7 6	£2 17 6	£3 17 6	per set.
6168A As above, to screw $\frac{1}{4}$ inch Iron Gas and $\frac{3}{8}$, $\frac{1}{2}$ inch Brass Tube.....									£1 18 6 per set.



MARPLES "Shamrock Brand" TOOLS



TAPS.



6220 Taper



6220 Plug



6225 Taper

6220 Whitworth Bolt Thread Taps, Taper, Second or Plug—

Size	$\frac{1}{16}$	$\frac{3}{32}$	$\frac{1}{4}$	$\frac{5}{32}$	$\frac{3}{16}$	$\frac{7}{32}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{7}{8}$	2 ins.																	
Threads per in.	60	48	40	32	24	24	20	18	16	14	12	12	11	11	10	9	8	7	7																
	1/-	-/9	-/9	-/9	-/7 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/7 $\frac{1}{2}$	-/10 $\frac{1}{2}$	1/-	1/3	1/6	1/9	2/3	3/-	3/-	3/9	4/6	7/6	10/-																
Size																			$\frac{1}{8}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1 inch.								
Threads per inch																			26	22	20	18	16	16	14	12	11	10							

6221 British Standard Fine Thread Taps, Taper or Plug -/7 $\frac{1}{2}$ -/10 $\frac{1}{2}$ 1/- 1/3 1/6 1/9 2/3 3/- 3/9 4/6 each.

6224 B.A. (British Association) Standard Thread Taps, Taper or Plug—

Nos.	0	1	2	3	4	5	6	7	8	9	10
Diam. in m/m	6.0	5.3	4.7	4.1	3.6	3.2	2.8	2.5	2.2	1.9	1.7
Pitch in m/m	1.00	.90	.81	.73	.66	.59	.53	.48	.43	.39	.35
	-/9	-/9	-/9	-/9	-/9	-/9	-/9	-/9	-/9	1/-	1/-
Pipe size	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$
Threads per inch	28	19	19	14	14	14	14	11	11	11	11

6225 Iron Gas Thread Taps, Taper or Plug 1/6 1/9 2/3 2/9 3/3 4/- 5/3 6/- 7/6 10/6 13/6 18/- each.

Size	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$
Threads per in.	26	26	26	26	26	26	26	26	26	26	26

6226 Brass Tube Thread Taps, Taper or Plug ... -/7 $\frac{1}{2}$ -/7 $\frac{1}{2}$ 1/- 1/6 2/3 3/- 3/9 4/6 7/6 10/- 13/6 each.

Nominal Size (Diameter of Tube)	$\frac{1}{8}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2 inch.
Threads per inch	18	18	16	16	16	16	14	14

6227 Electrical Conduit Taps, Taper or Plug 1/9 2/6 3/3 4/6 5/3 7/- 9/- 13/6 each.

FROST STUD TAPS.

Size ... $\frac{3}{8}$ $\frac{7}{8}$ $\frac{1}{2}$ inch.


6228 Frost Stud Clearing Taps, Taper or Plug, T-Handled 2/- 2/3 2/6 each

GOLF CLUB TAPS AND RIMERS.



C.S. Taper Fluted Taps, $\frac{11}{16} \times \frac{3}{16}$ inch, for Golf Clubs—

6229 Bit Stock Tang 3/- each.
 6229 $\frac{1}{2}$ Boxwood T-Handle 3/9 ..



C.S. Taper Fluted Rimers, for Golf Clubs—

6239 Tapering $\frac{7}{16}$ to $\frac{1}{8}$ inch, Bit Stock Tang. 4/6 each.
 6239 $\frac{1}{2}$ Tapering $\frac{1}{2}$ to $\frac{11}{16}$ inch, ditto 5/- ..

DIE NUTS.

6240 Best C.S. Strong Hexagon Die Nuts, Sheffield Pattern, Whitworth Standard Thread—

Size	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{1}{2}$ inch.
	3/-	3/3	3/6	4/-	4/6	5/-	5/6	6/-	7/6	8/-	10/6	12/-	15/-	each.

6240 $\frac{1}{2}$ Best C.S. Strong Hexagon Die Nuts, Iron Gas Pipe Thread—

Pipe Size	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1 inch.
	4/-	4/6	6/-	7/6	10/-	12/-	13/6 each.





MARPLES "Shamrock Brand" TOOLS



THREAD CHASERS.

		All sizes to											
		$\frac{1}{2}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	ins.		
6241	Hand Chasers or Screw Tools, Outside	12	11	10	9	8	7	6	5	$4\frac{1}{2}$	per in.		
6241 $\frac{1}{2}$	Ditto ditto Inside	2/-	2/-	2/9	2/9	2/9	2/9	3/6	3/6	3/6	each.		
		2/-	2/-	2/9	2/9	2/9	2/9	3/6	3/6	3/6	each.		

RIMERS AND RIMER TAPS.



		6242												6243 $\frac{1}{2}$							
		$\frac{1}{2}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	inch.										
6242	Engineers' Taper Fluted Rimers—	3/9	3/9	4/-	4/6	5/-	5/6	6/6	7/-	8/3	9/-	11/-	12/-	13/-	14/-	16/-	21/-	25/-	30/-	35/-	each.
6243	Engineers' Parallel Fluted Rimers—	3/9	3/9	4/-	4/6	5/-	5/6	6/6	7/-	8/3	9/-	11/-	12/-	13/-	14/-	16/-	21/-	25/-	30/-	35/-	each.
6243 $\frac{1}{2}$	Repairmen's Reamers, with Bit Stock Shank for Brace	Tapering ... $\frac{1}{4}$ to $\frac{1}{2}$												$\frac{3}{8}$ to 1 inch.							
		4/-												7/- each.							
		Nos. 0 1 2 3 4 5 6 7 8 9 10 11 12																			
6244	Standard Taper Pin Rimers	.1245	.135	.151	.1717	.1975	.2287	.2675	.3173	.369	.4472	.5543	.706	.842	inch.						
		3/6	3/6	4/-	4/3	4/9	5/3	6/-	7/-	8/9	10/6	13/6	20/-	25/-	each.						

These Pin Rimers have all a standard taper, $\frac{1}{4}$ inch to the foot (1 in 48) and each will overlay the size smaller.



6245



6246



6246 $\frac{1}{2}$

		Pipe Size													
		$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	ins.					
6245	Fluted Rimers, with Collar, for Gas Mains	7/6	8/3	10/6	15/-	22/6	30/-	40/-	50/-	each.					
6246	Drill Rimer Taps, with Collar, for Gas Mains,	10/-	10/6	15/-	18/-	25/-	33/-	45/-	55/-	each.					
6246 $\frac{1}{2}$	Pipe-Fitters' Burring Reamers, Bit Stock Shank for Brace	For Pipes ... $\frac{1}{4}$ to $\frac{1}{2}$ $\frac{3}{8}$ to 1 $\frac{1}{2}$ to $1\frac{1}{4}$ $\frac{1}{2}$ to 2 inch.													
		5/- 7/6 10/- 15/- each.													

TAP WRENCHES.



		6248											
		Wrought Steel Tap Wrenches, for Whitworth Thread Taps—											
		Sizes ... $\frac{3}{8}$ $\frac{1}{2}$ $\frac{3}{4}$ 1 $1\frac{1}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 $2\frac{1}{2}$ 3 inches.											
		3/9	5/-	6/-	7/6	6/9	9/-	10/6	each.				
		12/-	13/6	15/-	16/6	21/-	24/-	27/-	each.				
		6250											
		Wrought Steel Tap Wrenches, for Iron Gas Pipe Thread Taps—											
		Pipe Sizes ... $\frac{1}{2}$ $\frac{3}{4}$ 1 $1\frac{1}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 $2\frac{1}{2}$ 3 inches.											
		6/-	7/6	10/3	16/6	19/6	24/-	30/-	36/-	42/-	each.		



For Whitworth Taps $\frac{1}{16}$ to $\frac{1}{4}$ $\frac{1}{16}$ to $\frac{1}{2}$ inch.

6255	Adjustable Tap Wrenches, Solid Steel	1/3	1/9	each.
------	--------------------------------------	-----	-----	-------



6260	Adjustable Tap Wrenches	$\frac{1}{16}$ to $\frac{1}{4}$	$\frac{1}{16}$ to $\frac{1}{2}$	$\frac{1}{16}$ to $\frac{1}{2}$	$\frac{1}{4}$ to $\frac{3}{4}$	$\frac{1}{2}$ to 1	$\frac{3}{4}$ to $1\frac{1}{4}$ inch.
		12/9	19/6	23/6	27/-	33/-	42/- each.



MARPLES "Shamrock Brand" TOOLS



BEST LANCASHIRE SCREW PLATES, HAND VICES, WIRE GAUGES, ETC.

Screw Plates



6179 Whitworth Thread Screw Plates and Tap Wrench, complete with Taper Taps—

$\frac{1}{16}$ $\frac{3}{32}$ $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{1}{2}$ inch. $\frac{1}{8}$ $\frac{3}{16}$ $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{1}{2}$ inch.

No. 1—22/6 each.

No. 2—30/- each.

$\frac{1}{16}$ $\frac{3}{32}$ $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{1}{2}$ inch. $\frac{1}{8}$ $\frac{3}{16}$ $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ inch.

No. 2A—35/- each.

No. 3—35/- each.

Hand Vices



6275 Best Lancashire Hand Vices—

Overall Length 3 3 $\frac{1}{2}$ 4 4 $\frac{1}{2}$ 5 5 $\frac{1}{2}$ 6 inches.

3/- 3/3 3/6 3/9 4/3 4/9 5/3 each.

"Imperial" and "Birmingham" Wire Gauges




Imperial Standard Wire Gauges—

1 to 26 1 to 36 1 to 40 gauge.

6290 Double Circular ... 5/- 7/6 10/- each.

6290 $\frac{1}{2}$ Single Circular ... 5/- 7/6 10/- ..



6292 Imperial Standard Wire Gauges, Oblong—


1 to 26 1 to 36 1 to 40 gauge.

5/- 7/6 10/- each.

6292 $\frac{1}{2}$ As above, Small Oblong, 4 to 24 gauge, 4/- each.

All the above Wire Gauges can be supplied "Birmingham" W.G. at the same prices as "Imperial."

BEST LANCASHIRE BROACHES.



6325 Engineers' or Jewellers' Lancashire Broaches—

$\frac{1}{32}$ $\frac{1}{16}$ $\frac{3}{32}$ $\frac{1}{8}$ $\frac{3}{16}$ $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 inch.

2/6 5/- 7/6 7/6 11/3 11/3 13/6 13/6 16/6 16/6 19/6 19/6 21/- 24/- 27/- 33/- 48/- 57/- 66/- dozen.

For prices of Silver Steel Rods, see Index.

Lead and Zinc Gauges

6294 Zinc Gauges, Circular, Nos.

4 to 16 3/- each.

6295 Lead Gauges, Circular, Nos.

1 to 14, marked weight

per foot in lbs. 3/6 each.

6296 Combined Lead and Zinc

Gauges, Double Circular,

6/6 each.



Glass and Metal Gauges




6297 Glass Gauges, Oblong, for 15 to 42 ozs. Sheet and $\frac{1}{8}$ to $\frac{1}{2}$ inch. Plate..... 3/6 each.



6300 Metal Gauges, Handled, Nos. 1 to 24 ... 7/6 each.

Steel Wire and Drill Gauges



6302 Steel Wire Gauges, Nos. 1 to 60


(for Twist Drills, etc.)..... 8/6 each.

6303 Twist Drill Gauges, $\frac{1}{16}$ to $\frac{1}{2}$ inch by 64ths 8/6 each.



6306 British Association (B.A.) Drill and Tap Gauges, Circular, Nos. 0 to 10, 3/6 each.

Calliper Wire Gauges



6305 Calliper Wire Gauges, 4 inches, Imperial Standard 6 to 26..... 4/- each.



MARPLES "Shamrock Brand" TOOLS



BOX-JOINT PLIERS.

Pendulum Pliers



- 6330 Watchmakers' Flat Nose Pendulum Pliers, Black, Box Joint—
 3 3½ 4 4½ 5 inches.
 24/- 24/- 24/- 24/- 27/- dozen.

Reed Pliers



- 6339 Reed or Weavers' Pliers, Black, Box Joint—
 5 5½ 6 7 inches.
 27/- 33/- 42/- 60/- dozen.

Flat and Round Nose Pliers




- 6340 Lancashire Flat Nose Pliers, Black, Box Joint—
 3 3½ 4 4½ 5 5½ inches.
 24/- 24/- 24/- 24/- 27/- 33/- dozen.
 6 7 8 inches.
 42/- 60/- 90/- dozen.




- 6350 Lancashire Round Nose Pliers, Black, Box Joint—
 3 3½ 4 4½ 5 5½ inches.
 24/- 24/- 24/- 24/- 27/- 33/- dozen.
 6 7 8 inches.
 42/- 60/- 90/- dozen.

Long Taper Nose Pliers



- 6354 Long Taper Nose or Chain Pliers, Black, Box Joint—
 5½ 6 7 8 inches.
 39/- 45/- 69/- 99/- dozen.

Telephone Pliers



- 6357½ Taper Nose Telephone or "Wireless" Cutting Pliers, Black, Lap Joint, 5½ inches..... 24/- dozen.

Steel Wire Pliers



- 6359 Steel Wire Cutting Pliers, Black, Box Joint—
 6 6½ 7 inches.
 54/- 60/- 81/- dozen.

Box-Joint Cutting Pliers



- 6360 Lancashire Square Nose Bell Pliers, Black, Box Joint—
 4½ 5 5½ 6 7 8 inches.
 45/- 45/- 45/- 48/- 81/- 108/- dozen.



- 6367 London Pattern Taper Nose Bell Pliers, Bright, Box Joint—
 4½ 5 5½ 6 inches.
 54/- 54/- 54/- 60/- dozen.

Milliners' Cutting Pliers



- 6369B Milliners' Bright Taper Nose Pliers, with Ring—
 4½ inches. 36/- dozen.



MARPLES "Shamrock Brand" TOOLS



BELL PLIERS, ETC.




6372

Square Nose Bell Pliers—
5 5½ 6 7 8 inches.

- 6370 Best Gun Metal Finish with Burner Hole — 30/- 36/- 42/- dozen.
- 6373 Black Plain 21/- 21/- 21/- 30/- 36/- dozen.
- 6375 Black with Burner Hole 22/6 22/6 22/6 31/6 39/- dozen.



6376 Taper Nose Bell Pliers, Black, with Burner Hole,
5 5½ 6 7 8 inches.
22/6 22/6 22/6 33/- 42/- dozen.



6377 Square Nose Combination Pliers, Black, with Rimer and Turn screw—
6 7 8 9 10 inches.
21/- 30/- 36/- 60/- 72/- dozen.

6377½ Special Combination Pliers, Black, with Knurled Handles, 6 inch..... 22/6 dozen.

Insulated Pliers



6378 Electricians' Square Nose Cutting Pliers, with Burner Hole, Bright, with Vulcanite Insulated Handles—
6 7 8 inches.
36/- 42/- 51/- dozen.



6379 Electricians' Square Nose Cutting Pliers, with Burner Hole, Bright, with Insulated Rubber Handles—
6 7 8 inches.
39/- 51/- 60/- dozen.

Detonator Pliers



6385 Detonator or Fuse Pliers, Bright, with one Copper-plugged Handle, 6 inches..... 63/- dozen.

Mechanics' Pliers



6387 Mechanics' Best Bright Pliers, with Burner Hole and Knurled Handles—
6½ 7½ 8½ inches.
36/- 42/- 51/- dozen.



6389 Motorists' Slip-Joint Pliers, with Side Cutters, Knurled Handles, Nickel Plated, 6½ inches 42/- dozen.

Scotch Gas Pliers



6402 Improved or "Scotch-Pattern" Gas Fitters' Pliers, Black, with two Burner holes—
6 7 8 9 10 12 inches.
22/6 27/- 33/- 48/- 60/- 99/- dozen.

Shade Ring Pliers



6414 Electricians' Bright Steel Shade Ring Pliers, Box Joint 54/- dozen.

Nut Pliers




6417 Nut Pliers, Black, Lay-on Joint ... 15/- 21/- dozen.



MARPLES "Shamrock Brand" TOOLS



CARPENTERS' PINCERS.




	5	6	7	8	9	10	12 inches.
6418 Black Drop Forged Tower Pincers, with Knob and Claw	—	15/-	16/6	21/-	—	—	dozen.
6419 Better Quality ditto ditto	—	16/6	18/6	24/-	—	—	"
6420 Best Hand Forged Tower Pincers with Knob and Claw	24/-	27/-	33/-	39/-	54/-	69/-	81/- "



6425 Best Lancashire Pattern Pincers—

6	7	8	9	10 inches.
45/-	51/-	60/-	75/-	84/- dozen.



6428 Best Bright Carpenters' Pincers, with Square Shoulders for wide opening—

6	7	8 inches.
21/-	22/6	30/- dozen.

TOWER CUTTING NIPPERS.



6430 Best Tower Cutting Nippers—

6	7	8	9	10	12 inches.
42/-	48/-	54/-	72/-	81/-	120/- dozen.

WIRE NETTING AND FENCING NIPPERS.



6439 Huntsman's Nippers, for barbed wire, 6 ins., 27/- doz.



6440 Wire Netting Nippers, 7½ inches..... 45/- dozen.

"HERCULES" CUTTING NIPPERS.



6435 "Hercules" Solid Steel Cutting Nippers, for Iron Wire

7	9	12 inches.	
Will cut Iron Wire up to ...No.	8	6	4 W.G.
6/9	9/9	16/6 each.	

6435½ "Hercules" Solid Steel Cutting Nippers, for Steel Wire

7	9	12 inches.	
Will cut Steel Wire up to ...No.	12	10	8 W.G.
9/-	12/-	18/- each.	


N.B.—Direct pressure only must be used with Cutting Nippers. We cannot be responsible for breakages caused by wrenching.



MARPLES "Shamrock Brand" TOOLS



WATCHMAKERS' CUTTING NIPPERS.



6445 Watchmakers' Best Lancashire Cutting Nippers,
Black, Top-Cutting—
4 4½ 5 5½ 6 6½ 7 8 inches.
48/- 48/- 48/- 54/- 63/- 75/- 90/- 114/- dozen.



6448 Watchmakers' Best Lancashire Cutting Nippers,
Black, Side-Cutting—
4 4½ 5 5½ 6 6½ 7 8 inches.
48/- 48/- 48/- 54/- 63/- 75/- 90/- 114/- dozen.

N.B.—Direct pressure only must be used with Cutting Nippers. We cannot be responsible for breakages caused by wrenching.

BOLT CROPPERS.



Length overall 12 20 inches.
Will cut Round Steel up to $\frac{5}{16}$ $\frac{7}{8}$ in diameter.

6449 Toggle-Joint Bolt Croppers for Iron and Mild Steel only 9/6 16/6 each.

PLAIN COMPASSES.



6450 Best Lancashire Plain Compasses, Black—
5 6 7 8 9 10 inches.
33/- 42/- 45/- 54/- 60/- 66/- dozen.




6455 Bright Plain Compasses, Rule Joint—
5 6 7 8 9 10 inches.
16/6 18/- 19/6 24/- 33/- 39/- dozen.

WING COMPASSES.



6460 Best Lancashire Wing Compasses,
Black—
5 6 7 8 9 10 12 inches.
39/- 45/- 51/- 54/- 63/- 66/- 99/- dozen.



6463 Best Bright Wing Dividers, American pattern—
With Fine Adjustment.
6 7 8 9 10 inches.
45/- 51/- 60/- 66/- 69/- dozen.



MARPLES "Shamrock Brand" TOOLS



PLUMBERS' TOOLS—(Continued).

Shave Hooks (Through-langed and Capped)



6520 Heart-Shaped Shave Hooks, 2½ ins., Straight Shank—12/- dozen.

6520½ Ditto ditto Bent Shank—13/6 "



6521 Triangular Shave Hooks, 2½ ins., Straight Shank—12/- dozen.


6521½ Ditto ditto Bent Shank—13/6 "



6523 Combination Straight Side Shave Hooks—13/6 dozen.



6524 Soil Pipe Hooks..... 21/- dozen.




6525 Set of Shave Hooks
to fit one Handle..... 5/- 5/6 set.



6527 Improved Lead Pipe Jointers..... 2/6 each.

Pipe Openers



6528 Lead Pipe Openers, Screw Nose—
½ 1 1½ inch.

19/6 21/- 24/- dozen.


Melting Pots and Ladles



6530 Melting Pots—

Inside Diam.	5	6	7	8	9	10	inches.
Capacity	20	34	56	84	112	150	lbs. Lead.

2/9 3/6 4/6 6/- 8/- 10/- each.



6531 Lead Ladles—

Diameter	2	2½	3	3½	4	inches.
Capacity	¾	1¼	2	3	4	lbs. Lead.

12/- 13/- 14/- 15/- 16/- dozen.

Diameter	4½	5	6	7	8	inches.
Capacity	5	7	14	24	35	lbs. Lead.

18/- 21/- 30/- 42/- 60/- dozen.

Moleskin



6532 Moleskin Wipers, Folded and Sewn—

2½ × 1½ 3½ × 1½ 3½ × 2½ 4 × 3 4½ × 3½ inches.

6/- 7/6 8/- 9/- 10/6 dozen.

4 × 4 5 × 4 6 × 5 7 × 6 9 × 6 inches.

10/6 12/- 15/- 21/- 27/- dozen.

6533 Moleskin, in lengths, 30 ins. wide (minimum length 1 yard) 6/- per yard.
Cut lengths (less than 1 yard)..... 2/6 per foot.




MARPLES "Shamrock Brand" TOOLS



PLUMBERS' TOOLS.


Bossing Mallets



		Diam. of Head	1½	1¾	2	2¼	2½	2¾	3	inches.
6500	Bossing Mallets, Boxwood or Lignum Heads, Ash Handled ...	14/-	16/-	18/-	20/-	22/-	27/-	33/-	dozen.	
6501	As above, but Cane Handled ...	16/-	18/-	20/-	22/-	24/-	30/-	36/-	dozen.	

For Tinmen's Round Head Mallets, see index.

Chase Wedges, Turnpins and Bobbins



6503	Chase Wedges, Boxwood or Lignum, Steel Hooped—	Width	2	2½	3	3½	4	inches.
		12/-	15/-	18/-	22/-	27/-	dozen.	



6505	Turnpins, Boxwood or Lignum—	Diam.	1	1¼	1½	1¾	2	inches.
		2/3	3/3	5/-	6/6	8/3	dozen.	
		Diam.	2¼	2½	3	3½	4	inches.
		9/6	12/-	16/6	25/6	33/-	dozen.	



6506	Bobbins or Drifts, Boxwood or Lignum (Bored for Rope)	Diameter—	1	1¼	1½	1¾	2	2¼	2½	3	3½	4	inches.
		2/3	3/3	5/-	6/6	8/3	9/6	12/-	16/6	25/6	33/-	dozen.	



6507	Japanned Iron Bobbin Weights or Followers—	Size—	1	1¼	1½	2	2¼	3	3½	4	inches.
		3/-	4/-	5/-	7/-	12/-	24/-	36/-	48/-	dozen.	

Boxwood Mandrels



6509	Parallel Mandrels, Boxwood or Lignum—	6 × 1	6½ × 1¼	7 × 1½	8 × 2	inches.
		-/9	1/-	1/3	1/9	each.
		10½ × 2½	12½ × 3	13½ × 3½	15 × 4	inches.
		4/3	5/3	8/-	12/-	each.



6509½	Expanding Mandrels, Boxwood or Lignum—	8 × 2 × 1½	10½ × 2½ × 2	12½ × 3 × 2½	inches.
		3/6	4/6	6/6	each.
		13½ × 3½ × 3	15 × 4 × 3½	inches.	
		9/-	12/-	each.	

Dressers and Sticks



6510	Boxwood Dressers (or Lead Beaters)—	Nos. 1	2	3	4		
		Size of face (about)	7 × 1½	7½ × 2	8½ × 2¼	8½ × 2¾	inches.
			30/-	36/-	42/-	48/-	dozen.



6514	Boxwood Bossing Sticks—	Small	Medium	Large	Assorted.	
		33/-	36/-	39/-	36/-	dozen.



6515	Boxwood Setting-in Sticks—	Small	Medium	Large	Assorted	
		33/-	36/-	39/-	36/-	dozen.



6516	Boxwood Bending Sticks—	Small	Medium	Large	Assorted	
		33/-	36/-	39/-	36/-	dozen.

MARPLES

TOOLS



SHAMROCK BRAND
BRITISH MADE



*You cannot
beat them!*



MARPLES "Shamrock Brand" TOOLS



PLUMBERS' TOOLS—(Continued).



Length	12	15	18	21	24 inches.
--------	----	----	----	----	------------

6550 Cane Handled Dummies, with rigid Heads, cannot work loose 2/6 2/9 3/- 3/3 3/6 each.



6552 Back Nut Wrenches for $\frac{1}{2}$ in. and $\frac{3}{4}$ in. Back Nuts of Lavatory Basin and Bath Taps..... 1/6 each.




Knee Caps

6553 Plumbers' Strong Leather Knee Caps, 7/8 per pair.

Wiremen's and Plumbers' Knives



6554 Electricians' Wire-Stripping Knives, Fixed Blade, Boxwood Handled..... 24/- dozen.



6556 Strong Lead-cutting Knives, Fixed Blade, Beech Scale Handled..... 27/- dozen.



6555 Zinc-cutting Knives, Beechwood Handled, through-pinned..... 27/- dozen.



6557 Plumbers' Strong Clasp Knives, Stag Handled— 54/- dozen.

Washer Punches



6558—Single Washer or Wad Punches—

To $\frac{5}{8}$ $\frac{11}{16}$ $\frac{3}{4}$ $\frac{13}{16}$ $\frac{7}{8}$ $\frac{15}{16}$ 1 1 $\frac{1}{8}$ 1 $\frac{1}{4}$ 1 $\frac{1}{2}$ inches.

1/6 1/9 1/9 2/- 3/3 4/3 4/6 5/6 6/3 7/6 each.

1 $\frac{1}{2}$ 1 $\frac{5}{8}$ 1 $\frac{3}{4}$ 1 $\frac{7}{8}$ 2 2 $\frac{1}{4}$ 2 $\frac{1}{2}$ 2 $\frac{3}{4}$ 3 inches.

9/6 10/3 13/6 15/- 21/- 25/- 27/- 39/- 48/- each.



6559 Double Washer Punches—

Diameter of outer ring ... $\frac{1}{4}$ $\frac{7}{8}$ 1 1 $\frac{1}{4}$ 1 $\frac{1}{2}$ inches.

9/- 10/- 12/- 13/6 15/- each.

N.B.—When ordering Double Washer Punches, the diameter of both inner and outer rings must be stated.



MARPLES "Shamrock Brand" TOOLS



PLUMBERS' TOOLS—(Continued).

Soil Pots and Drip Plates



6535

6535 Copper Soil Pots..... 4/- each.
6538 Bright Steel Drip Plates..... 1/6 each.



6538

Scribing Plates



6537 Bright Steel Scribing Gauge Plates, 33/- dozen.

No. 6460 Wing Compasses for use with Scribing Plates. See Index.

Pipe Clamps



6536 Pipe Soldering Clamps, will hold Pipes $\frac{1}{4}$ " to $2\frac{1}{2}$ ". Adjustable Arms fitted with Ball Swivel Joints. 7/- each.

Pipe Benders



6545 Black Steel Pipe Benders $12 \times \frac{1}{2}$ $14 \times \frac{3}{8}$ $16 \times \frac{3}{8}$ $18 \times \frac{3}{8}$ inches.
..... 1/3 1/6 1/9 2/- each.



6546 Coil Spring Pipe Benders $\frac{1}{2}$ $\frac{3}{4}$ 1 $1\frac{1}{2}$ $1\frac{1}{2}$ 2 inches.
..... 2/8 2/9 3/3 3/9 4/6 6/6 each.



6547 Improved Pattern Square Section Spring Benders $\frac{1}{2}$ $\frac{3}{4}$ 1 $1\frac{1}{2}$ $1\frac{1}{2}$ 2 inches.
..... 3/- 3/6 3/9 4/6 6/- 9/- each.




6548 Coil Spring Benders with handle and Eye Bolt. For Copper Tube work (no handle with $\frac{1}{4}$ inch.) $\frac{1}{2}$ $\frac{3}{4}$ 1 $1\frac{1}{2}$ $1\frac{1}{2}$ 2 inches.
..... 6/6 10/- 10/6 12/- 15/- 18/- each.

Hammers




6540 Plumbers' Best Handled Hammers with long straight pane—
Nos. 1 2 3 4 5 6
Weight of Head 4 6 8 10 12 16 ozs.
..... 2/6 2/8 2/10 3/- 3/3 3/6 each.



6540 $\frac{1}{2}$ Plumbers' Handled Straight-Pane Hammers—
Weight of Head 10 12 14 16 18 20 ozs.
..... 1/6 1/6 1/6 1/6 1/9 2/- each.

Saws



Plumbers' Strong C.S. Hand Saws, 14 inches—
6541 Single Edge (as illustrated)..... 5/- each.
6542 Double Edge 5/6 each.




MARPLES "Shamrock Brand" TOOLS



WALL DRILLS AND PLUGGING CHISELS.



Length and size at point		8 × $\frac{3}{8}$	10 × $\frac{3}{8}$	12 × $\frac{3}{8}$	8 × $\frac{1}{2}$	10 × $\frac{1}{2}$	12 × $\frac{1}{2}$	8 × $\frac{5}{8}$	10 × $\frac{5}{8}$	12 × $\frac{5}{8}$	10 × $\frac{3}{4}$	12 × $\frac{3}{4}$	inches.
6570	Octagon C.S. Wall Drills.....	10/6	12/-	13/6	13/6	15/-	16/6	15/-	16/6	21/-	21/-	22/6	dozen.



		9 × $\frac{3}{8}$	9 × $\frac{1}{2}$	10 × $\frac{3}{8}$	12 × $\frac{3}{8}$	12 × $\frac{1}{2}$	12 × 1	16 × 1	18 × 1	inches.
6571	Hollow Wall Drills	16/6	19/6	24/-	31/6	36/-	42/-	54/-	57/-	dozen.



Length and size at point		8 × $\frac{3}{8}$	10 × $\frac{3}{8}$	12 × $\frac{3}{8}$	8 × $\frac{1}{2}$	10 × $\frac{1}{2}$	12 × $\frac{1}{2}$	8 × $\frac{5}{8}$	10 × $\frac{5}{8}$	12 × $\frac{5}{8}$	14 × $\frac{5}{8}$	18 × $\frac{5}{8}$	inches.
6572	Star-Section Wall Drills	9/-	9/9	10/6	12/-	12/9	13/6	13/6	15/-	16/6	18/-	21/-	dozen.
		10 × $\frac{3}{4}$	12 × $\frac{3}{4}$	14 × $\frac{3}{4}$	18 × $\frac{3}{4}$	12 × $\frac{7}{8}$	14 × $\frac{7}{8}$	18 × $\frac{7}{8}$	12 × 1	14 × 1	18 × 1	inches.	
		18/-	19/6	21/-	24/-	24/-	27/-	30/-	33/-	36/-	42/-	dozen.	



Length ... 8 9 10 $\frac{1}{2}$ 12 inches.

6575	C.S. Plugging Chisels $\frac{1}{2}$ inch Octagon Steel with $\frac{1}{8}$, $\frac{3}{16}$, or $\frac{1}{4}$ inch points	16/6	17/-	18/-	20/-	dozen.
6575A	Ditto $\frac{3}{4}$ inch Octagon Steel ditto ditto	—	—	20/-	24/-	„

For Cold Chisels, see Index.

6578 Patent Improved Hole Cutter—for cutting holes in Sheets or Tanks.
No. 1 size Body (not including Cutter or Pad) 8/3 each.


To fit No. 1 size Body.

Gas Pipe Clearing Sizes.

in.	Cutters & Pad	Cutters only	Pad only
$\frac{1}{2}$	6/9	5/6	2/-
$\frac{3}{4}$	8/3	6/6	2/6
1	9/6	8/3	2/6
1 $\frac{1}{4}$	13/6	12/-	2/6
1 $\frac{1}{2}$	17/6	15/-	3/9

Gas Tapping Sizes.

in.	Cutters & Pad	Cutters only	Pad only
$\frac{1}{2}$	8/3	6/9	2/-
$\frac{3}{4}$	9/6	8/3	2/6
1	11/6	9/6	2/6
1 $\frac{1}{4}$	15/-	13/6	2/6
1 $\frac{1}{2}$	19/6	16/6	3/9



This Tool is made in three parts:—

- (i) The Pad, which is inserted inside the Tank.
- (ii) The Cutter which operates on the spindle of the Pad.
- (iii) The Body, which turns the cutter, and applies pressure by the screw Feed at the Top.

Complete list of Cutters and Bodies, etc., on application.




MARPLES "Shamrock Brand" TOOLS




PLUMBERS' TOOLS—(Continued).

Leather Washer Cutters




- Best Washer Cutters, to cut up to 10 inch diam.—
 6560 Single 6/6 each.
 6561 Double 7/6 "



- 6561½ "New Design" Double Washer Cutters, Rule-Marked, to cut up to 11 in. diam. 7/6 each.



- 6562 Improved Double Washer Cutters, to cut up to 4 in. diameter 2/- each.



- 6563 Expansive Drills for cutting holes up to 4 ins. diameter in plates, cisterns, etc., with Bit Stock Shanks. 3/6 each.
 6563½ Ditto, with parallel Machine Shanks, ½ in. dia. 4/6 each.
 Spare Drills for above -/6 each.
 Spare Cutters for above -/10 each.

PIPE CAULKING TOOLS, PIPE WEDGES AND FIXING POINTS.



- 6564 Caulking or Staving Tools, 7/8 inch Octagon—Flat Points, 1/4, 5/16, 3/8, or 1/2 in. thick 1/9 each.



- 6564A Caulking or Staving Tools, 7/8 inch. Octagon—Hollow Points, 1/4 or 5/16 in. thick 1/9 each.



- 6564B Staving Tools, Side Cranked, Right or Left Hand, 7/8 inch Octagon—Hollow Points, 1/4 or 5/16 in. thick 2/3 each.



- 6565C Picking Tools, 7/8 inch Octagon 1/9 each.




- 6565 Yarning Tools, 7/8 inch Octagon—Flat Points, 5/16 or 1/4 inch thick 1/9 each.



- 6565A Yarning Tools, 7/8 inch Octagon—Hollow Points, 5/16 inch thick 1/9 each.



- 6565B Yarning Tools, Side Cranked, Right or Left Hand 7/8 inch Octagon—Hollow Points, 5/16 inch thick 2/3 each.



- 6569½ Plumbers' Octagon Steel Points, for Pipe Fixing—
 Length ... 12 14 16 18 inches.
 -/7 -/7 -/8 -/8 each.

For Pipe Cutters and Wrenches and Pipe Vices, see Index.



MARPLES "Shamrock Brand" TOOLS



BRASS TORCH LAMPS.



6594 Brass Soldering Lamps or Torches, for Methylated Spirit with Rubber Tube and Mouth-piece—

Nos.	1	2
Diameter	1 1/4	1 1/2 inch.
	5/-	5/6 each.




6595 Extra Strong Brass Soldering Lamps or Torches, Cast Body, 1 1/2 inch dia. with Rubber Tube and Mouth-piece—

16/6 each.


GAS BLOW PIPES AND FOOT BELLOWS.



6596 Gas Blow Pipes with Valve, Rubber Tube and Mouth-piece 7/6 each.



6597 Strong Gas Blow Pipes, with Lever Valve—
 Diameter 3/4 1 1/2 2 3/4 1 1/2 1 3/4 inch.
 16/6 18/- 19/6 20/- 21/- 24/- 30/- 33/- each.




6598 Foot Bellows for Gas Blow Pipes—
 Width 8 10 12 ins.
 40/- 45/- 50/- each.

PLUMBERS' STOVES AND SOLDERING IRON HEATERS.



6599 Wrought Iron Fire Pots, 7 in. diam. x 16 B.W.G., with Cast Iron Grate and Loose Top. Weight 12 lbs. each.—
 21/- each.



6598 1/2 Gas Heating Stoves, with Hood, to hold two Soldering Irons 10/6 each.



MARPLES "Shamroek Brand" TOOLS



PLUMBERS' TOOLS—(Continued).



6580 Plumbers' Fixing Tools, for holding straight Joints—

	No. 0	No. 1	No. 2
For Pipes ...	$\frac{3}{8}$ to $\frac{1}{2}$	$\frac{1}{2}$ to $\frac{3}{4}$	$\frac{3}{4}$ to $1\frac{1}{2}$ inches.
	2/-	2/-	3/- each.



6581 Plumbers' Black per tin 1/- each.

6582 The "Homewood" Reseating Tool—

Complete Set, including two Taper-screwed Cones and four Cutters, $\frac{11}{16}$, $\frac{3}{4}$, $\frac{13}{16}$, and $\frac{7}{8}$ in. ... 27/- each.

Tap Reseating Tool complete with right-hand threaded cone and one $\frac{13}{16}$ cutter ... 15/- "

Large size Taper Cones (suitable for large Bath Taps) ... 6/- "

Extra large Taper Cones (for Jenkins and other h.w. valves) ... 9/- "

Spare Cutters ... $\frac{3}{8}$ and $\frac{11}{16}$, 2/9 each ... $\frac{3}{4}$ and $\frac{13}{16}$, ... 4/3 "

" " ... $\frac{3}{8}$ and $\frac{13}{16}$, 3/6 " ... 1 and $1\frac{1}{16}$, ... 5/3 "

" " ... $1\frac{1}{8}$ and $1\frac{3}{16}$, 4/6; $1\frac{1}{4}$ and $1\frac{5}{16}$, 5/-; $1\frac{3}{8}$ and $1\frac{1}{2}$...

Ball Valve Reseater only, complete set with 2 Cones and 2 Cutters, 12/6 per set.



6582

PLUMBERS' AND PAINTERS' BLOW LAMPS.

For Petrol



6587

6587 "Shamroek" Blow Lamps for Petrol or Benzoline with Self-cleaning Burner and Automatic Safety Valve. Capacity $\frac{2}{3}$ rd pint ... 15/- each.

6588 Strong Blow Lamps with Pump, for Petrol. Self-cleaning Burner and Automatic Safety Valve. Capacity 1 pint ... 28/6 each.

For Paraffin



6590

6589 "Hibernia" Blow Lamps for Paraffin, with Pump. Horizontal Burner. Capacity 1 pint 18/- each.

6590 As above, with Inclined Burner—Capacity, 1 pint ... 18/- each.

The above lamps are fully warranted — only the best materials are used in their construction, and the bases of all lamps are hard brazed. Each lamp individually tested before being sent out.

Each lamp packed in strong cardboard box.




MARPLES "Shamrock Brand" TOOLS



PAINTERS' AND PAPERHANGERS' TOOLS.

Putty or Stopping Knives



6640 (Spear Point)

Length of Blade 4 4½ 5 5½ 6 inches.

6640 Cocoa Handled Elastic Blade Stopping Knives, Spear Point }
 6641 Ditto ditto ditto Clipt Point } 14/- 14/6 15/- 16/- 18/- dozen.



6645 (Clipt Point)

Length of Blade 4 4½ 5 5½ 6 inches.

6644 Ebony Handled Brass Ferruled Elastic Blade Stopping Knives Spear Point }
 6645 Ditto ditto ditto Clipt Point } 16/6 18/- 19/6 21/- 22/6 dozen.



6645½ (Clipt Point)

Length of Blade 4 4½ 5 5½ 6 inches.

6644½ Ebony Handled Elastic Blade Scale Tang Stopping Knives, Spear Point }
 6645½ Ditto ditto ditto Clipt Point } 15/9 16/6 18/- 19/6 21/- dozen.

Chisel or Stripping Knives



6650 Cocoa Handled Chisel Knives, Skew Point }
 Blade ... 4 × 1½ 4½ × 1¾ 5 × 1½ inches. } 15/- 15/9 16/6 dozen.



6651 Ebony Handled Brass Ferruled Chisel Knives, Skew Point }
 Blade ... 4 × 1½ 4½ × 1¾ 5 × 1½ inches. } 16/6 18/- 21/- dozen.



6651½ Ebony Handled Scale Tang Chisel Knives, Skew Point }
 Blade ... 4 × 1½ 4½ × 1¾ 5 × 1½ inches. } 21/- 21/9 22/6 dozen.



MARPLES "Shamrock Brand" TOOLS



GLAZIERS' TOOLS. Hammers



6600 Glaziers' London-Pattern Hammers, Handled 60/- doz.



6600½ Glaziers' Flat Head Sprig Hammers. This new design enables the easy driving of sprigs close to the glass 24/- doz.

Glass Pliers




6601 Best Forged Steel Glass Pliers, Black Finish, Broad Jaws—
6 7 8 inches.
51/- 60/- 78/- dozen.

Putty Knives



6602A

6602 Glaziers' Putty Knives, Ebony Handle with Brass Ferrule, Stiff Blade, 4 inches 15/- dozen.
6602A As above, Notched Blade, 4 inches 16/- ..
6602B Glaziers' Putty Knives, Boxwood Handle, with Brass Ferrule, Stiff Notched Blade, 4½ inches... 18/- dozen.



6602C Second Qual. Putty Knives, Beech Handle with Brass Ferrule, Clipt Point Blade, 4½ inches 10/6 doz.

Hacking Knives



6605

Hacking Knives with Leather Scale Handle—
6604 With two Rivets, Blade 4 inches 16/6 dozen.
6605 With three Rivets, Blade 4½ inches 18/- ..



6606 Strong Chipping Knives, Leather Scale Handle, Blade 5 inches 27/- dozen.



6607

6607 Solid Steel Hacking Knives, Broad Blade, for Corrugated Iron 24/- dozen.
6608 As above, but with Leather Scale Handle 27/- ..

Glass Cutters and Diamonds



6609 Iron Handled Glass Cutters, One Wheel 6/- dozen.



6610 Rosewood Handled Glass Cutters, One Wheel..... 8/3 dozen.



6611 Turret Head Glass Cutters, 6 Wheels 12/- dozen.



6613 Crown or Thin Sheet Diamonds, suitable up to 15 oz. Glass 32/6 27/- 21/- 15/6 12/- 10/- each.

6616 Thick Sheet Diamonds, suitable for 15 to 32 oz. glass 40/6 31/6 22/6 each.

6617 Plate Diamonds, for Glass ¼ inch thick and above 67/6 40/6 31/6 each.

Leather Cases for Glaziers' Diamonds (extra) 1/6 each.

	A	B	C	D	E	F	Quality
	32/6	27/-	21/-	15/6	12/-	10/-	each.
				X	Y	Z	Quality.
				40/6	31/6	22/6	each.
				R	S	T	Quality.
				67/6	40/6	31/6	each.




MARPLES "Shamrock Brand" TOOLS



PAINTERS' AND PAPERHANGERS' TOOLS—(Continued).

Paperhangers' Rollers



Paperhangers' Rollers, Ebonized Handle—

	Width			
	4	5	6	8
6664 White-wood Roller	19/6	21/-	22/6	24/-
6665 Rubber-covered Roller	39/-	45/-	51/-	60/-

dozen. ..

Seam and Corner Rollers



6666



6667



6669

6666	Boxwood Seam Rollers, 1½ inches wide, Ebonized Handle	18/-
6667	Boxwood Corner Rollers, 1½ inches wide Ebonized Handle	18/-
6669	Boxwood Seam and Corner Rollers, 1 in. and 1½ in. Rolls, Malleable Iron Frame ...	21/-


dozen. dozen. dozen.

Graining Combs and Scrimming Hammers




6676 Paperhangers' Scrimming Hammers 48/- dozen.


	Width ...					
	1	2	2½	3	4	inches.
Painters' Graining Combs—						
6672 Fine, Medium or Coarse	1/6	3/-	3/9	4/6	6/-	dozen.
6673 Graduated	3/-	6/6	7/6	9/-	12/-	..
6674 Sets of 12, assorted	3/6 per set.					
6675 Sets of 12, ditto in tin case	4/-					..



Paperhangers' Scissors



6678



6679½

			10	11	12	inches.
6678	Paperhangers' Scissors, Round Blades, Plain Bows		63/-	75/-	90/-	dozen.
6678½	Ditto ditto Shaped Bows		66/-	81/-	99/-	..
6679	Ditto Flat Blades, Plain Bows		63/-	75/-	90/-	..
6679½	Ditto ditto Shaped Bows		66/-	81/-	99/-	..


For Painters' Blow Lamps, see Index.



MARPLES "Shamrock Brand" TOOLS




TINMEN'S SHEARS.



6706 Tinmen's Stock Shears..... 5/- per lb.

Approximate sizes of No. 6706 Stock Shears—

Length overall	18	20	22	24	26	28	inches.
Length on cut	5	5½	6	6½	7	7½	"
Weight	8	10	12	14	16	18	lbs. each.




Approximate sizes of No. 6707 Block Shears—

Length overall	22	24	26	28	30	32	inches.
Length on cut	4½	5	6	6	6½	7¼	"
Weight	8	10	12	14	16	18	lbs. each.

6707 Tinmen's Block Shears..... 5/- per lb.

BRUSH SHEARS.




6708 Brushmakers' Bench Shears.

Length on cut	10	11	12	13	14	inches.
	60/-	66/-	72/-	84/-	96/-	each.
Adjustable Gauges extra	7/6					each.

COPPER-BIT SOLDERING IRONS.



6710



6711

Weight of Copper Bits	4	6	8	10	12	14	16	18	20	24	28	32	36	ozs. each.
Total Weight (about)	½	¾	1	1¼	1½	1¾	2	2¼	2½	3	3½	4	4½	lbs. "
Copper-Bit Soldering Irons, Ash Handled—														
6710 Straight	16/-	18/-	21/-	25/6	27/-	33/-	36/-	39/-	42/-	48/-	54/-	60/-	66/-	dozen.
6711 Hatchet Shape	18/-	22/6	27/-	30/-	33/-	36/-	39/-	42/-	51/-	57/-	63/-	69/-	75/-	"



MARPLES "Shamrock Brand" TOOLS



TINMEN'S SNIPS AND SHEARS.



Length Overall	8	10	12	inches.
Length on Cut	1 3/4	2 1/4	3 1/4	"

6690 Solid Forged Bow Snips, Bright blades, Handles finished green, Packed singly in cartons,..... 48/- 60/- 84/- dozen.



8	9	10	11	12	14	16	inches.
---	---	----	----	----	----	----	---------

6698 Extra Strong Snips with Bright blades, Handles japanned black 54/- 60/- 66/- 72/- 78/- 129/- 180/- dozen.



6	7	8	9	10	11	12	13	14	16	inches.
---	---	---	---	----	----	----	----	----	----	---------

6700 Best Hand-forged Snips, Straight Blades 25/6 27/- 30/- 36/- 39/- 51/- 60/- 69/- 81/- 117/- dozen.

6701 Second Quality Snips, Straight Blades 21/- 24/- 25/6 33/- 36/- 42/- 51/- — 69/- — ..



6	7	8	9	10	11	12	inches.
---	---	---	---	----	----	----	---------

6702 Best Hand-forged Snips, Curved Blades 33/- 36/- 39/- 42/- 48/- 60/- 72/- dozen.



8	10	12	14	inches.
---	----	----	----	---------

6703 "Safety" Snips, a New Design in which the danger of nipping the palm of the hand is avoided... 27/- 36/- 51/- 72/- dozen.



6704 Best Hand-forged Scotch-Pattern Hand Shears—

8	9	10	12	14	16	18	20	inches.
4/6	5/3	6/-	9/-	12/-	15/-	22/6	27/-	each.



Best Hand-forged Jewellers' Snips, 7 inches—
 6705 Straight Blades 27/- dozen.
 6705 1/2 Bent Blades 36/- ..



MARPLES "Shamroek Brand" TOOLS



TINMEN'S STAKES—(Continued).



6744 Tea Kettle Bottom Stakes—
under 6 lbs. 6 to 11 lbs. over 11 lbs.

3/9 per lb. 3/6 per lb. 3/- per lb.



6747 Tea Pot Neck Stakes—
Standard approx. 7 lbs.

3/9 per lb.



6752 Grooving Stakes—
8 to 11 lbs. over 11 lbs.

4/6 per lb. 3/- per lb.



6753 Creasing Irons—
7 to 11 lbs. over 11 lbs.

4/3 per lb. 3/- per lb.



6745 Half Moon Stakes—
3 to 5½ lbs. over 5½ lbs.

3/3 per lb. 2/9 per lb.



6748 Side Stakes—
12 to 16 lbs. over 16 lbs.

3/6 per lb. 3/- per lb.



6755 Extinguisher Stakes.
Standard approx. 7 lbs.

3/- per lb.




6765 Tinmen's Anvils—
15 to 20 lbs. 21 to 29 lbs. over 29 lbs.

3/- per lb. 2/9 per lb. 2/6 per lb.



6750 Hatchet Stake—
3 to 5 lbs. 5½ to 7½ lbs. over 7½ lbs.

3/- per lb. 2/9 per lb. 2/6 per lb.



6759 Horse Heads—
3 to 3½ lbs. each.

4/6 per lb.



6746 Pepper or Flour Box Heads—
Standard approx. 7 lbs.

3/- per lb.



6758 Tinmen's or Braziers' Horses—
28 to 30 lbs.

2/6 per lb.




MARPLES "Shamrock Brand" TOOLS




COPPER-BIT SOLDERING IRONS—(Continued).

	No. 000 (1½ ozs. Bit).	No. 00 (2½ ozs. Bit).
6712 Gents' Straight Soldering Irons, Polished Beech Handled	15/-	18/- dozen.
6712A Gents' Hatchet Shape ditto ditto	15/-	18/- ..




6712



6712A

	Small.	Large.	
6713 "Wireless" Soldering Irons, Straight Polished Beech Handled	7/6	10/6	dozen.
6713A Ditto ditto Hatchet Shape ditto	7/6	10/6	..

TINMEN'S MALLETS.




	Diam. of Head	1½	1¾	2	2¼	2½	2¾	3 ins. Diam.	
6718 Tinmen's Round Head Mallets, Ash Handled, Boxwood or Lignum Head	12/-	13/6	15/-	19/6	21/-	27/-	30/-		dozen.
6719 Ditto Cane ditto ditto	15/-	16/6	18/-	22/6	24/-	30/-	33/-		dozen.

TINMEN'S BICK IRONS AND STAKES.

These Tinmen's Tools are made from Best Quality Wrought Iron, with Crucible Steel faces, or from Solid Cast Steel.



6737 Tinmen's Bick Irons—	7 to 11 lbs.	12 to 20 lbs.	over 20 lbs.
	3/- per lb.	2/8 per lb.	2/4 per lb.



6738 Pipe Stakes—	7 to 11 lbs.	12 to 20 lbs.	over 20 lbs.
	3/- per lb.	2/8 per lb.	2/4 per lb.



Standard Length, 4 feet. Approx. Weight, 75 lbs. each
Half Round Part, 30×2¼ ins. Flat Part, 18×2¼ ins.

6739 Cast Iron Bars or Mandrels.....	9d. per lb.
--------------------------------------	-------------



6740 Funnel Stakes—	6 to 10 lbs.	11 to 17 lbs.	over 17 lbs.
	3/9 per lb.	3/6 per lb.	3/- per lb.



6742 Saucepan Belly Stakes—	20 to 35 lbs.
	2/6 per lb.



6743 Round Bottom or Canister Stakes—	under 6 lbs.	6 to 11 lbs.	over 11 lbs.
	3/9 per lb.	3/6 per lb.	3/- per lb.



PICTURE FRAMING TOOLS.


Wood Trimmers and Mitre Cutters



6795 Adjustable Wood Trimmers—

Nos.	00	0	1	2	
Stroke	6	8	11	12	ins.
Length and Height of Cut—					
	5½ × 3½	7 × 4	10½ × 5½	11 × 6	ins.
Size of Bed	13 × 5½	18 × 7	23 × 9	27 × 11½	ins.


£7 10 0 £9 9 0 £15 0 0 £19 10 0 each.




6801 "Imperial" Mitre Cutting Machines—

Nos.	1	2	
For Mouldings up to	2½	4½	ins. wide.

45/- 70/- each.




6804 "Marvel" Mitre Cutters and Cramps, with wood bed-strip to take the saw-cut. For Mouldings up to 3½ inches wide..... 15/- each.
Iron Back Saws, 14 inch to suit (extra) 7/- "



6804A "Marvel" Mitre Cutters as 6804, but with Special Jaws for making Dished Frames..... 15/- each.
Iron Back Saws, 14 inch to suit (extra)..... 7/- "


Corner Cramps



6810 Improved Corner Cramps, Painted Red—

Nos.	1	2	3	
To take Mouldings up to	1½	2½	4	ins. wide.

2/6 3/- 4/- each.



6811 Best Corner Cramps, with Roller Grips—

Nos.	1	2	
To take Mouldings up to	2½	4	ins. wide.

5/- 7/- each.



MARPLES "Shamrock Brand" TOOLS



TINMEN'S FOLDING BARS.



6760 Tinmen's Folding Bars, size 12 inches..... 6/- each.

TINMEN'S RIVET SETS, GROOVERS AND PUNCHES.



6770 Double Rivet Sets—
 $\frac{1}{2}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ inch.
 2/3 2/3 2/3 2/6 3/- 3/6 each.



6771 Single Rivet Sets, with clearance hole—
 $\frac{1}{2}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ inch.
 1/6 1/6 1/6 1/9 2/- 2/3 each.



6771A Single Rivet Snaps—
 $\frac{1}{2}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ inch.
 1/6 1/6 1/6 1/9 2/- 2/3 each.



6776 Block Hammers—
 To 1 lb. Above 1 lb. weight each.
 3/9 each. 3/6 per lb.



6778 Hollowing Hammers—
 To 1 lb. Above 1 lb. weight each.
 3/9 each. 3/6 per lb.



6778½ Smoothing Hammers—
 To 1 lb. Above 1 lb. weight each.
 3/9 each. 3/6 per lb.



6779 Stretching Hammers—
 To 1 lb. Above 1 lb. weight each.
 3/9 each. 3/6 per lb.



6780 Riveting Hammers—
 To 1 lb. Above 1 lb. weight each.
 3/9 each. 3/6 per lb.

Handling Tinmen's Hammers (extra)—To 1 lb., 4/6 doz., 1½ lbs. and above, 6/9 doz.



6772 Hand Groovers—
 $\frac{1}{2}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{3}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ $\frac{1}{2}$ inch Groove.
 3/- 3/- 3/3 3/6 3/9 4/- 4/6 each.



6773 Hollow Punches—
 To $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 1½ 1¼ 1½ 1¾ 2 ins.
 1/6 1/9 2/3 2/6 2/9 3/- 3/9 4/3 5/6 6/6 9/- each.



6775 Solid Punches—
 Sizes $\frac{1}{16}$, $\frac{3}{16}$, $\frac{1}{4}$, $\frac{5}{16}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$ inch -/8 each.

HAMMERS.



6781 Planishing Hammers—
 To 1 lb. Above 1 lb. weight each.
 3/9 each. 3/6 per lb.



6785 Round and Square Face Hammers—
 To 1 lb. Above 1 lb. weight each.
 3/9 each. 3/6 per lb.



6787 Creasing Hammers— To 1 lb. weight each.
 3/9 each.



6788 Panning Down Hammers— To 1 lb. weight each.
 3/9 each.


	To 1 lb.	Above 1 lb. each.
6790 Flat Hammers	3/9 each.	3/6 per lb.
6791 Convex Hammers	5/9 each.	5/9 per lb.
6792 Concave Hammers	6/6 each.	6/6 per lb.



MARPLES "Shamrock Brand" TOOLS




MINCING KNIVES.



Square Mincing Knives—

6 7 inches.

- 6850 Best Cast Steel 24/- 30/- dozen.
 6850A Common 18/- 21/- "



Half-round Mincing Knives—

6 7 inches.

- 6851 Best Cast Steel 24/- 30/- dozen.
 6851A Common 18/- 21/- "




Improved Mincing Knives, Best Cast Steel—

6 7 inches.


- 6854 Square 42/- 45/- dozen.
 6855 Half-round 42/- 45/- "

SUET CHOPPING KNIVES.



6860 Best Cast Steel Suet Chopping Knives... 30/- dozen.

PIG SCRAPERS.




6863

- Pig Scrapers, Ash Handled, Through Tanged—
 6863 with Hook (as illustrated) 42/- dozen.
 6863½ without Hook 39/- "


BAKERS' SCRAPERS



- 6864 Bakers' Rectangular Dough Scrapers, Round
 Beechwood Backed, Rivetted—
 6 8 10 inches.
 36/- 45/- 60/- dozen.



- 6865 Dough Scrapers, Polished Beech Handled,
 Through Tanged 18/- dozen.



6866 Socket Dough Scrapers, all bright 46/- dozen.




MARPLES "Shamroek Brand" TOOLS



PICTURE FRAMING TOOLS, (continued.)

Mitre Templets



6812 Iron Square and Mitre Templets, 6 in.... 30/- dozen.
Aluminium Finished.




Length 3½ 4½ 6 inches.

6814 Brass Mitre Templets 27/- 39/- 54/- dozen.




6813 Beechwood Mitre Templets, 6 inches..... 15/- dozen.




6815 Iron Mitre Templets, 6 inches..... 24/- dozen.
Aluminium Finished.

Mitre Boxes




Nos.	1	2
To take Mouldings up to	3 × 2	4 × 2 inches.

6820 Beechwood Mitre Boxes 2/- 2/6 each.



Length 10 12 inches.

6816 Beechwood Mitre Blocks 1/- 1/3 each.



6821

Nos.	1	2
To take Mouldings up to	3 × 2	4 × 2 inches.

6821 Improved Beechwood Mitre Boxes
With Adjustable Saw Guides 3/9 4/3 each.

6822 "BB" Quality Beechwood Mitre
Boxes, with Adjustable Saw
Guides, but without extension
piece 3/3 3/9 each.


Mount Cutting Knives



6844 Mount Cutting Knives, Cast Steel Blade and Rose-
wood Pad, Brass Ferruled 27/- dozen.

6847 Blades only for Mount Cutting Knives 6/- dozen.

Shuteing Boards



6836

18 24 inches.

6836 Beechwood Shuteing Boards, Mitre 10/6 12/- each.
6837 ditto ditto Square 10/6 12/- "

Guillotine Shears



6840 Mount Cutters Guillotine Shears, Hollow Ground,
to screw to board or table. Coil Spring keeps
blades in contact whole length of cut—
Length of cut 11 13 15 18 24 inches.


21/- 27/- 33/- 45/- 78/- each.



MARPLES "Shamrock Brand" TOOLS



COOKS' FORKS AND KNIVES.



6880

- | | | | |
|----------|---|------|--------|
| 6880 | Beech Handled Cooks' Forks, Bright, 3 prongs, 11 1/2 inches overall (without Guard) | 15/- | dozen. |
| 6880 1/2 | Ditto ditto ditto with Brass Guard | 18/- | " |
| 6881 | Ditto Nickel Plated, ditto ditto Nickeled Guard | 24/- | " |



4 5 6 7 8 9 10 11 12 inches.

- | | | | | | | | | | | | |
|------|--|------|------|------|------|------|------|------|------|-------|--------|
| 6882 | Best French-Pattern Cooks' Knives, Ebony Scale Tang— | 36/- | 39/- | 42/- | 48/- | 57/- | 69/- | 81/- | 99/- | 114/- | dozen. |
|------|--|------|------|------|------|------|------|------|------|-------|--------|



4 5 6 7 8 9 inches.

- | | | | | | | | | |
|------|---|------|------|------|------|------|------|--------|
| 6885 | Best French-Pattern Cooks' Forks, Forged Steel Prongs, Ebony Scale Tang | 60/- | 60/- | 60/- | 69/- | 81/- | 99/- | dozen. |
|------|---|------|------|------|------|------|------|--------|

POTATO KNIVES AND BREAD KNIVES.




6886




6889

- | | | | |
|------|---|------|--------|
| 6886 | "Potato" or "Onion" Knives, Beech Handled— | 9/- | dozen. |
| 6887 | Ditto ditto Boxwood Handled | 10/6 | " |
| 6888 | Potato Knives, Beech Scale Handled ... | 8/3 | dozen. |
| 6889 | Ditto Rosewood Scale Handled, Stainless Blade | 15/- | " |




- | | | | |
|------|---|------|--------|
| 6890 | Ebony Scale Handled Kitchen Knives, Stainless Blade | 18/- | dozen. |
|------|---|------|--------|



- | | | | |
|------|--|------|--------|
| 6895 | Serrated Edge Bread Knives, Xylonite Handles | 39/6 | dozen. |
|------|--|------|--------|

ASPARAGUS KNIVES.



6905

- | | | | |
|------|--|------|--------|
| 6905 | Asparagus Knives, Round Beech Handled | 39/- | dozen. |
| 6906 | Best Cast Steel Asparagus Knives, Flat Ebony Handled | 54/- | " |



MARPLES "Shamrock Brand" TOOLS



BREAD RASPS.



6867 Bread Rasps, Ash Handled 48/- dozen.


SUGAR NIPPERS.



6868 Sugar Nippers, all bright—

7	8	9	10 inches.
4/-	4/6	5/-	6/6 each.

CHEESE KNIVES.



6869 Improved Cheese Knives, Best Cast Steel—

8	9	10 inches.
7/6	8/3	9/- each.

BUTTER AND CHEESE TASTERS.




Length of Scoop ... 14 16 18 20 22 24 26 28 30 36 inches.

6871 Butter Tryers, Wood Handled..... 12/- 18/- 21/- 21/- 21/- 21/- 21/- 22/6 24/- 25/6 each.



6872 Bright Key-bow Cheese Tasters—

Length of Scoop	3	4	5 inches.
	18/-	21/-	24/- dozen.



6873 Bright Hammer Head Cheese Tasters—
 Length of Scoop, 5 inches 39/- dozen.



6874 Best Bright Cast Steel Cheese Tasters, Rosewood Tipped Handle—

Length of Scoop ...	3 1/4	5 inches.
	42/-	48/- dozen.

HAM TRYERS.



6876 Ham Tryers, Polished Beech Handled 21/- dozen.



MARPLES "Shamrock Brand" TOOLS



BUTCHERS' STEELS.



		Length of Blade ...		
		10	12	14 inches.
6938	Butchers' Steels, Polished Black Wood Handle, Brass Guard, Plated Swivel	4/-	5/-	5/9 each.



		Length of Blade ...		
		10	12	14 inches.
6939	Butchers' Steels, Stag Handle, Brass Guard and Cup, Plated Swivel	6/-	6/9	7/6 each.



		Length of Blade ...		
		10	12	14 inches.
6940	Butchers' Steels, Stag Handle, Brass Guard and Mounts, Improved Swivel	7/6	8/3	9/- each.



		Length of Blade ...		
		10	12	14 inches.
London-Pattern Butchers' Steels, Bolstered Blade, N. S. Ferrule, London-Plated Swivel—				
6941	Rosewood Handled	6/6	7/6	9/- each.
6942	Horn Handled	6/9	8/-	9/6 "

BUTCHERS' HOOKS AND SKEWERS.



6943	Butchers' Steel "S" Hooks, Pure Tinned—	
	4 inch × 6 w.g.	10/6 gross.
	5 inch × 5 w.g.	15/- "
	6 inch × 4 w.g.	21/- "



6944	Sets of 12 Bright Steel Skewers on Hanger—	
Assd.	5 to 10 6 to 11 7 to 12 inches.	
	6/- 7/6 10/6 doz. sets.	
6944S	Sets of 12 Stainless Steel Skewers on Hanger—	
Assd.	3 to 8 5 to 10 inches.	
	21/- 33/- doz. sets.	
6945	Butchers' Steel Skewers, Pure Tinned—	
	12in. × 5w.g. 14in. × 2w.g. 16in. × 1w.g.	
	2/6 5/- 6/- doz.	

6944



MARPLES "Shamrock Brand" TOOLS



FISH CHOPPERS.




		Length of Blade	11	12	inches.
6908	Fish Chopping Knives, Leather Scale Handled		60/-	69/-	dozen.

HAM KNIVES.




		Length of Blade	10	12	14	16	inches.
6910	Ham or Counter Knives, Beechwood Handled	34/6	54/-	69/-	99/-	dozen.	
6911	Ditto Rosewood Handled	39/-	57/-	75/-	108/-	dozen.	
		Length of Blade	10	12	14	16	inches.
6912	Cranked Ham Knives, Rosewood Handled	48/-	69/-	93/-	120/-	dozen.	


BUTCHERS' KNIVES.




		6923									
		Length of Blade	5	6	7	8	9	10	11	12	inches.
6920	C.S. Butchers' Knives, Ebony Handled, 3 Brass Screws.....	21/-	24/-	27/-	33/-	36/-	42/-	54/-	66/-	dozen.	
6920S	As above, but Double Shear Steel Blade	31/6	33/-	42/-	45/-	54/-	63/-	72/-	84/-	dozen.	
		Length of Blade	5	6	7	8	9	10	11	12	inches.
6923	C.S. Butchers' Knives, Rosewood Handled 1 Brass Screw and 4 Pins	18/-	21/-	25/6	27/-	33/-	39/-	45/-	54/-	dozen.	
6923S	As above, but Double Shear Steel Blade	27/-	31/6	39/-	42/-	51/-	60/-	66/-	78/-	dozen.	



6925	C.S. Butchers' Sticking Knives, 6 inches, Rosewood Handled, 1 Brass Screw and 4 Pins	21/-	dozen.								
6925S	As above, but Double Shear Steel Blade	33/-	dozen.								



6926	C.S. Butchers' Boning Knives, 6 inches, Rosewood Handled, 1 Brass Screw and 4 Pins	21/-	dozen.								
6926S	As above, but Double Shear Steel Blade	33/-	dozen.								



6927	C.S. Butchers' Skinning Knives, 6 inches, Rosewood Handled, 1 Brass Screw and 4 Pins	27/-	dozen.								
6927S	As above, but Double Shear Steel Blade, Rosewood Handled, 5 Pins	34/6	dozen.								

BLOCK SCRAPERS.

6928	Butchers' Block Scrapers, Beech Handled.....	42/-	dozen.								
------	--	------	--------	--	--	--	--	--	--	--	--




MARPLES "Shamrock Brand" TOOLS



TIN OPENERS.



6972 Tin Openers, Beech Handled 9/- dozen.




6974 "Bull Head" Tin Openers, Bronzed ... 13/6 dozen.



6976 Large Extra Strong Tin Openers, Iron Handled, Black Japanned 21/- dozen.

CHAMPAGNE NIPPERS.




6983 Best Bright Champagne Nippers, with Brush— 8/3 each.

ICE PRICKERS.



6995 Through-Tanged Ice Picks, 6 inch Blade pinned through ferrule, Black handle 18/- dozen.



6996 Small Square Point Ice Picks, Beech Handled, Blade 6 inches 10/6 dozen.

6997 Common Spindle Blade Ice Picks, Beech Handled, Blade 9 inches 13/6 ..

6998 Strong C.S. Ice Picks, Octagon Boxwood Handled 13/6 14/3 15/- 16/6 18/9 21/- dozen.

6998 1/2 Ditto ditto ditto Through-tanged 15/9 16/6 17/3 18/9 21/- 23/3 ..

Length of Blade ... 5 6 7 8 9 10 inches.

OYSTER KNIVES.



6989 Spear Point Oyster Knives, Ash Handled— 12/- dozen.



6990 "Billingsgate" Oyster Knives, Polished Beech Handled..... 12/- dozen.

6991 "Improved" Pattern with Polished Beech Ball Handle 12/- dozen.



6992 "Sydney" Pattern Oyster Knives, Polished Beech Handled..... 12/- dozen.




6993 Spear Point Oyster Knives, with Guard, Stag Handled 33/- dozen.

APPLE SCOPES.



6994 Apple Corers, Wood Handled, assorted three sizes— 10/6 dozen.




6998




MARPLES "Shamrock Brand" TOOLS



CORKSCREWS



6946 Yellow Handle, Shank Bur-nished, Thread Worm 6/9 doz.



6947 Brown Handle, Nickel Plated, Thread Worm ... 9/- dozen.




6948 Solid Handle, Nickel Plated, Plain Worm 13/6 dozen.




6949 Boxwood Handle, Nickel Plated Centre Worm 12/- dozen.



6950 Ring Handled, Nickel Plated Plain Worm 13/6 dozen.



6954 Horn Handle, Adelaide Pattern, with Spike, Plain Worm— 18/- dozen.



6957 Best Stag Handle, Nickel Plated Plain Worm 27/- dozen.



6964 Cards of 12 Corkscrews, Thread Worm, assorted Handles— 12/- per card.



6968 Folding Pocket Corkscrews, Nickel Plated— 2½ 3 inches 12/- 15/- dozen.



MARPLES "Shamrock Brand" TOOLS



STEEL NAME STAMPS.

N.B.—When ordering write name in **BLOCK LETTERS**.



Size of letters $\frac{3}{16}$ $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 inch.

7060	Joiners' Light Name Stamps for Wood (3 letters and above)	-4½	-4½	-7½	-10½	1/-	1/3	1/6	2/-	per letter.
7061	Heavy C.S. Name Stamps for Iron and Steel (3 letters and above)	-7½	-7½	-10½	1/1½	1/3	1/9	2/-	2/6	" "

For Stamps of 2 letters only, add 25% to above prices "per letter." If no size is given we make Name Stamps with $\frac{1}{2}$ inch letters.

STEEL FIGURES AND LETTERS AND MARKING HAMMERS.



7062

Size ... $\frac{1}{16}$ $\frac{3}{32}$ $\frac{1}{8}$ $\frac{3}{16}$ $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ $\frac{1}{2}$ $\frac{5}{8}$ 1 inch.

7062	Sets of 9 C.S. Figure Stamps, in Tin Case	5/3	5/3	5/3	6/-	6/9	7/6	9/-	11/3	13/6	15/9	per set.
7063	Sets of 27 C.S. Letter Stamps ditto	15/9	15/9	15/9	18/-	20/3	22/6	27/-	33/9	40/6	47/3	" "
7064	Sets of 9 Cheaper Quality Figure Stamps— (in Tin Case)	4/-	4/-	4/-	4/6	5/3	6/-	7/6	9/-	11/3	12/6	" "
7065	Sets of 27 Cheaper Quality Letter Stamps— (in Tin Case) ...	12/-	12/-	12/-	13/6	15/9	18/-	22/6	27/-	33/9	37/6	" "

Size of Letters ... $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ 1 inch.

7067½	Timber Marking Hammers, Handled—1 Letter	7/6	8/3	9/-	10/6	each.
	2 Letters	9/-	10/6	12/9	15/-	"
	3 Letters	12/-	13/6	18/-	21/-	"

N.B.—Timber Marking Axes made "to order."

BURN BRANDS AND SHEEP MARKS.




Size of Letters ... $\frac{5}{16}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 inch.

7070	Wrought Iron Burn Brands—1 Letter Brands.....	2/-	2/3	3/-	3/9	4/6	5/3	6/-	each.
	2 Letter Brands.....	2/9	3/3	5/-	6/-	7/6	9/-	10/6	"
	3 Letter Brands.....	3/9	4/6	6/9	8/3	10/6	12/9	15/-	"
	4 Letters and above	1/3	1/6	2/-	2/6	3/-	3/9	4/6	per letter.

Size of Letters ... 2 2½ 3 4 inches.

7076	Sheep Brands for Paint or Tar—1 Letter Brands.....	2/-	2/3	2/9	3/3	each.
	2 Letter Brands.....	3/9	4/3	5/-	6/-	"
	3 Letter Brands.....	5/6	6/3	7/6	9/-	"

LOOSE LETTER BURN BRANDS.



Size of Letters ... $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ 1 inches.

7077	Cast Iron Burn Brands with Loose Letters and Figures— Cast Frames to take 3 Letters or Figures	1/9	2/-	3/6	5/-	each.
	" " " 5 " "	2/6	4/-	5/-	6/-	"
	" " " 7 " "	3/-	5/6	6/-	7/6	"
	Cast Iron Letters or Figures for above	-6	-7½	-9	1/-	each.



MARPLES "Shamrock Brand" TOOLS



TRACING WHEELS.




7000 Tracing Wheels, Single Wheel... 9/- dozen.



7006 Dressmakers' Piercing Awls, Beech Handled
5/- dozen.

PACKING NEEDLES.



7012 Best Quality Packing Needles—
3 3½ 4 4½ 5 5½ 6 7 8 ins.
6/- 7/6 9/- 10/6 13/6 16/6 19/6 36/- 45/- gross.

RUG NEEDLES.



7014 Best Eyed Rug Needles, Beech Handled 7/6 dozen.




7015 Plier Rug Needles, Beech Handled 9/- dozen.

STATIONER'S AWLS.



7019 Stationers' Eyed Awls, Beech Handled, Through Pinned—
9/- dozen.


TOBACCO CUTTERS.



7021

7021 Cavendish Tobacco Cutters, 3¼ in. Blade, mounted on Polished
Beechwood Block 3/6 each.
7022 As above, Improved Swivel, Larger Block (without back)—
4/- each.

MAGNETS.



7028 Horse Shoe Magnets—
2 2½ 3 3½ 4 4½ 5 inches.
5/6 6/- 7/6 10/6 15/- 19/6 22/6 dozen.
6 7 8 9 10 12 inches.
30/- 54/- 72/- 90/- 120/-180/- dozen.



TIMBER SCRIBES.



7110 Swan-neck Timber Scribes,
Beech Handled 30/- dozen.



7112 Timber Scribes to work a circle,
Rosewood Handled, to cut $1\frac{1}{4}$,
 $1\frac{1}{2}$ or $1\frac{3}{4}$ in. circle... 5/6 each.



7115 Adjustable Timber Scribes, to
work circles, Rosewood Handled
12/- each




7116 Folding Pocket Timber Scribes, Stag Horn Handled.... 45/- dozen.

7116 $\frac{1}{2}$ As above, with Pocket Knife Blade added 69/- ..

TIMBER GOUGES AND SWORDS.



7118 Timber Testing Gouges, curved,
 $\frac{3}{4}$ inch, Rosewood Handled, with
Leather Sheath..... 3/6 each.



7119 Timber Girthing Swords, with bright flexible steel blade,
25 inches long, Boxwood Handled..... 7/6 each.

REAPER OILCANS.



7148 Reaper Oilcans 9/6 dozen.



MARPLES "Shamrock Brand" TOOLS



"SHAMROCK BRAND" CAST STEEL SHEEP SHEARS.



- 7079 Strong Dagging or Docking Shears, Half Bright, Black Bow, 3½ in. Bright Shanks—

5	5½	inches.
<hr/>		
42/-	45/-	dozen.




- 7080 Half Bright Sheep Shears, Black Bow, 4 inch Bright Shanks—

5½	6	6½	7	inches.
<hr/>				
45/-	45/-	48/-	51/-	dozen.

- 7082 All Bright Sheep Shears, 4½ inch Shanks—

5½	6	6½	7	inches.
<hr/>				
54/-	57/-	60/-	63/-	dozen.




- 7083 Best Swaged Sheep Shears, All Bright, 4½ inch Shanks

5½	6	6½	7	inches.
<hr/>				
57/-	60/-	63/-	66/-	dozen.


- 7084 As above, Whale Edge 60/- 63/- 66/- 69/- dozen.

N.B.—Bent Sheep Shears, in any of above patterns, 1/6 dozen extra.



- 7086 Weyman-Pattern Sheep Shears, All Bright, Small Bow, 5 inch Shanks—


5½	6	6½	7	inches.
<hr/>				
60/-	63/-	66/-	69/-	dozen.



- 7087 Double Bow Sheep Shears, Best Swaged, Whale Edge 4½ inch Shanks—

5½	6	6½	7	inches.
<hr/>				
66/-	69/-	72/-	75/-	dozen.

N.B.—Bent Sheep Shears, 1/6 dozen extra.



- 7088 Trowel Shank Sheep Shears, Best Swaged, Whale Edge, All Bright, 4½ inch Shanks—

5½	6	6½	7	inches.
<hr/>				
78/-	81/-	84/-	90/-	dozen.

HORSE CLIPPERS.



- 7092 "The Handicap" Horse Clippers warranted Quality 8/3 each.



- 7093 "The Warwick" Horse Clippers, Centre Adjustment, cuts over three teeth 15/- each.



MARPLES "Shamrock Brand" TOOLS



TOOL BASSES.



7175


Carpenters' "Hardwear" Brown Canvas Basses, Bound Edges, Lined—

Nos.	1	2	3	4	5	6
Width	23	27	30	33	36	39 inches.

7175 As illustrated— 33/- 36/- 39/- 48/- 54/- 66/- dozen.

7175½ With Brass Eyelets— 39/- 42/- 45/- 51/- 60/- 72/- ..

7175 "L" As illustrated, but with Leather Bottom—
— 48/- 51/- 60/- 69/- 78/- ..



7176 Plumbers' "Hardwear" Brown Canvas Bags, Brass Eyelets, Rope Handle—

Size	15 x 20	18 x 20	26 x 20 inches.
	3/-	3/6	5/- each.

7176½ With Leather Bottom—
4/6 5/- 6/6 ..

GLUE POTS.



7178 Iron Glue Kettles, Tinned Pan—

Nos.	8°	6°	4°	3°	2°	0	1
Capacity	1½	1	¾	½	¼	1	1½ pint.

Nos. 2 3 4 5 6 7 8 10

Capacity 1½ 2 2½ 3 3½ 4 5 8 pints.

7/6 9/- 10/9 12/9 15/- 17/6 19/6 25/6 each.



7177 "Safety" Glue Pot Stands, Gas Heated, complete with Iron Glue Kettle, 1½ pint..... 22/6 each.

7186 Stamped Steel Glue Kettles— 8° 4° 2° 1
1/- 2/6 3/- 3/9 ea.

¾ 1 inch dia.

7180 Glue Brushes, Iron Bound 15/- 22/6 dozen.

OIL STONES AND GOUGE SLIPS.

7333 Best Welsh Oil Stones, Assorted sizes -/9 per lb.
7334 Ditto Gouge Slips ditto 1/6 per lb.

7345 Pike's American Washita Oil Stones, No. 1 Quality—
In 14 lb. Boxes, assortment 8 x 2 x 7/8-1 1/8 ins. 3/9 per lb.
" " " " 9 x 2 x 7/8-1 1/8 ins. 3/9 ..

7346 Pike's American Washita Oil Stones, "Lilywhite" Quality—
In 14 lb. Boxes, assortment 8 x 2 x 7/8-1 1/8 ins. 4/9 per lb.
" " " " 9 x 2 x 7/8-1 1/8 ins. 4/9 ..



7346½ American Washita Oil Stones, No. 2 "Red Label" Quality, in 14 lb. Boxes, assortment 8 x 2 x 7/8-1 1/8 in. 2/6 per lb.
7347 No. 1 Washita Gouge Slips. In 5 lb. Boxes, about 3 to 5 in. x 1 1/4 to 2 in. x 3/8 to 5/8 in. x 1/4 to 5/8 in. ... 3/3 per lb.
7348 "Lilywhite" Washita Gouge Slips. In 5 lb. Boxes, about 3 to 5 in. x 1 1/4 to 2 in. x 3/8 to 5/8 in. x 1/4 to 5/8 in. ... 9/- per lb.

STOCKED OIL STONES.


7380	Best Welsh Oil Stones, in Polished Pine Case	Size of Stone ...	6	7	8 inches.
			2/6	3/-	3/6 each.
7385	Pike's American Washita Oil Stones, No. 1 Quality, in Polished Pine Case	Size of Stone ...		8	9 inches.
7386	Ditto ditto "Lilywhite" Quality ditto			8/3	9/9 each.
7386½	American Washita Oil Stones, No. 2 "Red Label" Quality ditto			10/6	11/3 ..
				6/-	6/9 ..



MARPLES "Shamrock Brand" TOOLS




ENGINEERS' MACHINE OIL CANS.



7150 Small Machine Oil Cans, $\frac{1}{4}$ pint—
21/- dozen



7152 Strong Tin Oilfeeders, Revolving Top,
Steel Valve—
Capacity $\frac{1}{4}$ $\frac{1}{2}$ $\frac{3}{4}$ 1 $1\frac{1}{2}$ 2 pints.
18/- 21/- 24/- 27/- 39/- 42/- dozen.



7153 Seamless Steel Oilfeeders, Slide Top,
Steel Valve—
Capacity $\frac{1}{4}$ $\frac{1}{2}$ $\frac{3}{4}$ 1 $1\frac{1}{2}$ 2 pints.
27/- 33/- 42/- 48/- 57/- 66/- dozen.

LOCOMOTIVE OILERS.



Length ... 18 24 inches.

7156 Locomotive Oilfeeders, with Double Valve 7/6 9/- each.

BENCH AND SEWING MACHINE OIL CANS.




7160 Bench Oil Cans,
Tin Bottom, $2\frac{1}{2}$ in. diam.
8/3 dozen.

7161 Bench Oil Cans,
Brass Bottom, $2\frac{1}{2}$ in. diam.,
11/3 dozen.



7162 Carpenters' Bench
Oil Cans, with Wide Mouth,
Brass Bottom, $2\frac{1}{2}$ in. diam.,
13/6 dozen.



7167 Moore's Patent
"Leak-Proof" Bench Oil
Cans, Brass Bottom, $2\frac{1}{2}$ in.
diam. 15/- dozen.



7169 Sewing Machine
Oil Cans, with long Spout,
Tin Bottom, $2\frac{1}{2}$ in. diam.,
8/3 dozen.



India Oilstone



Norton Combination Stone

OILSTONES AND GOUGE SLIPS—(Continued).

PIKE INDIA OILSTONES

00	Sharpening Stone	9" × 2" × 1"	Fine, Medium or Coarse	9/5 each.
01	" "	9" × 1 1/4" × 1 1/4"	" " "	10/5 "
0	" "	8" × 2" × 1"	" " "	6/3 "
1	" "	8" × 1 1/2" × 1 1/4"	" " "	7/4 "
1 1/2	" "	7" × 2" × 1"	" " "	5/3 "
2	" "	6" × 1 1/2" × 1/2"	" " "	4/2 "
3	" "	4" × 1" × 1/2"	" " "	2/6 "
24	" "	4 1/2" × 1 1/2" × 1/2"	" " "	3/2 "
29	" "	6" × 2" × 1"	" " "	4/10 "
0	Combination Stone	8" × 2" × 1"	8/4 "
1	" "	8" × 1 1/4" × 1 1/4"	9/5 "
1 1/2	" "	7" × 2" × 1"	7/4 "
2	" "	6" × 1 1/2" × 1/2"	5/8 "
3	" "	4" × 1" × 1/2"	3/7 "
24	" "	4 1/2" × 1 1/2" × 1/2"	4/2 "
29	" "	6" × 2" × 1"	6/3 "
13	Round Edge Slip	4 1/2" × 1 1/4" × 1/2" × 3/16"	Fine, Medium or Coarse	2/9 "
14	" "	4 1/2" × 1 1/4" × 3/8" × 1/8"	" " "	2/9 "
15	" "	4 1/2" × 1 1/4" × 1/2" × 1/16"	" " "	2/9 "
21	Special Gouge Slip	6" × 2" × 1" × 1/2" × 3/8"	" " "	6/3 "
22	Round Edge Slip	4 1/2" × 2 1/4" × 1/2" × 1/16"	" " "	4/2 "
	Norton "Quick Cut" Combination Stones	7" × 2" × 1"		1/9 "
	" " " " " " " "	8" × 2" × 1"		2/- "
	Wood Boxes for Stones	8" × 2" 1" ... 7" × 2" 1" ... 6" × 2" × 1"		1/8 each.
	8" × 1 1/4" × 1 1/4" ... 6" × 1 1/2" × 1/2" ...		

(Above are a few Stock sizes. Full list sent on application).



MARPLES "Shamrock Brand" TOOLS



RAZOR HONES.

	Size of Stone ...	6	7	8 inches.
7396 Belgian Razor or Penknife Honers (unmounted) Best Quality.....		6/6	9/9	13/6 each.

CARBORUNDUM SHARPENING STONES, ETC.



By special arrangement with the Manufacturers we are able to offer any of the Carborundum or Aloxite Stones at the Manufacturers' List Prices, and can give prompt delivery of most items from our own extensive stocks.

107	Combination Stone	4" diam. 1" thick		4/6 each.
108	"	8" x 2" x 1"		6/3 "
109	"	6" x 2" x 1"		4/6 "
110	"	7" x 2" x 1"		5/3 "
111	"	5" x 2" x 3/4"		3/6 "
112	"	4" x 1 1/4" x 3/8"		3/- "
114	"	(Sportsman's in Leather Case) 4" x 1 1/2" x 1/2"		4/6 "
115	Sharpening Stone	8" x 2" x 1"	fine	5/3 "
115A	"	(Aloxite) 8" x 2" x 1"	fine	5/3 "
116	"	8" x 2" x 1"	medium	5/3 "
116A	"	(Aloxite) 8" x 2" x 1"	medium	5/3 "
117	"	8" x 2" x 1"	coarse	5/3 "
118	"	8" x 2" x 3/4"	fine	4/9 "
119	"	8" x 2" x 3/4"	medium	4/9 "
121	"	6" x 2" x 1"	fine	4/- "
122	"	6" x 2" x 1"	medium	4/- "
123	"	6" x 2" x 1"	coarse	4/- "
124	"	6" x 2" x 5/8"	fine	3/3 "
125	"	6" x 2" x 5/8"	medium	3/3 "
130	"	6" x 1 1/2" x 1/2"	fine	2/6 "
131	"	6" x 1 1/2" x 1/2"	medium	2/6 "
133	"	7" x 2" x 1"	fine	4/6 "
134	"	7" x 2" x 1"	medium	4/6 "
135	"	7" x 2" x 1"	coarse	4/6 "
136	"	5" x 2" x 5/8"	fine	2/9 "
137	"	5" x 2" x 5/8"	medium	2/9 "
142	"	4" x 1 1/2" x 1/2"	fine	2/3 "
143	"	4" x 1 1/2" x 1/2"	medium	2/3 "
145	"	4" x 1" x 1/4"	fine	1/6 "
149	Pocket Hone	3" x 7/8" x 3/8"	fine	-/9 "
154	Slip Stone	4 1/2" x 2 1/2" x 5/16"	extra fine	3/6 "
155	"	4 1/2" x 1 1/2" x 1/8"	extra fine	2/9 "
177	"	4 1/2" x 1 1/2" x 1/8"	fine	2/3 "
178	"	4 1/2" x 1 1/2" x 1/8"	medium	2/3 "
178A	"	(Aloxite) 4 1/2" x 1 1/2" x 1/8"	medium	2/3 "
179	"	4 1/2" x 1 1/2" x 1/8"	coarse	2/3 "
180	"	4 1/2" x 2 1/2" x 5/16"	fine	3/3 "
181	"	4 1/2" x 2 1/2" x 5/16"	medium	3/3 "
183	"	4 1/2" x 1 1/2" x 1/8"	fine	2/3 "
183A	"	(Aloxite) 4 1/2" x 1 1/2" x 1/8"	fine	2/3 "
184	"	4 1/2" x 1 1/2" x 1/8"	medium	2/3 "
184A	"	(Aloxite) 4 1/2" x 1 1/2" x 1/8"	medium	2/3 "
185	"	4 1/2" x 1 1/2" x 1/8"	coarse	2/3 "
186	"	4" x 1" x 1/8"	fine	1/9 "
187	"	4" x 1" x 7/16"	medium	1/9 "

(Above are a few Standard sizes. Full list sent on application).

For Carborundum Scythe Stones, see Index.



MARPLES "Shamrock Brand" TOOLS



EMERY WHEELS AND BUFFS.

7430 Emery Wheels—

3 × 1½	4 × 2	5 × 2½	6 × 3	7 × 3½	8 × 18 × 1½	9 × 1½	10 × 1	10 × 1½	12 × 1½	
2/6	3/3	4/-	7/-	9/-	16/-	20/-	23/-	26/-	28/-	40/- each.

N.B.—When ordering Emery Wheels, the diameter of Spindle Hole must be stated, also class of work to be undertaken.

"CARBORUNDUM" and "ALOXITE" Grinding Wheels at Manufacturers' Prices.


4 × 1	5 × 1	6 × 1½	7 × 1½	8 × 1½	9 × 1½
-------	-------	--------	--------	--------	--------

7436 Leather-covered Polishing Buffs	5/-	7/-	8/-	9/-	10/-	11/-	each.
7437 Loose Grey Polishing Mops	1/-	1/6	2/6	4/-	4/6	5/-	"
7438 Solid Felt Polishing Bobs (all sizes)	15/- per lb.						

Approx. weight of Felt Bobs—

6 × 1½	8 × 18 × 1½	8 × 2	9 × 1	9 × 1½	9 × 2	10 × 1	10 × 1½	10 × 2	12 × 1	12 × 2	
10½	13	20	26	17	25	34	22	33	44	30	60 lbs. per doz.

HAND AND TREADLE GRINDERS.



- 7445 Improved Hand Bench Grinders, Machine-cut Gears, best Vitrified Corundum Wheel, and Adjustable Grinding Rest—

Size of Wheel 4 × 1 5 × 1 6 × 1 inches.

11/- 12/- 14/- each.


- 7446 Amateurs' Hand Bench Grinders, Machine Cut Gears, Adjustable Grinding Rest. Fitted with Abrasive Wheel, 3 × 1 in. 6/- each.

- 7450 Ball Bearing Treadle Grinders, fitted with best quality Abrasive Wheel, 6 × 1 in. and Adjustable Grinding Rest. The Treadle is in the most convenient position for utilising the full weight of the body, and the chain and free-wheel action ensures a quick return. Fitted with flanges for securing to wall and floor 37/- each.



CARBORUNDUM NIAGARA GRINDERS.

POWER GRINDER



No. 5. Complete with two Carborundum Wheels (fine and coarse) size 7 inches in diameter and 1½ inches thick. Fast and loose pulleys are fitted and take up all end play, and are domed to keep a 1½ in. belt in position without any trouble. A large clearance is allowed beneath the pulleys to permit of an angular drive from the floor level at back, to any suitable height. The whole is nicely stove enamelled.
No. 5.....50/- each,

HAND GRINDERS



PRICE EACH.

Type E with wheel 3 in. × 1 in.	10/6
No. 1 .. 4 in. × 1 in.	15/-
No. 2 .. 5 in. × 1½ in.	20/-
No. 3 .. 6 in. × 1 in.	25/-
No. 4 .. 7 in. × 1½ in.	32/6

FOOT POWER ATTACHMENT.

For NIAGARA Nos. 3 and 4.

This Foot Power Attachment is simple and powerful enough to make the Niagara Nos. 3 and 4 very effective machines. It can be used to advantage where electric or other power is not available. Lightens the task of grinding and is a great help on long grinding jobs, leaving both hands free for the work in progress. Made of malleable iron and is strong and durable. Readily adjusted to several heights.

No. 21.....Price each 10/-.





MARPLES "Shamrock Brand" TOOLS




GRINDSTONES, GRINDING SUPPORTS, ETC.



7403



7401



7411

	6 × 1½	8 × 1½	10 × 2	12 × 2	14 × 2½	16 × 3	18 × 3	20 × 3	22 × 3½	24 × 4	27 × 6	30 × 6	36 × 6	inches.
7401 Dwarf Grindstones in Iron Trough	15/-	21 -	24/-	30/-	36/-	48/-	63/-	84/-	each.					
7401½ Ditto ditto with Hood	18/-	24/-	30/-	36/-	45/-	54/-	78/-	96/-	..					
										16 × 3	18 × 3	20 × 3	22 × 3½	24 × 3½
7403 Treadle Grindstones in High Iron Stand, Plain Bearings						78/-	84/-	96/-	—	120/-	each.			
7403½ Ditto ditto ditto with Hood						90/-	96/-	108/-	—	132/-	..			
7405 Best Treadle Grindstones in High Iron Stand, Roller Bearings						99/-	108/-	120/-	132/-	156/-	..			
7405½ Ditto ditto ditto with Hood						115/-	126/-	135/-	153/-	165/-	..			
7408 Yorkshire Grindstones unmounted	2/6	3/3	4/3	5/3	6/-	6/9	7/6	9/-	13/6	17/6	36/-	42/-	63/-	each.

7410 Light Pattern Wrought Grindstone-Spindles with Bearings, Crank, Lock-nuts, Side-plates, and Wood Grip Handle.

For Stones ...	16 to 20 inch. × 3 inch.	22 and 24 inch × 3½ inch.
Length of Spindle	14 inch. 21/- set.	16½ inch. 24/- set.

7411 As No. 7410 above, but Heavier Pattern—


Length of Spindle	15 inch. 33/- set.	15 inch. 36/- set.
-------------------	-----------------------	-----------------------

7415 Hsley's Patent Tool Grinding Appliance, to fix on trough—

For Stones	16 × 3	18 × 3	20 × 3	22 × 3½	24 × 3½	inches.
	60/-	60/-	60/-	63/-	63/-	each.

7418 "Shamrock" Tool Grinding Appliance, painted red, with bright screw—
2/3 each.

The use of this appliance simplifies the difficult task of grinding a true and level cutting edge on Plane Irons, Chisels and other Woodworkers' Tools. It is invaluable to all Amateurs.



7418



MARPLES "Shamrock Brand" TOOLS




COMBINED BENCH AND WALL DRILLING MACHINES.


For prices of Drills see Index.



No. 7468




No. 7469



No. 7469A


- 7468 Capacity 0 to $\frac{3}{8}$ " Vertical Feed 2". Drills to centre of 7". Weight 12 lbs. 25/- each.
 7469 " 0 to $\frac{3}{8}$ ". As above but **TWO SPEEDS** 30/- "
 7469A " 0 to $\frac{3}{8}$ ". As 7469, but with Flywheel and enclosed gears. No Vice. Weight 15 lbs. 35/- "

Vices for above Machines 6/- each.




No. 7470

Spindle Bored for $\frac{1}{2}$ in. Parallel Shank Drills, and supplied with chuck capacity $0\frac{1}{4}$ in.



No. 7471.

Automatic Feed, with chuck capacity $0\frac{1}{4}$ in. and adapter for $\frac{1}{2}$ in. Parallel Shank Drills.



No. 7471A

2 Speed Drilling Machine, Spindle Bored for $\frac{1}{2}$ in. Parallel Shank Drills, supplied with chuck capacity $0\frac{1}{4}$ in. Gear Ratios: Even and $2\frac{1}{2}$ to 1. Base fitted with Drill Stand.

No.	Drilling Capacity	Vertical Feed	Drills Centre of	Spindle to Base	Weight	Price each	Vice extra
7470 ...	$\frac{1}{2}$ in.	2 ins.	8 ins.	10 ins.	36 lbs.	44/-	6/-
7471 ...	$\frac{3}{8}$ in.	$2\frac{1}{2}$ ins.	12 ins.	10 ins.	40 lbs.	48/-	10/-
7471A ...	$\frac{3}{8}$ in.	2 ins.	12 ins.	13 ins.	56 lbs.	69/- (without Drills)	11/-




MARPLES "Shamrock Brand" TOOLS



LATHE SPINDLES.

7455	Bright Steel Lathe Spindles, (for small Circular Saws or Emery Wheels)	5 × $\frac{1}{16}$ 5 × $\frac{3}{16}$ 6 × $\frac{1}{4}$ 7 × $\frac{1}{4}$ 8 × $\frac{1}{4}$ 10 × $\frac{1}{4}$ 12 × 1 inches.						
		3/3	3/6	4/6	5/6	7/6	9/9	15/- each.
7456	Small C.S. Circular Saws, to suit above Spindles (extra)—	Diameter 3 4 4½ 5 6 7 8 inches.						
		6/6	6/6	6/9	7/6	9/6	10/6	13/6 each.



7455 and 7456


GUT LATHE BANDS.

	Diam. of Gut	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{4}$ inches.
7458	Round Gut Driving Bands for Lathes	1/3	1/6	2/6	4/6	6/- per yard
7459	Steel Hooks and Eyes for Round Gut Lathe Bands	9/-	9/-	9/-	12/-	18/- doz. pair



7459

CIRCULAR SAW SPINDLES.



7466	Circular Saw Spindles with fast pulley only. Plummer block bearings lined with composition metal—	Suitable for Saws up to			
		12	15	18	28 in. Diam
7467	Circular Saw Spindles, as above, but with both fast and loose pulleys—	Length and Diameter			
		17 × 1	20 × 1½	23 × 1½	26 × 1½ inches
		Size of Pulley			
		3½ × 4½	3½ × 4½	4½ × 5½	4½ × 5½ „
		42/-	54/-	75/-	90/- each
		Length and Diameter			
		17 × 1	20 × 1½	23 × 1½	26 × 1½ inches
		Size of Pulley			
		3½ × 1½	3½ × 1½	4½ × 2½	4½ × 2½ „
		48/-	60/-	90/-	105/- each.

For prices of Circular Saws, see Index.

HAND MORTISING MACHINES.


THE "CHALLENGE" PATTERN SIDE LEVER MORTISING MACHINE.

Will mortise 6" deep and take wood 16" × 7" on moving table. Approximate weight, 4 cwt. (or with boring attachment, 4 cwt. 1 qr.)

7481 With 8 Plain Chisels, $\frac{1}{4}$ "-1", core-drifter and spanner £27 0 0 each.

7482 With 8 self-coring chisels, $\frac{1}{4}$ "-1" and spanner £30 0 0 each.

N.B.—Boring Attachment with $\frac{1}{4}$ " and $\frac{3}{8}$ " drills for iron and, $\frac{1}{8}$ ", $\frac{3}{16}$ ", $\frac{1}{4}$ " augers for wood, can be supplied at an extra cost of £4 10 0 each.



7481

THE "CENTRAL ACTION" MORTISING MACHINE.

Will mortise 11 ins. deep, and take work 11 ins. × 5½ ins. on a moving table; approximate weight, 3 cwt. 2 qrs. (or with boring attachment, 3 cwt. 3 qrs.)—

7486 With 6 plain chisels $\frac{1}{8}$ "- $\frac{1}{4}$ " ins. 2 core drifters and spanner £21 15 0 each.

7487 .. 6 self-coring .. $\frac{1}{8}$ "- $\frac{1}{4}$ " ins. and spanner £23 0 0 ..



7486



MARPLES "Shamrock Brand" TOOLS



CHISEL HANDLES.



7511



Nos.	1	2	3	4	5	6	7	8	9	Assd. Nos.
Diam. of Hoop	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	$\frac{15}{16}$	1 in.	1 to 8.
For Chisels to	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2 "	

7511	Round Beech Chisel Handles, Brass Hooped.....	24/-	27/-	30/-	33/-	36/-	39/-	42/-	45/-	48/-	33/- gross.
7512	Round Ash ditto ditto										
7513	Round Boxwood ditto ditto	42/-	45/-	49/6	54/-	60/-	66/-	72/-	81/-	93/-	54/- "
7515	Taper Round Beech Chisel Handles, Brass Hooped.....	24/-	27/-	30/-	33/-	36/-	39/-	42/-	45/-	48/-	33/- "



7525



Nos.	1	2	3	4	5	6	7	8	9	Assd. Nos.
Diam of Hoop.	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	$\frac{15}{16}$	1 in.	1 to 8.
For Chisels to	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2 "	

7525	Carving Pattern Beech Chisel Handles, Brass Hooped.....	24/-	27/-	30/-	33/-	36/-	39/-	42/-	45/-	48/-	33/- gross.
7526	Carving Pattern Ash ditto ditto										
7527	Carving Pattern Boxwood ditto ditto	42/-	45/-	49/6	54/-	60/-	66/-	72/-	81/-	93/-	54/- "



7550



Nos.	1	2	3	4	5	6	7	8	9	Assd. Nos.
Diam. of Hoop	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	$\frac{15}{16}$	1 in.	1 to 8.
For Chisels to	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2 "	

7550	Best London Octagon Boxwood Chisel Handles, Brass Hooped.....	63/-	66/-	72/-	78/-	84/-	90/-	97/6	105/-	120/-	78/- gross.
------	---	------	------	------	------	------	------	------	-------	-------	-------------

Nos.	1	2	3	4	5	6	7	Assd. Nos.
For Chisels to	$\frac{1}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	2 in.	1 to 6.

7565	Double-Hooped Ash Chisel Handles, Bright Steel Hoops	54/-	57/-	66/-	70/6	75/-	81/-	87/-	66/- gross.
------	--	------	------	------	------	------	------	------	-------------

SOCKET CHISEL HANDLES.



7572



Nos.	1	2	3	4	Assd. Nos.
For Chisels to	$\frac{3}{4}$	$1\frac{1}{4}$	$1\frac{1}{2}$	2 in.	1 to 4.

7572	Ash Socket Chisel Handles (not Hooped)	36/-	42/-	48/-	54/-	42/- gross.
7575	Ditto ditto Bright Steel Hooped.....	57/-	63/-	69/-	75/-	63/- "



7577



Nos.	1	2	3	4	Assd. Nos.
For Chisels to	$\frac{1}{2}$	1	$1\frac{1}{2}$	2 in.	1 to 4.

7577	Ash Socket-Firmer Chisel Handles, Plain	33/-	39/-	48/-	54/-	42/- gross.
7578	Ditto ditto Leather Tipped	54/-	60/-	69/-	75/-	63/- "
7579	Ditto ditto Bright Steel Hooped	54/-	60/-	69/-	75/-	63/- "




MARPLES "Shamrock Brand" TOOLS



BENCH DRILLS.

(For Prices of Drills see Index).



7472

7472 Combined Bench and Wall Drill, Automatic Feed, Machine-cut gears.

Drills Holes up to	Depth of Feed	As Bench Machine Drills to centre of	Max. Distance Spindle to Table	Weight
1 in.	4 ins.	16 ins.	18 ins.	110 lbs.

Price £7 10 0 each.


7476 Strong Two Speed Bench Drill—
For Hand Power

Price £11 18 0 each.

7476A Strong Two Speed Bench Drill—
For Power Drive

Price £14 0 0 each.

Drills Holes up to	Depth of Feed	Drills to centre of	Max. Distance Spindle to Base	Dia. of Flywheel	Weight
1 in.	4 ins.	14 ins.	13 ins.	20 ins.	180 lbs.




7479 Heavy Duty Bench Drilling Machine, extra strong rigid frame. Gears almost unbreakable. Fitted with automatic and Hand Feed. Spindle bored to take $\frac{3}{4}$ in. Parallel Shank drills, or made to special requirements.

For Hand Power only,Price £14 16 0 each.

7479A For Hand and Power Drive Price £17 7 0 each.

Drills Holes up to	Drills centre of	Depth of Feed	Max. Distance Spindle to Table	Total Height	Weight
1½ in.	18 ins.	6 ins.	8½ ins.	43 ins.	240 lbs.





MARPLES "Shamrock Brand" TOOLS



TURNSCREW HANDLES.



Beechwood London Turncrew Handles, Slit and Bored—

7640 Best—
For Blades

	3	4	5	6	7	8	9	10	12	inches.
Hoop Dia.—	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{16}$	$1\frac{1}{8}$	$1\frac{1}{4}$	"
Length—	$4\frac{1}{2}$	$4\frac{1}{2}$	$5\frac{1}{2}$	$5\frac{1}{2}$	$6\frac{1}{2}$	$7\frac{1}{2}$	$7\frac{1}{2}$	$8\frac{1}{2}$	9	"
	5/3	6/-	7/6	9/-	10/6	12/-	13/6	15/-	18/-	dozen.

7641 Light Pattern—
For Blades

	3	4	5	6	7	8	9	10	12	inches.
Hoop Dia.—	$\frac{1}{2}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1	1	1	"
Length—	4	$4\frac{1}{2}$	$5\frac{1}{2}$	$5\frac{1}{2}$	$6\frac{1}{2}$	$7\frac{1}{2}$	$7\frac{1}{2}$	$8\frac{1}{2}$	9	"
	4/6	5/3	6/9	8/3	9/9	10/6	12/-	13/6	16/6	dozen.

7640 Best—Assorted..... 9/9 dozen.
7641 Light Pattern—Assorted..... 9/- "



Best Worked Oval Turncrew Handles, Slit and Bored—
For Blades—

	3	4	5	6	7	8	9	10	12	inches.
7643 Beech—	9/9	10/6	12/-	13/6	15/-	18/-	21/-	24/-	27/-	dozen.
7644 Boxwood—	14/3	15/-	17/3	19/6	21/-	24/-	27/-	30/-	33/-	"
7643 Beech—Assorted										15/- dozen.
7644 Boxwood—Assorted										21/- "



Turned Oval Turncrew Handles, with Steel Ferrules—
For Blades—


	3	4	5	6	7	8	9	10	12	inches.
7645 Beech—	4/6	5/-	6/-	7/6	8/3	9/-	10/6	12/-	12/-	dozen.
7646 Boxwood—	5/3	6/-	7/6	9/9	11/3	13/6	15/9	19/6	19/6	"
7645 Beech—Assorted										8/3 dozen.
7646 Boxwood—Assorted										10/6 "

SAW BOXES, ETC.



7661 $\frac{1}{2}$ Iron Boxes and Tillers for Pit Saws.....
7663 Round Ash Handles for Iron Pit Saw Boxes and Tillers


2/6 pair.
4/6 dozen.



7664 Round Ash Cross-Cut Saw Handles 6/- dozen.



7667 Round Ash Auger Handles, assd. sizes 6/- dozen.



7671


Hand Saw Handles, Slit and Bored—
Sizes to 22 24 26 28 inches.

7671 Best Beech	14/3	15/-	15/9	16/6	dozen.
7671A Common	12/-	12/9	13/6	14/3	"
7673 Best Beech for American Saws—	21/-	21/-	21/-	—	"

Saw Handles "not bored"—deduct 3d. dozen from above prices.

Handles for One-Man Cross-Cut Saws—

7674 Saw Handles	24/-	dozen.
7675 Supplementary Handles	12/-	"



7672

Back Saw Handles, Slit and Bored—
Sizes to 10 12 14 16 inches.

7672 Best Beech 11/3 12/9 13/6 14/3 dozen.



7375



7677

7677 Best Brass Saw Screws—
Nos. 1 ($\frac{1}{16}$ in.) 2 ($\frac{1}{8}$ in.) 3 ($\frac{3}{16}$ in.) 4 ($\frac{1}{4}$ in., Large)

	22/6	24/-	27/-	30/-	gross.
7678 For American Saws—	—	30/-	—	52/-	gross.



MARPLES "Shamrock Brand" TOOLS



CHISEL HANDLES—(Continued).



7580



7581

7580 Beech Socket Cabinet Chisel Handles, Leather Tip
7581 Ditto ditto ditto Steel Hoop

Nos.	1	2	3	4	Assd. Nos.
For Chisels to	$\frac{1}{2}$	1	$1\frac{1}{2}$	2 in.	1 to 4.

54/- 60/- 69/- 75/- 63/- gross.
54/- 60/- 69/- 75/- 63/- ..



7587 Unpolished Oval Beech Mortise Chisel Handles, asd. Nos. 1 to 4 84/- gross.
Nos. 1 2 3 4 5
For Chisels to $\frac{1}{2}$ $\frac{3}{4}$ 1 $1\frac{1}{4}$ $1\frac{1}{2}$ inches.
78/- 81/- 84/- 87/- 90/- gross.



Beech Turning Chisel Handles, Brass Hooped—
Nos.—

Nos.	0	1	2	3	4	5	6	7	8
Diam. of Hoops—	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$ inches.

7591 Regular—
48/- 54/- 60/- 66/- 72/- 81/- 90/- 99/- 108/- gross.
7592 Long Strong—
72/- 78/- 84/- 93/- 105/- 117/- 129/- ..

BRAD AWL HANDLES.



Beech (or Ash) Brad Awl Handles, asd. sizes—
7621 Best Round, 27/- grs. 7621A Common Round, 21/- grs.
7623 Best Oval Beech, 33/- gross.




7624 Best Round Boxwood Brad Awl Handles, asd. sizes—
54/- gross.



Best Beech (or Ash) Flooring Awl Handles, asd. sizes.—
7626 Round—33/- gross. 7627 Oval—46/6 gross.
7628 London Pattern Ash—37/6 gross.

GARNISH & TRIMMERS' AWL HANDLES.



7627 Boxwood Garnish Awl Handles..... 54/- gross.



7628 "Peg Top" Boxwood Trimmers' Awl Handles—
66/- gross.



7629 "Egg Shape" Boxwood Trimmers' Awl Handles—
66/- gross.

FILE AND TROWEL HANDLES.



7650 Unpolished Ash File Handles, Steel Hooped, Extra Quality
Assd. 4 sizes 21/- gross.
Small, 19/6 gross. Medium, 21/- gross.
Large, 22/6 gross.



7651 Polished Beech File Handles, Brass Hooped—Assorted, 3 sizes
25/6 gross.



7655 Unpolished Ash Brick Trowel Handles, Steel Hooped, Assorted sizes..... 42/- gross.

Small, 24/- gross. Medium, 25/6 gross.
Large, 27/- gross.


7656 Polished Beech Pointing Trowel Handles, Steel Hooped Assorted sizes..... 39/- gross.



MARPLES "Shamrock Brand" TOOLS




MALLETS—(Continued).



7720 Lignum Mallets, Iron Hooped—

Diameter	2	2½	3	3½	4	inches.
Length of Handle	12	13	14	15	16	„
	3/-	3/9	4/6	5/6	6/3	each.



7727 Elm Stake Driving Mauls or Beetles
Iron Hooped—

Size of Head	8 × 4	11 × 5	12 × 6 inch.
	6/9	12/6	15/6 each.



7725 Cast Iron Stake Driving Mauls (Heads only)—

Weight	10	14	lbs.
Dimensions (approx.) ...	5½ × 3¼	6½ × 4¼	inch dia.
	3/9	5/3	each.

Handling with 36 inch Shaft, 1/9 each.


AUCTIONEERS' HAMMERS.



7732 Auctioneers' Hammers, Polished Boxwood 3/- each.

For Pavior's Mauls and Monkeys see page 113.

HIDE-FACED HAMMERS AND RAWHIDE MALLETS.



	4 × 1½	4½ × 1½	5 × 1½	5½ × 2	5¾ × 2½ inches.
Dimensions	4 × 1½	4½ × 1½	5 × 1½	5½ × 2	5¾ × 2½ inches.
Weight	1½	2	2½	4½	7½ lbs. each.
7730 Hide-faced Hammers	3/-	3/9	5/-	7/6	10/9 each.
7730½ Faces only (spare)	1/3	1/9	2/-	3/-	4/6 pair.
Dimensions	3½ × 1½	3¾ × 1½	3¾ × 1¾	3½ × 2	3¾ × 2½
Weight ...	4	6	8	10	12
7731 Rawhide Mallets	2/3	2/6	3/3	4/-	5/6
					7/- each.

RUBBER MALLETS.



7732 Rubber Head Mallets, with tubular steel Shafts, Head 1½ inches dia. × 3½ inches long... 3/9 each.

For Plumbers' and Tinnmen's Mallets, see Index.



MARPLES "Shamrock Brand" TOOLS



HAMMER AND PICK SHAFTS.



	Length ...	10	11	12	13	14	15	16	18 inches.
7700 Best Ash Hammer Handles, Joiners' Pattern		2/-	2/-	2/3	2/6	2/9	3/-	3/9	4/- dozen.



	Length ...	10	11	12	13	14	15	16	18	20	22	24 inches.
7701 Best Ash Hammer Handles, Engineers' Pattern	7701	2/-	2/-	2/3	2/6	2/9	3/3	4/-	4/3	5/-	6/-	6/9 dozen.
7705 American Hickory Sledge-Hammer Handles, 36 inches long ...				12/-	dozen.							
7706 Ditto Pick-Shafts, 36 inches long ...		18/-	dozen.									

AXE AND ADZE SHAFTS.




	Length ...	14	15	16	18	20	22	24 inches.
7709 Best Bent Ash Axe Handles		4/6	5/-	5/6	6/6	7/9	9/-	11/6 dozen.
7710 American Hickory Felling Axe Handles, 36 inches long, for Yankee-Pattern Felling Axes		21/- dozen.						




7711 American Hickory Adze Handles, 36 inches long, Square End	24/-	dozen.
--	------	--------

MALLETS.



7715 Carpenters' Beechwood Mallets, Best Quality, with Mortised Handle—							
Size	4	4½	5	5½	6	6½	7 inches.



7716 Carpenters' Beechwood Mallets, "BB" Quality, with Mortised Handle—							
Size	4	4½	5	5½	6	6½	7 inches.
	16/6	18/-	19/6	22/6	25/6	28/6	30/- dozen.

7715L As above, but with Lignum Vitae Heads—Prices on application.



7718 Gentlemen's Beechwood Mallets, Polished—			
Size	3½	4	4½ inches.
	18/-	21/-	24/- dozen.



Carpenters' Framed Mallets—						
Nos.	1	2	3	4	5	
Length of Frame	2½	3½	3½	3½	4 inches.	
7722 Iron-Framed ...	5/9	6/-	6/9	7/6	8/3 each.	
7723 Brass-Framed	7/6	8/-	9/-	10/6	12/- ..	



MARPLES "Shamrock Brand" TOOLS



GARDEN SPADES.



	No.	00	0	1	2	
7761 London Treaded Spades, D Handle	Size	10 1/4 x 6 1/4	11 x 7	11 1/2 x 7 1/2	12 x 7 1/2	inches.
7761 1/2 Ditto ditto All Bright, D. Handle		66/-	66/-	69/-	72/-	dozen.
7761B "Henry" Quality London Treaded Spades, D. Handle		90/-	90/-	93/-	96/-	"
			55/-	56/-	57/-	"




7768 Gentlemen's Border Spades, 9 1/2 ins. x 6 ins., Red and Bright, Split D. Handle 72/- dozen.


SHOVELS.



	No.	0	1	2	3	
7771 London Shovels, D. Handle	Size	11 1/2 x 9	12 x 9 1/2	12 1/2 x 10	13 x 10 1/2	inches.
		66/-	66/-	69/-	72/-	dozen.




	No.	1	2	3	4	5	6	7	8	
7774 Open Socket Shovels, Crutch Handle	Size	12 x 9 1/2	12 1/2 x 10	13 x 10 1/2	13 1/2 x 11	14 x 11 1/2	14 1/2 x 12	15 x 12 1/2	15 1/2 x 13	inches.
		36/-	36/-	39/-	42/-	45/-	46/-	47/-	48/6	dozen.



	No.	2	3	4	
7775 Gravel or Navy Shovels, Crutch Handle	Size	12 1/2 x 10 1/2	13 x 11	13 1/2 x 11 1/2	inches.
		66/-	69/-	75/-	dozen.

HAY FORKS.



	No.	4	4 1/2	5	5 1/2	6	
7818 Best Solid Strapped Hay Forks, Bright and Blue, Two Oval Prongs, Ash Handles—	Length of Handle	4	4 1/2	5	5 1/2	6	feet.
	Length of Prongs	11	12	13	14	15	inches.
		45/-	48/-	54/-	60/-	68/-	dozen.



MARPLES "Shamrock Brand" TOOLS



WOOD SCREW BOXES AND TAPS.



7734 up to 1"



7734 above 1"



7735

To $\frac{1}{8}$ $\frac{1}{4}$ $\frac{3}{8}$ 1 $1\frac{1}{8}$ $1\frac{1}{4}$ $1\frac{1}{2}$ $1\frac{3}{4}$ 2 $2\frac{1}{4}$ $2\frac{1}{2}$ $2\frac{3}{4}$ 3 inches.

7734	Wood Screw Boxes with Iron Tap	10/6	12/-	12/9	13/6	15/-	18/-	19/6	21/-	24/-	33/-	42/-	54/-	63/-	72/-	each.
7734 $\frac{1}{2}$	Ditto ditto Brass-Bushed ...	15/-	18/-	21/-	24/-	27/-	30/-									"

7735	Cast Iron Taps only for Wood Screw Boxes	1/9	2/-	2/3	2/6	3/-	3/6	4/-	4/6	5/3	6/-	each.
------	--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-------

NOTE.—Above prices only apply to screwboxes and Taps of our standard pitch. A pitch other than our standard requires a steel Tap making specially, with consequent extra cost. Prices on application.

7740 Cork Rubbers, $4\frac{1}{2}$ inches \times $2\frac{1}{2}$ inches 3/6 dozen.7741 Mounted File Cleaners, $4\frac{1}{2}$ in. \times 2 in. 8/3 dozen.

CHALK LINE REELS.



Flat Chalk Line Reels—

7742	Beechwood	4/3	dozen.
7742 $\frac{1}{2}$	Boxwood	6/-	dozen.



Long Chalk Line Reels—

7743	Beechwood	5/-	dozen.
7743 $\frac{1}{2}$	Boxwood	9/-	"



Flat Chalk Line Reels—

7744	Aluminium	7/6	dozen.
7745	Brass	9/6	"

CHALK LINES.



Chalk Lines, in bundles of 1 dozen 60 ft. Knots—

7746	Soft Cotton	5/-	dozen.
7747	Hard Cotton	5/-	"
7750	Masons' Hemp Lines	6/-	"

LEAD PENCILS.



7756	Carpenters' Octagon Red and Yellow Cedar Pencils, 7 inches	27/-	gross.
7757	Carpenters' Oval Cedar Pencils, 7 inches, (Foreign)	13/6	gross.



MARPLES "Shamrock Brand" TOOLS



HAY KNIVES.


		20	22	24	26 inches.
7826	Patent Hay Knives, L Handle.....	10/6	11/3	12/-	13/6 each.
7827	Best Crown Hay Knives, ditto	12/-	15/-	15/9	18/- "

T Handed Hay Knives, 9d. each extra to L Handle.

SCYTHES AND SNATHS.



7830



7834

		32	34	36	38 inches.
7830	Cast Steel Patent Scythes.....	99/-	99/-	102/-	105/- dozen
7831	Best Crown Scythes	126/-	126/-	129/-	132/- "
7834	American Ring-Head Scythe Snaths, 63/- dozen.				

SCYTHE STONES.

7856	Round Waterloo Scythe Stones.....	8/-	doz.	191A	Carborundum Scythe Stones, 12 in. long, round tapered	12/-	doz.
7857	Flat ditto	8/-	"	57	Carborundum Files, Taper Bevel, Hardwood Handled	42/-	"
7858	Welsh or Talacre ditto	18/-	"	59	Carborundum Files, Square, Hardwood Handled.....	48/-	"
198	Carborundum Scythe Stones, 9 1/4 in. long flat Tapered	12/-	"				
191C	Carborundum Scythe Stones, 12 in long oval—	15/-	doz.				

REAPER FILES AND PUNCHES.



7870 Knife Section Reaper Files, 8 inches, Double Cut, Safe Edges, Self Handled 9/9 doz.



7871 Knife Section Reaper Files, 8 inches, Double Cut, Safe Edges, Wood Handled 11/3 doz.




7872 "Farmers Own" Pattern Reaper Files, 8 inches, Single Cut, Safe Edges, Self Handled..... 10/6 doz.




7873 Reaper Section Punches 6/9 doz.

BAGGING HOOKS.



7875

CAPE SICKLES.



7882 Cape Sickles, Through-tanged and Clenched—
Length over back 18 20 22 ins.
12/6 13/- 14/- doz.

Solid Steel Bagging Hooks—		Nos.	0	1	2	3	
		Length over back	20	22	24	26	ins.
7874	Straight	24/-	26/-	27/-	29/-		doz.
7875	Cranked	26/-	27/-	29/-	30/-		"



MARPLES "Shamrock Brand" TOOLS



GRASS HOOKS.



- 7876 Best Quality Grass Hooks 30/- doz.
- 7876B "Henry" Quality Grass Hooks 27/- ..

BEEF KNIVES.



- 7884 Beef Topping Knives, Through-tanged 20/- doz.

EARTH RAMMERS.



- 7888 Round Earth Rammers, Cast Iron, about 12 lbs. weight each. 4/6 each.




- 7889 Square Earth Rammers, Cast Iron, about 9 lbs. weight each. 3/6 each.

Handling Rammers with 4½ ft. Ash Shafts (extra) 2/6 each.

GARDEN RAKES.

- 7900 Black Wrought Garden Rakes with Solid Ends—

	8	10	12	14	16	18	teeth.
	14/-	15/-	19/-	22/-	27/-	30/-	dozen.
Length	4½	5	5½	6			
Best Ash Rake Handles	14/-	17/-	20/-	23/-	dozen.		
Second Quality Handles	12/-	13/-	14/-	15/-	..		
Fitting Rake Handles (extra)	6/- dozen.						



- 7905 Daisy or Lawn Rakes

	16	18	20	22	24	teeth.
	15/-	16/6	17/6	19/-	21/-	each.



LAWN EDGING KNIVES.



- 8019 Pressed Edging Knives, with socket, Red and Bright, Crutch Handled, 8 inches 34/- dozen.
- 8020 Ditto ditto "Henry" Quality, Crutch Handled, 7 inches 24/- ..
- 8022 Best Forged C.S. Edging Knives, Bright, with Blue Socket, Crutch Handle

Length	7	8	9	10	inches.
	66/-	72/-	78/-	82/-	dozen.



MARPLES "Shamrock Brand" TOOLS



SHORT NECK, LONG NECK AND SWAN NECK HOES.



7998 Solid Forged Steel Garden Hoës, Blue and Bright—
 4 5 6 7 8 9 10 inches.
 19/- 19/- 19/- 21/- 24/- 25/- 28/- dozen.



8000 C.S. Rivetted Garden Hoës, Blue and Bright—
 4 5 6 7 8 9 10 inches.
 12/- 12/- 13/- 15/- 16/- 18/- 19/- dozen.



8003 Solid Forged Dutch Hoës, Blue and Bright—
 4 5 6 7 8 9 10 inches.
 23/- 24/- 27/- 29/- 31/- 34/- 36/- dozen.

DUTCH HOES.



8001 C.S. Rivetted Long Neck Hoës, Blue and Bright—
 4 5 6 7 8 9 10 inches.
 13/- 13/- 14/- 15/- 16/- 18/- 19/- dozen.




8001½ C.S. Rivetted Swan Neck Bury Hoës, Blue and Bright—
 4 5 6 7 8 9 10 inches.
 18/- 18/- 19/- 19/- 21/- 22/- 25/- dozen.



8005 Pressed Steel Dutch Hoës, Half-Bright—
 4 5 6 7 8 inches.
 12/- 13/- 14/- 15/- 17/- dozen.

TRIANGULAR AND CANTERBURY HOES.



8008 C.S. Rivetted Triangular Hoës, Blue and Bright—
 5 6 7 8 9 inches.
 19/- 21/- 22/- 24/- 27/- dozen.



8010 Solid Steel Canterbury Hoës—
 2 Prongs 3 Prongs
 36/- 42/- dozen.

HOE BLADES AND FRAMES.

8009 C.S. Hoe Blades—
 4 5 6 7 8 9 10 inches.
 6/- 6/- 6/- 7/- 7/- 8/- 9/- dozen.
 8009½ Hoe Frames, 4 inches wide 27/- dozen.



Length 4½ 5 5½ 6 feet.
 14/- 17/- 20/- 23/- dozen.
 12/- 13/- 14/- 15/- ..

Best Quality Ash Hoe Handles (extra)
 Second Quality ditto (extra)
 Fitting above Handles 6/- dozen.

SPUDS AND WEED HOOKS.



8024 C.S. Rivetted Garden Spuds 2 2½ inches.
 12/- 14/- dozen.



8028 C.S. Rivetted Weed Hooks, 2 inches 19/- dozen.

MARPLES

GARDEN TOOLS



*The Gardener's
Choice*



SHAMROCK BRAND
BRITISH MADE



MARPLES "Shamrock Brand" TOOLS



GARDEN TROWELS.



- 8097 Pressed Steel Garden Trowels, Blued ... 9/- dozen.
- 8098 Pressed Steel Garden Trowels, Red and Bright 11/- ..



- 8101 Rivetted Garden Trowels, Blued 11/- dozen.
- 8103 Best Rivetted Garden Trowels, Red and Bright 13/- ..
- 8104 As above, but Long Handled..... 17/- ..



- 8105 Open Socket Steel Garden Trowels, Red and Bright, 6 inches, Short Handled 12/- dozen.
- 8106 As above, but Long Handled..... 16/- ..



- 8109 Best Solid Forged Steel Garden Trowels, All Bright, 6 inches 27/- dozen.
- 8111 Ditto, but Stainless Steel 6 1/2 inches ... 48/- ..

WEED FORKS.



- 8117 Pressed Steel Weed Forks, Blued 11/- dozen.
- 8118 Pressed Steel Weed Forks, Red and Bright 13/- ..



- 8122 Best Malleable Weed Forks, Red and Bright 16/- dozen.
- 8123 As above, but Long Handled..... 19/- ..
- 8131 Stainless Steel Weed Forks, Shaped Prongs 51/- dozen.



- 8124 French Pattern Steel Prong Weed Forks, Blue and Bright 18/6 dozen.



- 8125 Open Socket Steel Weed Forks, Red and Bright, Short Handled 17/- dozen.



- 8126 Open Socket Steel Weed Forks, Red and Bright, Long Handled..... 21/- dozen.

BEDDING AND FERN TROWELS.




- 8141 Best Blue and Bright Fern or Bedding Trowels, Beech Handled 19/- dozen.
- 8142 Ditto but in Stainless Steel 48/- ..



- 8143 Best Bright Fern Trowels, Solid Steel, Rosewood Handled, complete with Leather Sheath..... 46/- ..
- Without Sheath 39/- ..

GARDEN REELS AND LINES.



- 8150 Flat Garden Reels, 7 inches, Painted Red..... 30/- dozen.
- 8151 Ditto ditto Galvanised 57/- ..
- 8152 1/2 Triangular Garden Reels, Black Japanned 54/- ..



- | | | | | | |
|-------------------|-----|------|------|------|--------|
| | 20 | 30 | 40 | 60 | yards. |
| 8153 Garden Lines | 7/6 | 11/- | 15/- | 21/- | dozen. |



MARPLES "Shamrock Brand" TOOLS



GARDEN DIBBERS.



Garden Dibbers, with Iron Shoe—
8154 8155

8155C 8155D

Unshod Straight Handle Crutch Handle D Handle.

7/- dozen. 18/- dozen. 30/- dozen. 33/- dozen.

GARDEN HAMMERS.



8157 Gardeners' Claw Hammers, Black, Cantbury Pattern, with Chequered Face and Round Ribbed Handle 42/- dozen

DAISY GRUBBERS.



8158 Pressed Steel Open Socket Daisy Grubbers, Red and Bright, with Polished Ash Handle, Length overall, 17 inches 22/- dozen.



8159 Socket Daisy Grubbers, Malleable, Red and Bright with Polished Ash Handle. Length overall 19 inches 25/- dozen
8159½ As above, with Long Handle. Length overall, 36 inches 36/- dozen



8160 Square Steel Daisy Grubbers, Painted Black, with Polished Beech Handle, Length overall, 21 ins. 33/- dozen



8163 Short Wrought Steel Daisy Grubbers, 3 prong, Red and Bright, Polished Beech Handle, Through-Tanged. Length overall, 10 inches 14/- dozen.

GARDEN SYRINGES.



8201 Light Brass Garden Syringes, 18 by 1½ ins., with one Rose and one Jet 7/- each.
8202 Strong Brass Garden Syringes with Stuffing Box, 18 by 1½ ins., with one Rose and one Jet 8/- "



8205 Best Heavy Brass Garden Syringes, with Stuffing Box, one Rose and one Jet
14 × 1½ 16 × 1½ 18 × 1½ inches.
7/- 8/6 9/6 each.



8219 Spraying Syringes with Ball Valve, Rose, Jet and Spray Nozzle, and Bend, fitted with Special Drip Preventer—
14 × 1 20 × 1 16 × 1½ 20 × 1½ inches.
15/- 18/- 21/- 25/6 each.
8220 Spraying Syringes, 16" × ¾" 9/- each.



MARPLES "Shamrock Brand" TOOLS




BILL HOOKS.



8255 Best Kent Single Edge Bills—

8	8½	9	inches.
46/-	48/-	50/-	dozen.



8256 Best Nottingham Double Edge Bills—

8	8½	9	inches.
56/-	59/-	60/-	dozen.



8261 Best Westmorland Double Edge Bills—


8	8½	9	inches.
56/-	59/-	60/-	dozen.



8263 Best Strapped Yorkshire Bills, Double Edge,
 Handle 15 inches long—

8	8½	9	inches.
96/-	102/-	108/-	dozen.

SLASHERS.



8270 Best Single Edge Slashers or Switching Bills, Long Handled.....

8	9	10	11	12	inches.
78/-	81/-	84/-	87/-	93/-	dozen.



8271 Best Double Edge Slashers or Switching Bills, Long Handled.....

8	9	10	11	12	inches.
87/-	93/-	96/-	102/-	108/-	dozen.




8273 Best Single Edge Hand Slashers, 7 inches, Short Handled 78/- dozen.



MARPLES "Shamrock Brand" TOOLS




PRUNING SAWS.




8310 C.S. Pruning Saws, Single Edge	12	14	16	18	20	inches.
8310B "Henry" ditto ditto	48/-	51/-	54/-	60/-	66/-	dozen
	34/6	36/-	39/-	42/-	45/-	"



8311 C.S. "Lightning" Pruning Saws, Double Edge	12	14	16	18	20	inches.
8311B "Henry" ditto ditto	51/-	54/-	60/-	69/-	78/-	dozen.
	36/-	39/-	42/-	48/-	51/-	"




8313 "Lightning" Compass Pruning Saws, 14 inches—
39/- dozen.




8314 "Grecian" Pruning Saws, Curved Blade—	12	14	16	inches.
	42/-	45/-	48/-	dozen.

SOCKET PRUNING SAWS.



8316 Strong C.S. Pruning Saws, with 18 inch straight blade and wrought iron socket, to fix on pole	6/6 each.
8317 Strong C.S. Pruning Saws, with 18 inch curved blade ditto ditto ditto	7/6 "

POCKET PRUNING AND CHAIN SAWS.



8320 Pocket Pruning Saws, 6 inches, Rosewood Handled,
Spring Back 5/- each.



8325 Flexible Chain Saws, 3 feet 9 inches long, for use with
rope, for pruning high forest trees 9/- each.



MARPLES "Shamrock Brand" TOOLS



TREE PRUNERS.



8330
 "Standard" Tree Pruners, complete with pole—

6	8	10 feet.
9/-	10/6	12/- each.
	12	14 feet.
	14/-	17/- each.



8332
 Open Socket Tree Pruner Heads, Black Japanned (without pole,..... 3/3 each.



8336 "Ideal" Combined Fruit Picker and Branch Trimmer, with pole and net—

Length	6	8	10	12 feet.
	15/-	17/6	18/-	21/- each.

"HIBERNIA" PRUNING KNIVES.



8338 Best 1-Blade Pruning Knives, Stag Haft, Capped, 3½ inches 42/- dozen.



8339 Best Strong 1-Blade Pruning Knives, Broad Blade, Stag Haft, Capped, 4 ins 57/- dozen.



8342 2-Blade Pruning Knives, Buffalo Haft, 3¼ inches 54/- dozen.



8343 1-Blade Pruning Knives, Buffalo Haft, 3½ inches. 27/- dozen.



8344 1-Blade Pruning Knives, Checkered Buffalo Haft, 3¼ inches 18/- dozen.

BUDDING KNIVES.



8349 Best Ivory Handled Budding Knives, Fixed Blade— 72/- dozen.

8350 Best Ivory Handled Budding Knives, to close— 72/- dozen.




MARPLES "Shamrock Brand" TOOLS



PRUNING AND VINE SCISSORS.



8351



8352

4 5 6 7 8 inches.

- | | | | | | | | |
|-------|------------------------|------|------|------|------|------|--------|
| 8351 | Pruning Scissors | 33/- | 36/- | 42/- | 51/- | 63/- | dozen. |
| 8351S | Ditto Stainless Steel— | | 57/- | 75/- | 93/- | | .. |
| 8352 | Flower Gatherers | 36/- | 39/- | 48/- | 63/- | 78/- | .. |
| 8352S | Ditto Stainless Steel— | | 57/- | 75/- | 93/- | | .. |



8353

5 6 7 8 inches.

- | | | | | | | |
|-------|----------------------|------|------|------|------|--------|
| 8353 | Vine Scissors | 30/- | 36/- | 45/- | 54/- | dozen. |
| 8353S | „ „, Stainless Steel | 39/- | 45/- | 51/- | 63/- | .. |

"SHAMROCK" BRAND PRUNING SHEARS.



8366 Best Solid Steel Pruning Shears, Double Cut with Wirecutter—

6 7 8 9 inches.

8367 As above, but Cheaper Quality, Rivetted Blades—

7 8 inches.
30/- 34/- dozen.



8368 Improved Strong Solid Steel Pruning Shears, Single Cut, 8 inches 60/- dozen.



*8369½ Best French-Pattern Secateurs, Double-Cut—

6½ 7½ 8½ 9½ inches.

*8370½ As above, but Single Cut—

56/- 63/- 69/- 84/- dozen.
56/- 63/- 69/- 84/- ..

* Packed singly in attractive carton.



8369 Rivetted Blade Pruning Shears, Single Cut—

7 8 9 inches.

28/- 32/- 40/- dozen.



8372 Ladies' Rose Pruners, Single Cut, Polished Bright, 6½ ins. 32/- dozen.
8373 Ditto ditto Nickel Plated, 6½ ins. 42/- ..

Coil Springs for Pruning Shears (as above) — 4/6 dozen.

SOLID STEEL GRASS SHEARS.



8410 Bent Grass Shears, 6 inches 32/- dozen.

8410½ Cheaper Quality, as above, but with Double Bow 24/- dozen.



8411 Trowel Shank Grass Shears, 6 inches ... 45/- dozen.

For Sheep Shears—see Index.




MARPLES "Shamrock Brand" TOOLS




"SHAMROCK BRAND" HEDGE SHEARS.

8379 Light Solid Steel Hedge Shears, Wood Handled—
Length from bolt ... 7 8 inches.




3/9 4/- each.

8385 Ladies' Solid Steel Hedge Shears, Wood Handled—
Length from bolt 5 5½ 6 inches.




5/3 5/3 5/3 each.

8381 Strong Solid Steel Hedge Shears (without Notch), Wood Handled—
Length from bolt 8 9 10 11 12 inches.



5/6 5/9 6/9 8/- 10/6 each.

8381½ "Firm-Cut" Hedge Shears, Serrated Edge, Wood Handled—
Length from bolt 8 9 inches.



6/6 6/9 each.

8382 Strong Solid Steel Hedge Shears, with Pruning Notch, Wood Handled—
Length from bolt 8 9 10 11 12 inches.

6/3 6/6 7/9 9/- 11/6 each.

"HENRY BRAND" HEDGE SHEARS.



"Henry" Light Pocket Shears, 6".....1/9 each.
"Henry" Light Hedge Shears, Plain, 8"2/6 "
"Henry" Light Hedge Shears, Notched, 8".....2/9 "

N.B.—Hedge Shears "Pinned" Through Ferrules 6d. each extra.
" " with Thumbscrew 5d. " "
" " Thro' Tanged and Capped 1/3 " "
Spare : Bolts, nuts and washers (sets of 3) ¼ " ½ inches.
2/- 2/2 4/3 doz. sets.




MARPLES "Shamrock Brand" TOOLS



BORDER AND LAWN SHEARS.





	Length from bolt				
	8	9	10	11	inches.
8386 Border or Edging Shears, with Long Wood Handles, Pinned through Hoops.....	9/9	11/-	12/-	13/9	each.
8387 Ditto ditto ditto ditto ditto with Wheel.....	11/-	12/3	13/6	15/3	„
8388B "Henry" Brand Light Border Shears, 7" Blade, 30" Handles, ...	6/6 each.				




	Length from bolt				
	8	9	10	11	inches.
8388 Lawn Shears, with Long Wood Handles, Pinned through Hoops	9/9	11/-	12/-	13/9	each.
8389 Ditto ditto ditto ditto with 2 Wheels	12/6	13/9	15/-	16/9	„
8388B "Henry" Brand Light Lawn Shears, 7" Blade, 30" Handles, ...	6/6 each.				

BRANCH OR LOPPING SHEARS.



8391 Strong Branch or Lopping Shears, Wood Handled—				
Nos.	1	2	3	4
Length overall	26½	31	35½	40 inches.
Spares :—	8/9	10/-	11/6	13/- each.
Bolts, nuts and washers (sets of 3)	¼	⅜	½	¾ doz. sets.
	2/-	2/2	4/3	

8393 Light Pruners, Slide Stop, Wood Handled—			
Nos.	1	2	3
Length overall	20	26	32 inches.
	15/-	18/-	21/- each.



PARROT NOSE PRUNERS.

8396 French Pattern Extra Strong Parrot Nose Branch Shears, Double Cut, Wood Handled—			
Length overall	26	31	40 inches.
To cut	1¼	1¾	2 „
	15/-	21/-	27/- each.



MARPLES "Shamrock Brand" TOOLS



SHAMROCK BENCH AND TOOL CABINET.



8974 48 inches Long × 17 inches wide. Strong Beech top, with single screw Bench vice and Bench stop. Flush Tool rack and tool well at back of bench top. Two drawers, one cupboard and two open shelves provided. Back of the bench is covered in and the whole makes a complete and useful unit.

Price 132/- each.

8974½ Same as above, but fitted Woodworkers Instantaneous grip vice with 7 inch jaws.

Price 155/- each.

AMATEUR WORK BENCHES, WELL MADE FROM SELECTED BEECH.


Strong, serviceable and rigid Benches, fitted with Tool Well and flush Tool Rack on back.

All patterns are supplied with a Bench Stop.

8975 48 ins. long × 17 ins. wide, fitted with single screw wood bench vice. Top 2 ins. material, as illustrated..... 63/- each.


8976 48 ins. long as above, but fitted with Instantaneous grip vice with 7 in. jaws 84/- each.

8976½ Similar pattern, but lighter, 54 ins. × 19 ins. made from 1¼ ins. material. Fitted with 6 ins. plain jaw woodworkers vice and tool well 58/6 each.



8975

CARPENTERS' WORK BENCHES.



8977

8977 Extra Strong Beech Benches, suitable for Joiners' Workshop use. Specially designed to give the maximum amount of rigidity and strength and to stand the roughest use.

Fitted with 2½ in. double screw Bench Vice, measuring 27 ins. × 6 ins. wide, 2½ ins. thick. The Bench is 17 ins. wide and the top 3 ins. thick. Legs 3 ins. × 3 ins.

Length.....	5	6	7 feet.
Approx. weight .	140	170	200 lbs.

99/- 114/- 132/- each.

8977½ As above, but fitted with 9 ins. Instantaneous grip vice in place of the wood vice.

	5	6	7 feet.
--	---	---	---------

112/6 127/6 142/6 each.

N.B.—All Benches are stocked at our London House only. Prices are "Free on Rails," London.


All Benches are Carriage extra, but we shall be pleased to quote "Carriage Paid Home" rate on application.



MARPLES "Shamrock Brand" TOOLS




TECHNICAL SCHOOL DOUBLE BENCHES.



8982 Dual Woodwork Benches, for Technical Schools, 4 ft. 6 ins. long \times 29 $\frac{1}{2}$ ins. wide \times 2 ft. 5 $\frac{1}{2}$ ins. high. Made from Best Red Deals and Matchboard, with seasoned Beech Tops, 2 $\frac{1}{2}$ ins. Varnished two coats, and fitted with 2 only Instantaneous and Continuous Grip Vices, 7 ins. jaw and 2 Bench Stops..... £9 9 0 each

CARPENTERS' HEAVY BENCHES.



8978 Carpenters' "Improved" Heavy Benches—

Size	4	5	6	7	feet.
Width of Top.....	24	24	24	24	inches
Thickness of Top	2 $\frac{1}{2}$	2 $\frac{1}{2}$	3 $\frac{1}{2}$	3 $\frac{1}{2}$	"
Length overall....	58	68	82	94	"
Height	31	31	31	31	"
Approx. weight..	125	150	200	250	lbs.

160/- 180/- 220/- 250/- each.

These are heavy and substantial Benches made from Prime Dry Beech, and are suitable for Carpenters' and Cabinet Makers' use. Each Bench is fitted with Front and End Vices with hardwood Screws, and also with a pair of Iron Bench Stops. There is a Well in the top of each Bench, and a commodious Tool Drawer underneath. These Benches are packed flat when sent out, but can be set up in a few minutes.

N.B.—All Benches are stocked at our London House only. Prices are "Free on Rails" London.

All Benches are Carriage Extra, but we shall be pleased to quote Carriage "Paid Home" rate on application.




MARPLES "Shamrock Brand" TOOLS



MARPLES "HIBERNIA" SERIES POLISHED OAK TOOL CABINETS.

These are not merely cases of Tools, they are beautifully finished pieces of furniture, suited to any setting. The contents are all full size and standard quality, and carry our usual full guarantee.



No. 9007 HIBERNIA "THREE-GUINEA" CABINET.

Outside Dimensions : 24½ ins. high × 16 ins. wide × 5 ins. deep.

CONTENTS :—

Hand Saw, 18".	2 Chisels.	File.
Keyhole Saw.	2 Screwdrivers.	Pincers.
Hammer.	Try Square.	Pliers.
Block Plane.	2 Gimlets.	2ft. Rule.
Brace and 6 Bits.	2 Brad Awls.	

Book of Instructions and Hints on Woodwork.

Price £3/3/0 each.



No. 9010 HIBERNIA "FIVE-GUINEA" CABINET.


Outside Dimensions : 26½ ins. high × 19 ins. wide × 7½ ins. deep.

CONTENTS :—

Hand Saw, 20"	3 Chisels.	Brad Awl.
Tenon Saw.	2 Screwdrivers.	2 Files.
Keyhole Saw.	Marking Gauge.	Pincers.
Claw Hammer.	Try Square.	Pliers.
Wedge Axe.	Spokeshave.	Oilstone.
Smooth Plane.	Spirit Level.	Oil Can.
Brace and 6 Bits.	2 Gimlets.	2ft. Rule.

Book of Instructions and Hints on Woodwork.

Price £5/5/0 each.



No. 9012 HIBERNIA "SEVEN-GUINEA" CABINET.

Outside Dimensions : 34 ins. high × 24 ins. wide × 8½ ins. deep.

CONTENTS :—

Hand Saw, 22"	4 Chisels.	Pincers.
Tenon Saw.	Iron Plane	2 Pliers.
Keyhole Saw.	Try Square.	Compasses.
Hack Saw.	Spokeshave.	2ft. Rule.
Wedge Axe.	Spirit Level.	Oilstone.
Wrecking Bar.	2 Gimlets.	Oil Can.
Coach Wrench.	2 Brad Awls.	Glass Cutter.
Brace and 8 Bits.	Marking Awls.	Tin Snips.
2 Screwdrivers.	Nail Punch.	Bench Vice.
Soldering Iron.	3 Files.	Fluxite.
Mortise Gauge.	Tack Claw.	Rawlplugs.

Book of Instructions and Hints on Woodwork.

Price £7/7/0. each.

A 32 pp. BOOK, "USEFUL HOME CARPENTRY" IS INCLUDED IN EVERY CABINET.




MARPLES "Shamroek Brand" TOOLS



MARPLES "WOODWORKER" SERIES OF POLISHED OAK TOOL CHESTS.

These are not merely cases of Tools, they are beautifully finished pieces of furniture, suited to any setting. The contents are all full size and standard quality, and carry our usual full guarantee.



(9019 No. 3.)

These Chests have Lapped Joint corners and are finished dark Oak, beautifully stained and polished.

Made in 5 sizes:—

No. 1—"ONE GUINEA" CHEST—Outside Dimensions: 20 × 7 × 3½ in.
Contents: Hand Saw 14 ins., Keyhole Saw, Hammer, Chisel, Screwdriver, Nail Punch, Gimlet, 2 Brad Awls, Nail Pincers, Boxwood Rule, Joiner's Pencil, Nails and Screws, Book of Instructions.
Price £1 1s. 0d. each.

No. 1½—"ONE-AND-A-HALF GUINEA" CHEST—Outside Dimensions: 24 × 8½ × 4 ins.
Contents: Hand Saw 18 ins., Keyhole Saw, Block Plane, Hammer, Chisel, Screwdriver, Try Square, Marking Gauge, Marking Awl, Nail Punch, 2 Gimlets, 2 Brad Awls, Nail Pincers, Cutting Pliers, Cork Rubber, Case Opener, Boxwood Rule, Joiner's Pencil, Nails and Screws, Book of Instructions.
Price £1 11s. 6d. each.


No. 2—"TWO GUINEA" CHEST—Outside Dimensions: 26 × 9½ × 5 ins.
Contents: Hand Saw 20 ins., Keyhole Saw, Block Plane, Hammer, Mallet, 2 Chisels, Screwdriver, Try Square, Marking Gauge, Marking Awl, Nail Punch, 2 Gimlets, 2 Brad Awls, Nail Pincers, Cutting Pliers, Scraper, Cork Rubber, File, Hatchet, Oilstone, 2 ft. Rule, Nails and Screws, Book of Instructions.
Price £2 2s. 0d. each.

No. 3—"THREE GUINEA" CHEST—Outside Dimensions: 28 × 11½ × 5½ ins.
Contents: Hand Saw 22 ins., Tenon Saw, Keyhole Saw, Smooth Plane, Brace and 4 Bits, Hammer, Mallet, 2 Chisels, Screwdriver, Try Square, Spokeshave, Marking Gauge, Marking Awl, 2 Gimlets, 2 Brad Awls, Nail Pincers, Cutting Pliers, Nail Punch, Spirit Level, Scraper, Cork Rubber, 2 Files, Hatchet, Case Opener, Bench Stop, Glue Kettle, Oilstone, 2 ft. Rule, Joiner's Pencil, Nails and Screws, Book of Instructions.
Price £3 3s. 0d. each.

No. 4—"FOUR GUINEA" CHEST—Outside Dimensions: 31 × 12½ × 6½ ins.
Contents: Hand Saw 24 ins., Tenon Saw, Keyhole Saw, Smooth Plane, Brace and 4 Bits, Hammer, Mallet, 3 Chisels, Gouge, 2 Screwdrivers, Try Square, Spokeshave, Marking Gauge, Mortise Gauge, Marking Awl, 2 Gimlets, 2 Brad Awls, Nail Punch, Nail Pincers, Cutting Pliers, Spirit Level, Scraper, Cork Rubber, 2 Files, Wood Rasp, Hatchet, Case Opener, Screw Wrench, Bench Vice, Bench Stop, Glue Kettle, Oilstone, 2 ft. Rule, Joiner's Pencil, Rawplug Outfit, Nails and Screws, Book of Instructions.
Price £4 4s. 0d. each.

No. 5—"FIVE GUINEA" CHEST—Outside Dimensions 33 × 14 × 6½ ins.
Contents: Hand Saw 26 ins., Tenon Saw, Keyhole Saw, Smooth Plane, Brace and 7 Bits, Hammer, Mallet, 3 Chisels, Gouge, 2 Screwdrivers, Try Square, Sliding Bevel, Spokeshave, Marking Gauge, Mortise Gauge, Marking Awl, 2 Gimlets, 2 Brad Awls, Flooring Awl, Nail Pincers, Cutting Pliers, Nail Punch, Spirit Level, Scraper, Cork Rubber, 2 Files, Wood Rasp, Hatchet, Case Opener, Screw Wrench, Cramp Heads, Bench Vice, Bench Stop, Glue Kettle, Oilstone, 2 ft. Rule, Rawplug Outfit, Nails and Screws, Book of Instructions.
Price £5 5s. 0d. each.

No. 9030—MARPLES "HOMEWORKER" TOOL CHEST.



A strong, Grey-painted Deal Tool Chest, measuring 33 ins. long × 9½ ins. wide × 5 ins. deep, corners protected by steel Angle Plates, containing a useful set of FULL SIZE TOOLS, carefully selected to cover every requirement of the Home or Workshop.

British made throughout, it will give you years of service and pleasure.

Contents:—Hand Saw 26 ins., Tenon Saw, Keyhole Saw, Smoothing Plane, Mallet, Hammer, Spokeshave, Try Square, Marking Gauge, 2 Chisels, Gouge, 2 Screwdrivers, Brace and 6 Bits, Spirit Level, Rule, 2 Gimlets, 2 Brad Awls, 2 Files, Nail Punch, Pincers, Cutting Pliers, Marking Awl, Carpenter's Pencil, Book of Instructions and Designs.

Price: £3/0/0 each.

IN ADDITION A 32 p.p. BOOK, "USEFUL HOME CARPENTRY" IS INCLUDED IN ALL CHESTS AND CABINETS.



MARPLES "Shamrock Brand" TOOLS



No. 9033—THE "TECHNICAL" POLISHED PINE CHESTS.

With Tray and Division for Nails, etc. Contain useful Tools for Boys.

No. 1—Dimensions, $15\frac{1}{2} \times 8 \times 5$ ins.

Contains: Hand Saw, Smooth Plane, Hammer, Turnscrow, Firmer Chisel, Rule, Brad Awl, Gimlet, Handled Saw File, Tack Lifter, Tower Pincers, Nails and Screws, Carpenter's Pencil, Book of Instructions. Price 22/6 each.

No. 3—Dimensions, $16\frac{1}{2} \times 9\frac{1}{2} \times 5\frac{1}{2}$ ins.


Contains: Hand Saw, Smooth Plane, Hammer, Turnscrow, Firmer Chisel, Firmer Gouge, Rule, Brad Awl, Gimlet, Handled Saw File, Glue Pot and Brush, Tower Pincers, Spokeshave, Nail Punch, Marking Gauge, Nails and Screws, Carpenter's Pencil, Book of Instructions. Price 30/- each.

No. 5—Dimensions, $18 \times 11 \times 6$ ins.

Contains: Hand Saw, Mallet, Smooth Plane, Hammer, Glue Pot and Brush, Marking Gauge, Plated Square, 2 ft. Rule, Tower Pincers, Spirit Level, 2 Gimlets, 2 Brad Awls, Turnscrow, 2 Firmer Chisels, Firmer Gouge, Spokeshave, Handled Saw File, Nails and Screws, Carpenters' Pencil, Book of Instructions. Price 39/- each.

No. 6—Dimensions, $20 \times 11 \times 7$ ins.

Contains: Hand Saw, Mallet, Hatchet, Smooth Plane, Hammer, Tower Pincers, Glue Pot and Brush, Marking Gauge, 2 ft. Rule, Plated Square, 3 Firmer Chisels, Firmer Gouge, London Pattern Turnscrow, Round Blade Turnscrow, 2 Brad Awls, 2 Gimlets, Spokeshave, Handled Half-round File, Handled Saw File, Spirit Level, Brace, 2 Centre Bits, Swiss Bit, Nail Punch, Nails and Screws, Carpenter's Pencil, Book of Instructions. Price 54/- each.



9033 No. 5.

THE "KENT" BOYS' TOOL SETS IN CARDBOARD AND WOOD BOXES.

BOXES OAK-FINISH WITH HINGED LID.

TOOLS OF WARRANTED QUALITY.




No. 9037.



No. 9038 $\frac{1}{2}$.

9036	"Ivy" Set, in cardboard box (size $14\frac{1}{2} \times 4\frac{1}{2} \times 1\frac{1}{2}$ ins.) contains Hand Saw, Hammer, Turnscrow, Chisel, Rule, Gimlet, Brad Awl, Carpenter's Pencil	6/6 each.
9036 $\frac{1}{2}$	"Ivy" Set, in wood box—Size and Contents as above	7/6 each.
9037	"Shamrock" Set, in cardboard box (size $20 \times 5 \times 2\frac{1}{2}$ ins.) contains Hand Saw, Hammer, Turnscrow, Chisel, Mallet, Rule, Pincers, File, 2 Gimlets, Brad Awl, Carpenter's Pencil	10/6 each.
9037 $\frac{1}{2}$	"Shamrock" Set, in Wood box—Size and Contents as above	12/- each.
9038	"Hibernia" Set, in cardboard box (size $22\frac{1}{2} \times 6 \times 2\frac{1}{2}$ ins.) contains Hand Saw, Hammer, Pincers, Turnscrow, Chisel, Gouge, 2 Brad Awls, 2 Gimlets, Mallet, Plane, Square, Rule, File, Marking Awl, Carpenter's Pencil	15/9 each.
9038 $\frac{1}{2}$	"Hibernia" Set, in Wood box—Size and Contents as above	18/- each.

A 32 p.p. BOOK, "USEFUL HOME CARPENTRY" IS INCLUDED IN ALL TOOL CHESTS.



No. 9050

RACKS OF HOUSEHOLD TOOLS.

9050—Polished Deal Tool Rack, $16\frac{1}{2} \times 10\frac{1}{2}$ ins.

Contains: Hand Saw 10 ins., Hammer, Screwdriver, Chisel, Pincers, 2 Gimlets, Bradawl Price 13/6 each.

9051—Polished Deal Tool Rack, $16\frac{1}{2} \times 11\frac{1}{2}$ ins.

Contains: Hand Saw 10 ins., Hammer, Screwdriver, Chisel, Pincers, Tack Claw, File, Gimlet, 2 Bradawls, Boxwood Rule. Price 18/- each.



No. 9051



MARPLES "Shamrock Brand" TOOLS



SETS OF GENTLEMEN'S TOOLS IN ROLL.

9040 Sets of Tools in Best Black Leather Rolls.
These Tools are of Superfine Quality and are Fitted with Rosewood Handles.


No. 0—Set of 7 Tools.
Contains—Hammer, Cold Chisel, Firmer Chisel, Gimlet, Bradawl, Pincers, Screwdriver. Price 19/6 each.

No. 1—Set of 9 Tools.
Contains—Hammer, Cold Chisel, Firmer Chisel, Gimlet, Bradawl, Pincers, Screwdriver, File Cutting Pliers. Price 25/6 each.



No. 1a—Set of 10 Tools.
Contents as No. 1, with Rimer extra. Price 27/- each.

No. 2—Set of 12 Tools.
Contains—Hammer, Cold Chisel, Firmer Chisel, Gimlet, Bradawl, Firmer Gouge, Pincers, Screwdriver, Cutting Pliers, Roundnose Pliers, File, Tack Claw. Price 33/- each.

No. 3—Set of 15 Tools.
Contains—Hammer, Cold Chisel, Firmer Chisel, Gimlet, Bradawl, Firmer Gouge, Pincers, Cutting Pliers, Roundnose Pliers, Screwdriver, File, Tack Claw, Folding Saw, Hand Vice, Ivory Rule. Price 51/- each.



METAL CHASING OR REPOUSSE TOOLS.



- 9090 Repousse Punches, Nos. 1 to 83 (as illustrated)—
All Patterns, except Nos. 1, 2, 6, 7, 12, 13, 18, 19, 12/- doz.
Patterns Nos. 1, 2, 6, 7, 12, 13, 18 and 19..... 15/- ..
- 9091 Repousse Hammers, Handled 45/- ..
- 9092 Ditto Mallets ditto..... 27/- ..
- 9093 Marking Needles 12/- ..
- 9095 Blocks of Prepared Pitch 30/- ..
- 9096 Smoothing Irons, for Pitch 18/- ..
- 9097 Metal Shears, 7 ins. 30/- ..
- 9098 Leather Sand Bags—
5 6 7 8 9 10 12 14 ins. dia.
5/6 7/6 12/- 18/- 25/6 33/- 39/- 54/- each.
No. 1 No. 2
- 9099 Torch Lamps for Methlyated Spirit 5/6 6/- each.



MARPLES "Shamrock Brand" TOOLS



FLUXITE SOLDERING PASTE.

"Fluxite" can be used for soldering in place of spirits or resin, for all metals (except aluminium). The surfaces to be soldered need not be cleaned. The paste is also used for jointing lead without solder.

"Fluxite" can also be used for case-hardening tools, etc.

Junior (1 oz.) No. 1 (2 ozs.) No. 2 (6 ozs.) No. 3 (1 lb.)

Fluxite in tins	4/6	9/-	18/-	36/-	dozen.
Fixed minimum retail price	-/4	-/8	1/4	2/8	per tin.
Fluxite in 7 lb. Drums				2/3	per lb.
Fixed minimum retail price				2/-	per lb.

BAKER'S SOLDERING FLUID.




"BAKER'S PREPARATION" for Soldering and Tinning, in Tins :-

It is a scientific blending of liquid Chemicals, which when used as a Flux, has the following advantages :-

INSTANT ACTION, "TINS" and "CLEANS" THE IRON. DOES NOT SPLUTTER. REQUIRES NO SKILL.

Does not rust or discolour Bright Metals, and being of the highest strength, can be diluted with water according to the metals to be soldered.

6d.	1/-	1/6	2/-	3/-	size tins.
6/9	13/6	20/3	27/-	40/6	dozen tins.



**RAWL PLUGS MAKE FIRM
FIXTURES IN ANY MATERIAL.**




"Handyman" Outfit.

- The "Popular" Outfit contains 30 Rawlplugs (No. 8 assorted lengths), Rawlplug Tool Holder, complete with Rawl Drill; supply of Screw-Nails, Screws, Screw-Hooks, etc. and pamphlet of Instructions.....Price 1/6 each.
- The "Household" Outfit contains 75 Rawlplugs (No. 8 assorted lengths), No. 8 Tool Holder, Rawl Drill for brick, concrete, etc. Bullet Bit for plaster, Bit Ejector, 1 Plug and Screw Gauge, Supply of Screw-Nails, Screws, Screw Hooks, etc., and pamphlet of Instructions.....Price 3/6 each.
- The "Handyman" (Mechanics) No. 8 Outfit contains 100 Rawlplugs (No. 8 assorted lengths), 50 Rawlplugs (No. 14, assorted lengths), 1 Rawlplug Tool Holder, 1 each No. 8 and No. 14 Rawl Drill for brick, concrete, etc., 1 No. 8 Bullet Bit for plaster, 1 Ejector, 1 Plug and Screw Gauge, Supply of Screw-Nails, Screws, Screw-Hooks, etc. and pamphlet of Instructions.....Price 5/6 each.

THE FOUR-IN-ONE RAWLDRILL TOOL KIT—

In order to facilitate the carrying out of jobs which call for Rawlplug sizes 8, 10, 12 and 14, the above has been introduced. The outfit comprises a No. 14 Tool Holder, No. 8, No. 10 and No. 12 adaptable Rawldrills, and a No. 14 Standard Rawldrill and Ejector. All these Rawldrills fit the No. 14 Tool Holder thus making it unnecessary to carry several holders when tackling a job. The complete set in strong drill case.....Price 4/3 set.



We can supply all "Rawlplug" Spares, Tools and Kits, etc., at Maker's Prices.
We do not supply the "Rawlplug" Line for Export.



MARPLES "Shamrock Brand" TOOLS



DRAWING APPARATUS.

Clamped Pattern.



9910

Triplex Pattern.




9911

Section of "Triplex" Board.

9910	Drawing Boards Hardwood Clamped	16 × 11½	19 × 13½	20 × 15½	23 × 16	22 × 17	24 × 19 inches.
9911	ditto ditto Three-Ply	5/3	6/3	7/6	7/6	7/6	10/- each.

TEE SQUARES.




9912

BLACKBOARD TEE SQUARES.




9913

9912	Beechwood Tee Squares, Parallel Blade	12	15	18	21	24 inches.
		1/4	1/4	2/-	2/2	2/3 each.
9913	Beechwood Tee Squares, Blackboard Rule marked ¼ and ½ inch.			36	42	48 inches.
				6/-	6/9	7/9 each.




9914



9915


9914	Blackboard Set Squares, Solid Beech with Handle	45°—12 ins.	60°—15 inches.	
9915	Ditto Framed, with Cross Bars	4/9	4/9 each.	
		6/-	6/- each.	
9916	Blackboard Compasses, Hardwood Round Legs	12	16	18 inches.
		4/8	5/6	6/- each.



60° 9917




45° 9918



9919

9917	Hardwood Set Squares, 60 degrees	4	5	6	7	8	9	10 inches.
9918	" " " 45 degrees	—	3/6	3/9	—	4/9	—	7/6 dozen.
9919	Celluloid Set Squares Transparent, 60 degrees	3/6	3/9	4/9	7/6	7/6	12/9	—
9920	" " " 45 degrees	6/-	7/-	9/6	13/-	14/6	18/-	23/-
		7/-	11/-	14/6	18/-	23/-	28/6	32/6



9921 Rustless Metal Pencil Compass, 4 inches 10/- dozen.

MARPLES TOOLS



*My choice -
and yours too!*




MARPLES "Shamroek Brand" TOOLS



SCISSORS.



9930 Glazed Stout Bodkin Scissors—
 $5\frac{1}{2}$ 6 $6\frac{1}{2}$ 7 8 inches.
 19/6 24/- 27/- 31/6 39/- dozen.



9935 Glazed Shaping Scissors—
 6 $6\frac{1}{2}$ 7 8 inches.
 27/- 30/- 34/6 40/6 dozen.



9936 Glazed Tailors' Scissors—
 6 $6\frac{1}{2}$ 7 8 9 10 inches.
 27/- 30/- 34/6 40/6 52/6 84/- dozen.



9937 Best Nickel Plated Cutting-out Scissors, shaped Bows
 6 $6\frac{1}{2}$ 7 8 inches.
 48/- 54/- 63/- 75/- dozen.



9938 Glazed Round
 Blade Embroidery
 Scissors, $3\frac{1}{2}$ ins.
 16/6 dozen.



9939 Glazed Flat
 Blade Embroidery
 Scissors, $3\frac{1}{2}$ ins.
 18/- dozen.



9944 Glazed Hairdressers' Scissors—
 6 $6\frac{1}{2}$ 7 inches.
 28/6 31/6 37/6 dozen.



9945 Glazed Horse Clipping Scissors—
 6 $6\frac{1}{2}$ 7 8 inches.
 42/- 45/- 48/- 63/- dozen.



9947 Nickel Plated
 Nail Scissors,
 $3\frac{1}{2}$ ins., Straight,
 22/6 dozen.



9948 Nickel Plated
 Nail Scissors,
 $3\frac{1}{2}$ ins., Bent,
 33/- dozen.



9950 Drapers' Scissors—
 4 $4\frac{1}{2}$ 5 $5\frac{1}{2}$ 6 inches.
 21/- 24/- 24/- 36/- 40/6 dozen.

GAME SHEARS.



9955 Best Quality Nickel Plated Game Shears, 11 inches—
 108/- dozen.

N.B.—For Pruning, Flower Gathering and Vine Scissors and Pruning Shears, see Index.



MARPLES "Shamrock Brand" TOOLS



"HIBERNIA" POCKET KNIVES.



9710
Bone Stag Lambfoot
3½ 3¾ 4 ins.
20/- 24/- 27/- doz.



9712
Best Stag, 4¼ ins.,
Bullet Bolster,
1 Blade.
33/- dozen.



9715
Bone Stag, 3½ ins.
Spear Point,
2 Blades.
33/- doz.



8339
Best Stag, 4 ins.,
Capped Pruner,
54/- dozen.



9720
Check Horn, 4¼ ins.,
"Scout" Knife,
1 Blade, Pricker, Tin Opener.
48/- dozen.




9722
Buff, 3¼ ins.
"Balloon"
2 Blades,
36/- dozen.



9724
Best Stag, 3¼ ins.,
Barrel Bolster,
2 Blades.
36/- dozen.



9725
Bone Stag, 3¼ ins.,
Sports Knife,
(as illustrated)
72/- dozen.



9726
Nickel, 3¼ ins.,
Sports Knife
(as illustrated)
120/- dozen.



9728
Nickel, 3¼ ins.
"Engineers" 2 Blades,
and set of Feelers,
78/- dozen.

N.B.—For Castrating Knives, see Index.



MARPLES "Shamrock Brand" TOOLS



"HIBERNIA" PEN KNIVES.



9730

Ivory, 3 ins.
Narrow,
2 Blades,
27/- dozen.



9731

Ivory, 3½ ins.,
Sleeveboard,
2 Blades,
31/6 dozen.



9733

Shell,
3¼ ins. Catch Side,
2 Blades,
31/6 dozen.



9736

"Stainless" 3¼ ins.
31/6 doz.
9737 (Best)
78/- dozen.



9739

Pearl, 3 ins.,
Spoon-end,
2 Blades,
45/- dozen.



9740

Finest Ivory,
3¼ ins., Flat,
2 Blades,
78/- dozen.



9742

Grey Buff,
3¼ ins.,
3 Blades,
78/- dozen.



9745

Finest Ivory,
3¼ ins.,
102/- dozen.



9748

Pearl, 3¼ ins.,
Bearded,
4 Blades,
138/- dozen.



9749

Pearl, 3¼ ins.,
Best Worked Back,
2 Blades,
138/- dozen.



9750

Pearl, 3¼ ins.,
Corkscrew, Pricker,
2 Blades and Scissors
210/- dozen.



MARPLES "Shamrock Brand" TOOLS



STANDARD PRICE LIST OF SHEFFIELD FILES AND RASPS.

This List adopted as from 1st March, 1932, at a meeting of the File Manufacturers' Association, held at the Norris Deakin Buildings, Sheffield, on 2nd November, 1931, is authorised and published by the Cutlers' Company as the Official Standard List.



Flat File.



Hand File.



Half-Round File.



Three Square File.



Round File.



Square File.



Mill Saw File.

PRICES per dozen. Odd sizes not listed take the price of the next higher size.

1 FLAT, HAND, PILLAR, ENTERING, TAPER COTTER, PARALLEL COTTER, SLOTTING.

Size	Bastard	Second Cut	Smooth	Dead Smooth
Inches.	per doz.	per doz.	per doz.	per doz.
4	9/-	10/-	12/-	18/-
5	—	—	—	—
6	11/-	12/-	14/-	22/-
8	15/-	16/-	19/-	30/-
10	20/-	22/-	26/-	40/-
12	27/-	30/-	35/-	54/-
14	36/-	39/-	46/-	72/-
16	46/-	52/-	60/-	92/-
18	65/-	72/-	84/-	130/-
20	85/-	95/-	108/-	170/-

2 WARDING.

Bastard	Second Cut	Smooth
per doz.	per doz.	per doz.
10/-	11/-	13/-
12/-	13/-	15/-
14/-	15/-	17/-
18/-	20/-	25/-
23/-	26/-	30/-
—	—	—
—	—	—
—	—	—
—	—	—
—	—	—

3 EQUALLING, ONE SAFE EDGE, NEEDLE AND PIN FILES.

Bastard	Second Cut	Smooth	Dead Smooth
per doz.	per doz.	per doz.	per doz.
10/-	12/-	14/-	20/-
—	—	—	—
12/-	14/-	16/-	24/-
17/-	19/-	22/-	34/-
22/-	26/-	30/-	44/-
30/-	34/-	40/-	60/-
40/-	46/-	53/-	80/-
53/-	60/-	69/-	106/-
69/-	79/-	91/-	138/-
87/-	99/-	116/-	174/-

4 HALF ROUND, BONE, WOOD & MARBLE FILES.

Size	Bastard	Second Cut	Smooth	Dead Smooth
Inches	per doz.	per doz.	per doz.	per doz.
4	11/-	13/-	14/-	22/-
6	14/-	15/-	17/-	28/-
8	17/-	19/-	22/-	34/-
10	21/-	24/-	29/-	42/-
12	28/-	32/-	38/-	56/-
14	38/-	43/-	50/-	76/-
16	52/-	58/-	66/-	104/-
18	70/-	80/-	90/-	140/-
20	90/-	105/-	120/-	180/-

5 CABINET FILES.

Bastard	Second Cut	Smooth
per doz.	per doz.	per doz.
19/-	22/-	25/-
25/-	28/-	32/-
30/-	34/-	39/-
38/-	43/-	49/-
52/-	60/-	66/-
—	—	—
—	—	—
—	—	—

6 ROUND.

Bastard	Second Cut	Smooth	Dead Smooth
per doz.	per doz.	per doz.	per doz.
8/-	9/-	11/-	16/-
10/-	11/-	13/-	20/-
13/-	15/-	17/-	26/-
16/-	19/-	22/-	32/-
22/-	26/-	29/-	44/-
30/-	35/-	39/-	60/-
45/-	49/-	56/-	90/-
70/-	80/-	90/-	140/-
90/-	100/-	120/-	180/-

For extras on the above Lists (Nos. 1 to 6) see next page.

For prices of File Brushes, see Index.



MARPLES "Shamrock Brand" TOOLS



STANDARD PRICE LIST OF SHEFFIELD FILES AND RASPS—(Continued).

Odd sizes not listed take price of next higher size.

7 SQUARE.					8 THREE SQUARE				9 KNIFE.		
Size	Bastard	Second Cut	Smooth	Dead Smooth	Bastard	Second Cut	Smooth	Dead Smooth	Bastard	Second Cut	Smooth
Inches	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.
4	9/-	11/-	13/-	18/-	9/-	11/-	12/-	18/-	17/-	19/-	21/-
5	—	—	—	—	11/-	13/-	15/-	22/-	18/-	20/-	22/-
6	11/-	12/-	14/-	22/-	12/-	14/-	16/-	24/-	20/-	22/-	25/-
7	—	—	—	—	15/-	16/-	18/-	30/-	22/-	24/-	28/-
8	13/-	15/-	18/-	26/-	16/-	17/-	20/-	32/-	24/-	27/-	32/-
10	17/-	20/-	23/-	34/-	21/-	25/-	29/-	42/-	30/-	34/-	40/-
12	24/-	27/-	33/-	48/-	29/-	34/-	40/-	58/-	42/-	47/-	52/-
14	32/-	35/-	41/-	64/-	38/-	45/-	53/-	76/-	—	—	—
16	45/-	51/-	59/-	90/-	52/-	60/-	70/-	104/-	—	—	—
18	60/-	68/-	75/-	120/-	70/-	80/-	90/-	140/-	—	—	—
20	80/-	89/-	100/-	160/-	90/-	100/-	115/-	180/-	—	—	—

11 MILL SAW FILES, HEAVY BLUNT.

12

MILL SAW FILES, TAPER OR BLUNT.

"A" 2 Square Edges						"B" 1 Round Edge		"C" 2 Round Edges		"A" 2 Square Edges						"B" 1 Round Edge			"C" 2 Round Edges								
2nd Cut		Smooth		2nd Cut		Smooth		2nd Cut		Smooth		2nd Cut		Smooth		2nd Cut		Smooth		2nd Cut		Smooth		2nd Cut		Smooth	
per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	Ins.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.
9/-	10/-	10/-	—	—	—	4	8/-	9/-	10/-	9/-	10/-	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12/-	14/-	13/-	14/-	14/-	16/-	6	10/-	12/-	14/-	11/-	13/-	14/-	12/-	14/-	17/-	19/-	16/-	14/-	16/-	19/-	16/-	19/-	21/-	—	—	—	
16/-	18/-	17/-	19/-	19/-	21/-	8	13/-	16/-	18/-	14/-	17/-	19/-	19/-	16/-	19/-	20/-	23/-	26/-	26/-	26/-	26/-	26/-	26/-	—	—	—	
20/-	23/-	22/-	25/-	23/-	26/-	10	17/-	20/-	23/-	18/-	22/-	25/-	20/-	23/-	26/-	29/-	32/-	32/-	32/-	32/-	32/-	32/-	—	—	—	—	
26/-	29/-	28/-	31/-	29/-	32/-	12	23/-	26/-	29/-	25/-	28/-	31/-	27/-	29/-	32/-	—	—	—	—	—	—	—	—	—	—	—	
34/-	37/-	38/-	—	42/-	45/-	14	31/-	34/-	37/-	35/-	38/-	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
48/-	53/-	—	—	—	—	16	44/-	48/-	53/-	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	18	62/-	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Size	13 Taper Saw Files 2nd Cut Single		14 Taper Saw Files 2nd Cut Double		15 Double Ended 2nd Cut Single	16 Blunt Saw Files 2nd Cut Single		17 Band Saw 2nd Cut Single				18 Pit or Frame Saw Single Cut	19 Cross Cut	20 Gulleting	21 Cant Saw	22 Oval Saw Single Cut		
	Reg. or Heavy "A"	Slim or Extra Slim "B"	Reg. or Heavy "A"	Slim or Extra Slim "B"		Reg. or Heavy "A"	Slim "B"	Taper		Blunt						2nd Cut	Smooth	
Inches	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.
Up to 4	7/-	7/-	10/-	10/-	—	8/-	8/-	9/-	9/-	10/-	10/-	9/-	—	10/-	11/-	20/-	21/-	—
4½	8/-	8/-	11/-	11/-	—	10/-	10/-	—	—	—	—	—	—	—	—	—	—	—
5	9/-	9/-	12/-	12/-	—	11/-	11/-	11/-	11/-	12/-	12/-	11/-	—	12/-	13/-	—	—	—
5½	10/-	10/-	13/-	13/-	—	12/-	12/-	—	—	—	—	—	—	—	—	—	—	—
6	11/-	11/-	14/-	14/-	11/-	13/-	13/-	14/-	14/-	16/-	16/-	14/-	19/-	15/-	16/-	23/-	26/-	—
7	13/-	12/-	16/-	15/-	12/-	16/-	—	17/-	16/-	20/-	18/-	18/-	—	18/-	18/-	—	—	—
8	16/-	14/-	18/-	16/-	13/-	20/-	17/-	20/-	18/-	24/-	21/-	22/-	21/-	22/-	20/-	29/-	33/-	—
9	20/-	17/-	21/-	18/-	15/-	—	—	—	—	—	—	—	24/-	—	24/-	—	—	—
10	24/-	20/-	26/-	22/-	17/-	30/-	—	29/-	24/-	35/-	29/-	—	28/-	—	30/-	36/-	44/-	—
12	38/-	30/-	43/-	34/-	20/-	—	—	—	—	—	—	—	37/-	—	40/-	—	—	—
14	—	—	50/-	40/-	—	—	—	—	—	—	—	—	—	—	—	—	—	—
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

10

VALVE RUBBER OR BLOCK FILES.

Size.	4 × 1	4 × 1½	4 × 1¾	4 × 1¾	4 × 2	5 × 1	5 × 1½	5 × 1¾	5 × 1¾	5 × 2	6 × 1	6 × 1½	6 × 1¾	6 × 1¾	6 × 2	inches.
	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	
Bastard ...	78/-	94/-	109/-	128/-	149/-	85/-	102/-	120/-	143/-	166/-	92/-	109/-	130/-	160/-	188/-	
2nd Cut ...	88/-	105/-	122/-	143/-	167/-	96/-	115/-	135/-	160/-	186/-	104/-	124/-	147/-	180/-	211/-	
Smooth ...	98/-	115/-	133/-	155/-	181/-	106/-	125/-	148/-	177/-	204/-	115/-	136/-	162/-	198/-	230/-	

For extras on the above Lists — (Nos. 7 to 22) see next page.

For Prices of File Brushes — see Index.



MARPLES "Shamrock Brand" TOOLS



STANDARD PRICE LIST OF SHEFFIELD FILES AND RASPS—Continued.

Extras on Preceding Lists.

EXTRAS ON LIST 1.

Flat, one round edge, advance half inch.
 Cotter, Slotting and Pillar, one round edge, advance half inch.
 Hand, cut both edges or with one double cut edge, advance half inch.
 Hand, one round edge, advance half inch.
 Flat, two round edges, advance one inch.
 Cotter, extra thin, advance one inch.
 Cotter, Slotting and Pillar, two round edges, advance one inch.
 Hand, two round edges, advance one inch.
 Pottance, advance one inch.
 Arch, advance two inches.
 Coffin, advance two inches.
 Flat Wood Files, prices as Bastard Cut.

EXTRAS ON LIST 3.

Equalling cut both edges or with one double cut edge, advance half inch.
 Equalling one round edge, advance half inch.
 Equalling extra thin, advance one inch.
 Equalling two round edges, advance one inch.

EXTRAS ON LIST 4.

Round off, advance one inch.
 Flat back and High back half round, advance one inch.
 Cant Files, advance one inch.
 Crossing, advance 50%.
 Taper and Blunt Tumbler, advance 50%.

Files and Rasps made extra strength to take medium between strength and length.

New Angle Cut or Hand Finishing Files to advance one inch on their respective kinds.

Floatcut, take prices of their respective Lists.

All Cuts coarser than Bastard Cut take Bastard Cut prices.

Parallel or Blunt Files and Rasps not specified, to advance one inch on their respective kinds.

Double Tanged Files and Rasps to advance one inch on their respective kinds. Edges double cut to advance half inch on their respective kinds.

Round, Half-round, and Crossing Files, double cut, second cut and smooth, advance one inch on their respective Lists.

All above 20", prices quoted on application.

EXTRAS ON LIST 6.—Blunt advance one inch.

EXTRAS ON LIST 7.—Blunt advance one inch.

EXTRA ON LIST 8.—Belled Three square, advance two inches.

EXTRAS ON LIST 9.

Lock Files, advance two inches.
 Featheredge, advance two inches.

EXTRAS ON LIST 11.

Millaw double cut, advance one inch.
 Topping Files, advance one inch.
 Topping Files, double cut, advance three inches.

EXTRA ON LIST 13.

Taper Saw Files cut to point, advance one inch.

Riffler Files—see Index.

Reaper Files—see Index.

Rubber and Weight Files—Prices on application.

Machine Bandsaw Files—Prices on Application.

General Extras.

Odd sizes not listed take the price of the next higher size listed.

The method of ascertaining the prices of Files which are an extra on any of the Lists where prices are for sizes in even numbers only is as follows:—

One inch advance is the medium of the price for the length of File to be priced and the price of the next size higher in the List, and similarly for half inch advance, excepting that in this case half the difference is added to the price of the size of the File to be priced.

EXAMPLES—

Price of 10" Hand one round edge—£1 1s. 9d. ($\frac{1}{2}$ " advance on Hand price).

Price of 10" Hand two round edges—£1 3s. 6d (1" advance on Hand price).

NOTE.—The price of 9" Hand one round edge and two round edges is the same as 10", as unlisted sizes take the price of the next listed size higher.

RASPS.



Horse or Shoe Rasp.



Half Round Wood Rasp.



Cabinet Rasp.

Size	26 Horse Rasps			27 Shoe Rasps		28 Cabinet Rasps		29 Flat Wood Rasps		30 Half Round Wood Rasps			31 Round Wood Rasps		Extras on Rasps
	"A" Plain	"B" Slim	"C" Tang- ed	"A" Flat or Plain	"B" Half Round	"A" Reg. 2nd Cut	"B" Smooth	"A" Bast- ard	"B" Smooth	"A" Bast- ard	"B" 2nd Cut	"C" Smooth	"A" 2nd Cut	"B" Smooth	
ins.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	per doz.	
6	—	—	—	—	—	19/-	23/-	14/-	17/-	16/-	17/-	18/-	17/-	19/-	List 28. Extra Smooth Cabinet advance 2 inches Saddle Tree Rasps advance 3 inches
7	—	—	—	18/-	21/-	—	—	—	—	—	—	—	—	—	
8	—	—	—	21/-	24/-	25/-	29/-	17/-	21/-	20/-	22/-	23/-	22/-	25/-	
9	—	—	—	23/-	26/-	—	—	—	—	—	—	—	—	—	
10	25/-	—	—	26/-	29/-	30/-	36/-	21/-	27/-	25/-	28/-	30/-	28/-	30/-	
12	30/-	—	—	—	—	38/-	46/-	28/-	33/-	33/-	37/-	38/-	36/-	38/-	
13	35/-	—	36/-	—	—	—	—	—	—	—	—	—	—	—	
14	40/-	—	42/-	—	—	52/-	60/-	38/-	44/-	43/-	48/-	50/-	47/-	52/-	
15	46/-	—	48/-	—	—	—	—	—	—	—	—	—	—	—	
16	54/-	50/-	56/-	—	—	74/-	84/-	50/-	60/-	55/-	61/-	65/-	60/-	—	
18	71/-	60/-	65/-	—	—	—	—	—	—	—	—	—	—	—	

Odd sizes not Listed take the price of the next higher size.

List 29
Hand Rasps,
advance 1 inch




MARPLES "Shamroek Brand" TOOLS




MARPLES ICE SKATES

BEST TEMPERED STEEL BLADES, HEAVILY NICKEL PLATED.



9540.

9540 The "Hibernia" International Style Solid Type Skates, for Rink and Figure Skating.....Price (all sizes) 25/- pair.



9545.

9545 The "Hibernia" Special International style Solid type Skates, with Improved Toe Plate and Spinning Tooth, for Rink and Figure Skating.....Price (all sizes) 30/- pair.

Made in the following centimetre sizes :—

Size of Skates (in centimetres)	24	25	26	27	28	29	30	31	32
Approximate size of boot No.....	3	4	5	6	7	8	9	10	11



9557.

9557 "The Mount Charles" English Style Skates, for out-door Skating, with Aluminium Toe and Heel plates.

Price (all sizes) 21/- pair.

Made in following sizes :—

Size of Skate	9½	10	10½	11	11½	12 inches.
Approximate size of boot No.	3	4	5/6	7	8/9	10/11

Each pair of Skates is packed in cardboard box, complete with set of screws.



MARPLES "Shamrock Brand" TOOLS



CARBON AND HIGH SPEED STEEL TWIST DRILLS.

"Jobbers" or Short Straight Shank Twist Drills



Diameter	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	inch.
Length	2	2 $\frac{1}{2}$	2 $\frac{1}{2}$	2 $\frac{1}{2}$	2 $\frac{1}{2}$	3	3 $\frac{1}{2}$	3 $\frac{1}{2}$	3 $\frac{1}{2}$	3 $\frac{1}{2}$	3 $\frac{1}{2}$	4	4	4 $\frac{1}{2}$	4 $\frac{1}{2}$	$\frac{5}{8}$	inches.
Carbon Steel	6/9	7/-	7/-	7/3	7/6	7/9	8/-	8/3	9/6	10/6	11/6	12/6	13/6	14/6	15/9		dozen.
High Speed	14/-	15/-	16/-	16/-	17/-	18/-	19/-	20/-	21/-	23/-	24/-	27/-	29/-	31/-	33/-		"
Diameter		$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3		inch.
Length		4 $\frac{1}{2}$	4 $\frac{1}{2}$	4 $\frac{1}{2}$	4 $\frac{1}{2}$	5	5	5 $\frac{1}{2}$	5 $\frac{1}{2}$	5 $\frac{1}{2}$	5 $\frac{1}{2}$	5 $\frac{1}{2}$	5 $\frac{1}{2}$	6	6		inches.
Carbon Steel		16/9	18/3	19/6	21/-	23/-	25/-	27/-	29/3	32/3	35/6	38/6	41/9	45/9	50/-		dozen.
High Speed		36/-	39/-	42/-	45/-	48/-	51/-	54/-	57/-	60/-	60/-	63/-	65/-	69/-	72/-		"

Taper Shank and LONG Straight Shank Twist Drills



Diameter	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{5}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	4	$4\frac{1}{4}$	$4\frac{1}{2}$	inch.
	Length	5 $\frac{1}{2}$	5 $\frac{1}{2}$	5 $\frac{1}{2}$	5 $\frac{1}{2}$	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$	6 $\frac{1}{2}$	6 $\frac{1}{2}$	6 $\frac{1}{2}$	6 $\frac{1}{2}$	6 $\frac{1}{2}$	6 $\frac{1}{2}$	6 $\frac{1}{2}$	8	8	8 $\frac{1}{2}$	inches.
Taper Shank—	Carbon Steel	2/-	2/-	2/3	2/3	2/6	2/6	2/6	2/6	2/9	2/9	3/-	3/-	3/3	3/3				each.
	High Speed	5/6	5/6	5/6	5/6	5/9	5/9	5/9	5/9	6/-	6/3	6/3	6/3	6/3	6/6	6/6			"
Straight Shank—	Carbon Steel	1/3	1/4	1/4	1/6	1/6	1/8	1/8	1/10	1/10	2/2	2/2	2/6	2/6	2/10	2/10			"
	High Speed	3/4	3/4	3/4	3/6	4/-	4/2	4/2	5/-	5/-	5/2	5/2	5/5	5/5	5/9	5/9			"
Diameter		$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	inch.
	Length		6 $\frac{1}{2}$	6 $\frac{1}{2}$	7	7	7 $\frac{1}{2}$	7 $\frac{1}{2}$	7 $\frac{1}{2}$	7 $\frac{1}{2}$	7 $\frac{1}{2}$	7 $\frac{1}{2}$	7 $\frac{1}{2}$	8	8	8 $\frac{1}{2}$	8 $\frac{1}{2}$	8 $\frac{1}{2}$	inches.
Taper Shank—	Carbon Steel		3/6	3/6	3/9	3/9	4/3	4/3	4/9	4/9	5/-	5/-	5/6	5/6	6/-	6/-			each.
	High Speed		6/6	6/6	7/-	7/-	7/6	7/6	8/-	8/-	8/6	8/6	9/-	9/-	9/-	9/-			"
Straight Shank—	Carbon Steel		3/2	3/2	3/7	3/7	4/1	4/1	4/7	4/7	5/-	5/-	5/6	5/6	6/-	6/-			"
	High Speed		6/6	6/6	6/10	6/10	7/6	7/6	8/-	8/-	8/6	8/6	9/-	9/-	9/-	9/-			"
Diameter		$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	inch.
	Length		8 $\frac{1}{2}$	8 $\frac{1}{2}$	8 $\frac{1}{2}$	8 $\frac{1}{2}$	8 $\frac{1}{2}$	8 $\frac{1}{2}$	9	9	9 $\frac{1}{2}$	9 $\frac{1}{2}$	9 $\frac{1}{2}$	9 $\frac{1}{2}$	9 $\frac{1}{2}$	9 $\frac{1}{2}$	9 $\frac{1}{2}$	9 $\frac{1}{2}$	inches.
Carbon Steel			6/3	6/3	6/3	6/9	6/9	7/3	7/3	7/6	7/6	8/-	8/-	8/3	8/3				each.
	High Speed		12/-	12/-	12/6	13/-	13/-	13/6	13/6	14/-	14/-	15/-	15/-	16/-	16/-				"
Diameter			$\frac{3}{4}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	inch.
	Length		9 $\frac{1}{2}$	9 $\frac{1}{2}$	9 $\frac{1}{2}$	10	10	10 $\frac{1}{2}$	10 $\frac{1}{2}$	10 $\frac{1}{2}$	10 $\frac{1}{2}$	10 $\frac{1}{2}$	10 $\frac{1}{2}$	10 $\frac{1}{2}$	10 $\frac{1}{2}$	10 $\frac{1}{2}$	10 $\frac{1}{2}$	10 $\frac{1}{2}$	inches.
Carbon Steel			8/3	8/9	8/9	9/3	9/3	10/-	10/-	11/-	11/-	11/6	11/6	11/9	11/9				each.
	High Speed		16/-	17/-	17/-	18/-	18/-	19/-	19/-	20/6	20/6	21/6	22/6	22/6	22/9	22/9			"
Diameter			$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	$1\frac{1}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	2	$2\frac{1}{4}$	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	4	inch.
	Length		10 $\frac{1}{2}$	10 $\frac{1}{2}$	10 $\frac{1}{2}$	10 $\frac{1}{2}$	11	11	11 $\frac{1}{2}$	11 $\frac{1}{2}$	11 $\frac{1}{2}$	11 $\frac{1}{2}$	11 $\frac{1}{2}$	11 $\frac{1}{2}$	11 $\frac{1}{2}$	11 $\frac{1}{2}$	11 $\frac{1}{2}$	11 $\frac{1}{2}$	"
Carbon Steel			12/6	12/6	13/9	13/9	14/9	14/9	15/9	15/9	16/9	16/9	17/9	17/9					each.
	High Speed		23/6	23/6	25/-	25/-	26/6	26/6	28/-	28/-	30/-	30/-	31/-	32/-					"
Diameter			$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{5}{8}$	$1\frac{3}{4}$	inch.
	Length		11 $\frac{1}{2}$	11 $\frac{1}{2}$	11 $\frac{1}{2}$	11 $\frac{1}{2}$	11 $\frac{1}{2}$	11 $\frac{1}{2}$	12	12	12 $\frac{1}{2}$	12 $\frac{1}{2}$	12 $\frac{1}{2}$	12 $\frac{1}{2}$	12 $\frac{1}{2}$	12 $\frac{1}{2}$	12 $\frac{1}{2}$	12 $\frac{1}{2}$	"
Carbon Steel			17/9	18/9	18/9	20/-	20/-	21/-	21/-	22/-	22/-	23/-	23/-	23/-	23/-				each.
	High Speed		33/-	34/-	35/-	38/-	37/-	38/-	39/-	41/-	42/-	42/-	42/-	44/-					"
Diameter			$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	inch.
	Length		14 $\frac{1}{2}$	14 $\frac{1}{2}$	14 $\frac{1}{2}$	14 $\frac{1}{2}$	14 $\frac{1}{2}$	14 $\frac{1}{2}$	14 $\frac{1}{2}$	14 $\frac{1}{2}$	14 $\frac{1}{2}$	14 $\frac{1}{2}$	14 $\frac{1}{2}$	14 $\frac{1}{2}$	14 $\frac{1}{2}$	14 $\frac{1}{2}$	14 $\frac{1}{2}$	14 $\frac{1}{2}$	"
Carbon Steel			24/-	24/-	25/-	25/-	26/3	26/3	27/3	27/3	29/3	29/3	31/3	31/3					each.
	High Speed		52/-	53/-	54/-	55/-	57/-	58/-	60/-	62/-	63/-	64/-	66/-	68/-					"
Diameter			$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	$1\frac{1}{2}$	$1\frac{3}{4}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	$1\frac{5}{8}$	$1\frac{3}{4}$	$1\frac{7}{8}$	inch.
	Length		14 $\frac{1}{2}$	14 $\frac{1}{2}$	15	15	15 $\frac{1}{2}$	15 $\frac{1}{2}$	15 $\frac{1}{2}$	16	16 $\frac{1}{2}$	16 $\frac{1}{2}$	16 $\frac{1}{2}$	16 $\frac{1}{2}$	16 $\frac{1}{2}$	16 $\frac{1}{2}$	16 $\frac{1}{2}$	16 $\frac{1}{2}$	"
Carbon Steel			33/6	33/6	35/6	35/6	39/9	43/9	48/-	52/3	58/6	64/9	71/-	77/3					each.
	High Speed		70/-	72/-	74/-	76/-	84/-	92/-	98/-	104/-	112/-	120/-	130/-	140/-					"



MARPLES "Shamrock Brand" TOOLS



CARBON AND HIGH SPEED STEEL TWIST DRILLS—(Continued). Machine Twist Drills, for Wood (Carbon Steel)



Diameter of Drill $\frac{1}{16}$ $\frac{3}{32}$ $\frac{1}{8}$ $\frac{5}{32}$ $\frac{3}{16}$ $\frac{7}{32}$ $\frac{1}{4}$ $\frac{9}{32}$ $\frac{5}{16}$ $\frac{11}{32}$ $\frac{3}{8}$ $\frac{13}{32}$ $\frac{7}{16}$ $\frac{15}{32}$ $\frac{1}{2}$ $\frac{17}{32}$ $\frac{9}{16}$ $\frac{19}{32}$ $\frac{5}{8}$ $\frac{21}{32}$ $\frac{3}{4}$ $\frac{23}{32}$ $\frac{11}{16}$ $\frac{25}{32}$ $\frac{13}{16}$ 1 inch.

With Straight Shank 1/9 2/- 2/3 2/3 2/6 2/9 3/- 3/3 3/6 3/6 3/9 4/3 4/9 5/6 6/3 7/3 8/- 8/9 10/6 12/3 13/6 each.

With $\frac{1}{8}$ in. diam. Shank ... 2/3 2/3 2/6 2/9 3/- 3/3 3/6 3/6 3/9 4/- 4/3 4/9 5/- 6/- 6/9 7/6 8/6 9/3 11/- 12/6 14/9 ..

Drill and Countersink Combined (Use Letters when ordering.)



Letter	A	B	C	D	E	F	G
Body Diam.	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$
Drill Diam.	$\frac{3}{32}$ & $\frac{1}{8}$	$\frac{1}{8}$	$\frac{3}{32}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{1}{2}$

Carbon Steel	11/6	11/6	11/6	10/6	9/6	15/-	15/-
High Speed	25/6	25/6	25/6	22/6	20/6	35/3	35/3

dozen. ..

Sockets for Taper Shank Drills. (Shank Left Rough.)



Taper (inside) Nos.	1	2	3	4	5
For Drills ...	$\frac{1}{16}$ to $\frac{3}{16}$	$\frac{3}{16}$ to $\frac{1}{2}$	$\frac{1}{4}$ to $\frac{5}{8}$	$\frac{1}{2}$ to $1\frac{1}{4}$	$1\frac{1}{4}$ to 3
Whole Length	7	8	10	12	16
Dia. and Length of Blank End—	$1\frac{1}{16} \times 4$	$1\frac{1}{8} \times 4\frac{1}{2}$	$1\frac{1}{4} \times 5\frac{1}{2}$	$2 \times 6\frac{1}{2}$	$2\frac{1}{2} \times 9$

3/3 5/- 6/3 10/3 34/6 each

Shanks can be turned to suit requirements (extra).

Sleeves for Taper Shank Drills,



Morse Taper Inside Nos.	1	2	3	4
Morse Taper Outside Nos.	2	3	4	5

2/- 2/6 4/- 8/- each.

(Other combinations, prices on application).

Drill Stands.

Die Cast Zinc Alloy Drill Stands. Designed to pivot on Bench, cellulosed green. (Holes are accurate enough to act as a rough gauge for ascertaining diameter of taps, rods, etc.).

9200 For 29 Drills, $\frac{1}{16}$ to $\frac{1}{2}$ in. \times 64ths (without drills) 2/6 each.

9201 .. 60 .. Nos. 1 to 60 (" ") 2/6 each.

9204 SETS of Carbon Steel Twist Drills.

Set A (29 Drills)	$\frac{1}{16}$ to $\frac{1}{2}$ in. \times 64ths (for 9200 Drill Stand)	47/6 set.
" B (60 ")	Nos. 1 to 60 (for 9201 Drill Stand)	40/6 ..
" C (15 ")	$\frac{1}{16}$ to $\frac{1}{8}$ " \times 32nds	25/- ..
" D (8 ")	$\frac{1}{16}$ to $\frac{1}{8}$ " \times 16ths	13/9 ..
" E (21 ")	$\frac{1}{16}$ to $\frac{3}{8}$ " \times 64ths	22/6 ..
" F (11 ")	$\frac{1}{16}$ to $\frac{3}{8}$ " \times 32nds	12/- ..
" G (7 ")	$\frac{1}{16}$ to $\frac{1}{4}$ " \times 32nds	5/3 ..



TWIST
BEST
WARRANTED
DRILLS.

PRICE
PER SET.

9190

9190 Cards of Jobbers Straight Shank Twist Drills—

Card A (5 drills)	$\frac{1}{16}$ $\frac{3}{32}$ $\frac{1}{8}$ $\frac{5}{32}$ and $\frac{3}{8}$ dia.	2/3 Card
" B (6 ")	$\frac{1}{8}$ $\frac{9}{32}$ $\frac{1}{4}$ $\frac{5}{16}$ and $\frac{3}{8}$ dia.	2/9 ..
" C (7 ")	$\frac{3}{16}$ $\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ and $\frac{7}{16}$ dia.	5/- ..
" D (9 ")	$\frac{1}{4}$ $\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ and $\frac{1}{2}$ dia.	4/- ..
" E (13 ")	$\frac{5}{16}$ $\frac{3}{8}$ $\frac{7}{16}$ $\frac{1}{2}$ $\frac{9}{16}$ $\frac{5}{8}$ $\frac{11}{16}$ and $\frac{3}{4}$ dia.	6/6 ..

9191 Cards of Bit Stock Twist Drills—
(6 drills) $\frac{1}{16}$ $\frac{3}{32}$ $\frac{1}{8}$ $\frac{5}{32}$ $\frac{3}{16}$ and $\frac{1}{4}$ dia. 5/6 Card

TWIST
BEST
WARRANTED
DRILLS

PRICE
PER SET

9191



MARPLES "Shamrock Brand" TOOLS



CARBON AND HIGH SPEED STEEL TWIST DRILLS—(Continued).

Straight Shank Wire Gauge Twist Drills.

Wire Gauge Nos	1-5	6-10	11-15	16-20	21-25	26-30	31-40	41-50	51-55	56-60	61-80
Carbon Steel	11/6	10/5	9/5	8/4	7/11	7/6	7/4	7/1	6/8	6/6	6/3 dozen.

Blacksmiths' Parallel Shank Twist Drills (Carbon Steel.) Length overall—6 inches.



Shanks $\frac{1}{2}$ or $\frac{3}{4}$ in. dia. \times 2 $\frac{1}{2}$ in. long.

Diameter of Drills	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	$\frac{15}{16}$	$\frac{1}{2}$	$\frac{17}{16}$	inch.
Shank, $\frac{1}{2}$ inch Diameter	1/10	2/-	2/3	2/3	2/6	2/9	3/-	3/3	3/6	3/6	3/9	4/-	4/3	4/6	4/9	4/9	each.
Shank, $\frac{3}{4}$ inch diameter	4/9	5/-	5/6	6/-	6/3	6/9	7/3	7/6	8/-	8/3	8/9	9/3	9/9	10/-	10/-	10/-	each.
Diameter of Drills	1	1 $\frac{1}{32}$	1 $\frac{1}{16}$	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	1 $\frac{7}{8}$	1 $\frac{15}{16}$	1 $\frac{1}{2}$	1 $\frac{1}{4}$	1 $\frac{1}{8}$	1 $\frac{1}{16}$	1 $\frac{1}{32}$	1 $\frac{1}{64}$	1 $\frac{1}{128}$	inch.
Shank, $\frac{1}{2}$ inch diameter	10/6	11/-	11/3	11/9	12/3	12/6	13/-	13/6	13/9	14/6	15/-	16/3	17/6	18/9	18/9	18/9	each.
Shank, $\frac{3}{4}$ inch diameter	10/6	11/-	11/3	11/9	12/3	12/6	13/-	13/6	13/9	14/6	15/-	16/3	17/6	18/9	18/9	18/9	each.

Ratchet Brace Twist Drills with Taper Square Shank.

No. 1 Shanks
measure
 $\frac{5}{8}$ in. \times $\frac{3}{4}$ in. \times 1 $\frac{1}{2}$ in. long.



No. 2 Shanks
measure
 $\frac{3}{4}$ in. \times $\frac{1}{2}$ in. \times 1 $\frac{1}{4}$ in. long.

Diameter of Drills	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{9}{16}$	$\frac{5}{8}$	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	$\frac{15}{16}$	$\frac{1}{2}$	$\frac{1}{16}$	$\frac{3}{16}$	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	inch.	
Length overall	4 $\frac{1}{2}$	4 $\frac{1}{2}$	4 $\frac{1}{2}$	5	5	5	5	5	6	6 $\frac{1}{4}$	6 $\frac{1}{4}$	6 $\frac{1}{4}$	6 $\frac{1}{4}$	6 $\frac{1}{4}$	6 $\frac{1}{4}$	6 $\frac{1}{4}$	6 $\frac{1}{4}$	6 $\frac{1}{4}$	6 $\frac{1}{4}$	6 $\frac{1}{4}$	6 $\frac{1}{4}$	ins.	
Carbon Steel	3/9	4/-	4/-	4/3	4/3	4/6	4/6	4/9	5/-	5/3	5/3	5/6	5/6	5/9	6/-	6/-	6/-	6/-	6/-	6/-	6/-	6/-	each.
High Speed								16/-	16/-	16/6	17/6	17/6	18/-	18/6	18/6	19/6	19/6	19/6	19/6	19/6	19/6	19/6	each.
Diameter of Drills	$\frac{11}{16}$	$\frac{3}{4}$	$\frac{13}{16}$	$\frac{7}{8}$	$\frac{15}{16}$	1	1 $\frac{1}{16}$	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	1 $\frac{7}{8}$	1 $\frac{15}{16}$	1 $\frac{1}{2}$	1 $\frac{1}{4}$	1 $\frac{1}{8}$	1 $\frac{1}{16}$	1 $\frac{1}{32}$	1 $\frac{1}{64}$	1 $\frac{1}{128}$	1 $\frac{1}{256}$	1 $\frac{1}{512}$	ins.
Length overall	6 $\frac{1}{2}$	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$	8	8 $\frac{1}{2}$	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	ins.
Carbon Steel	6/-	6/6	7/3	8/6	9/9	10/9	12/-	13/-	14/-	15/3	16/3	17/6	18/9	20/-	20/-	20/-	20/-	20/-	20/-	20/-	20/-	20/-	each.
High Speed	19/6	19/6	21/-	22/6	24/-	26/-	30/-	34/-	38/-	42/-	46/-	50/-	54/-	58/-	58/-	58/-	58/-	58/-	58/-	58/-	58/-	58/-	each.

State size of Shank required.

Bit Stock Twist Drills for Wood and Metal (Carbon Steel.)



Diameter of Drills—	$\frac{1}{16}$	$\frac{3}{32}$	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	1 $\frac{7}{8}$	1 $\frac{15}{16}$	1 $\frac{1}{2}$	1 $\frac{1}{4}$	1 $\frac{1}{8}$	1 $\frac{1}{16}$	1 $\frac{1}{32}$	1 in.	
Length—	3 $\frac{1}{16}$	3 $\frac{1}{16}$	3 $\frac{1}{8}$	4 $\frac{1}{16}$	4 $\frac{1}{8}$	4 $\frac{1}{4}$	5	5 $\frac{1}{4}$	5 $\frac{1}{2}$	5 $\frac{3}{4}$	6	6 $\frac{1}{4}$	6 $\frac{1}{2}$	6 $\frac{3}{4}$	7	7 $\frac{1}{4}$	7 $\frac{1}{2}$	7 $\frac{3}{4}$	7 $\frac{1}{2}$	7 $\frac{1}{2}$	7 $\frac{1}{2}$	7 $\frac{1}{2}$	ins.
	10/6	11/3	12/6	14/9	16/9	18/9	21/-	25/-	29/3	33/6	35/6	38/6	43/9	49/-	54/3	59/6	64/9	75/-	87/6	100/-	125/-	150/-	doz.

Brace Drills for Wood.




Diameter of Drills—	$\frac{1}{16}$	$\frac{3}{32}$	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	1 $\frac{7}{8}$	1 $\frac{15}{16}$	1 $\frac{1}{2}$	1 $\frac{1}{4}$	1 $\frac{1}{8}$	1 $\frac{1}{16}$	1 $\frac{1}{32}$	1 in.		
Length—	3 $\frac{1}{16}$	3 $\frac{1}{16}$	4 $\frac{1}{16}$	4 $\frac{1}{8}$	5 $\frac{1}{16}$	6 $\frac{1}{16}$	6 $\frac{1}{8}$	7 $\frac{1}{16}$	7 $\frac{1}{8}$	7 $\frac{1}{4}$	7 $\frac{1}{2}$	8 $\frac{1}{16}$	8 $\frac{1}{8}$	8 $\frac{1}{4}$	8 $\frac{1}{2}$	8 $\frac{3}{4}$	9 $\frac{1}{16}$	9 $\frac{1}{8}$	9 $\frac{1}{4}$	9 $\frac{1}{2}$	9 $\frac{3}{4}$	9 $\frac{15}{16}$	ins.	
	13/6	13/6	13/6	14/9	16/9	18/9	21/-	23/-	25/-	27/3	29/3	31/3	33/6	36/6	39/9	42/9	46/-	49/-	52/3	60/6	68/9	87/6	112/6	doz.




JOHN RABONE & SONS



RULES AND TAPES.



We are Factors of this line in the Home Market only.
We carry a good stock of the regular lines and supply
at Manufacturers' prices.






MARPLES "Shamrock Brand" TOOLS



JOHN RABONE & SONS' RULES. BOXWOOD RULES.


ONE FOOT FOUR-FOLD.



1150


- 1150 Round Joint, marked inches in 8ths only—
- 1151 Square " " " $1\frac{1}{2}$ " wide 6/- dozen.
- 1152 Arch " " " $1\frac{1}{2}$ " " 12/- "

TWO FEET AND THREE FEET FOUR-FOLD.




1166

- 1159 Round Joint, EXTRA PROMINENT FIGURES 2 ft. 3 ft.
- 1162 Ditto ditto $1\frac{1}{2}$ " wide 7/6 — doz.
- 1164 Ditto (Hardwood) 1" " 9/9 — "
- 1166 Round Joint, marked in 8ths and 16ths 1" wide 6/- — "
- 1169 Square ditto ditto 1" " 12/- 16/6 doz.
- 1163 Ditto ditto $1\frac{1}{2}$ " " 15/- 19/- "



2 ft. 3 ft.


- 1375 Arch Joint, marked in 8ths and 16ths— 1" wide 16/6 21/- doz.
- 1376 Arch Joint, marked in 8ths and 16ths— 10ths and 12ths 1" wide 17/6 22/6 "
- 1173 Ditto Extra Heavy Figures— Marked in 8ths and 16ths 1" wide 16/6 21/- doz.



1377


- 1377 Arch Joint, marked inches, in 8ths, 16ths, 10ths, 12ths $1\frac{1}{2}$ " wide 20/- 24/- doz.
- 1378 Ditto ditto $1\frac{1}{2}$ " " 22/6 27/- "
- 1380 Ditto ditto $1\frac{1}{2}$ " " 23/- 28/- "
- 1379 Ditto ditto and scales $1\frac{1}{2}$ " " 26/- 31/- "

TWO FEET AND THREE FEET FOUR-FOLD.




1167

- 0608 "Blindman's" Rule, square Joint, marked in 8ths and 16ths 2 ft. 3 ft. $1\frac{1}{2}$ " wide 21/- 26/- doz.
- 1167 Ditto ditto $1\frac{1}{2}$ " " 23/- 28/- "




2547

- 2547 Bevelled Edge on first 6" Fold outside of Rule in 8ths, 16ths, 10ths, 12ths $1\frac{1}{2}$ " wide 22/- 26/6 doz.
- 2548 Ditto ditto $1\frac{1}{2}$ " " 24/6 28/6 "
- 2550 Bevelled Edge on first 6" Fold inside of Rule, marked as above $1\frac{1}{2}$ " wide 22/- 26/6 doz.
- 2551 Ditto ditto $1\frac{1}{2}$ " " 24/6 28/6 "



1179

- 1179 First Leg with Bevelled Edge inside— 2 ft. 3 ft. Marked inches in 8ths, 16ths, 10ths, and 12ths, and scales. Degrees on Joint— $1\frac{1}{2}$ " wide 26/- 32/- doz.
- 1182 Ditto ditto $1\frac{1}{2}$ " " 29/- 35/- "
- 1185 Ditto ditto $1\frac{1}{2}$ " " 33/- 39/- "



- 1180 With Extra Strong Edge Plate Joints, marked 8ths, 16ths, 10ths, 12ths, and scales, and marked full circle of degrees. $1\frac{1}{2}$ " wide 36/- 42/- doz.




MARPLES "Shamrock Brand" TOOLS



JOHN RABONE & SONS' RULES.

BOXWOOD RULES.

TWO FEET AND THREE FEET FOUR-FOLD.



1106

2 ft. 3 ft.

- 1106 Inside Bevelled Edges, with 4 Scales, marked in 8ths, 16ths, 10ths 12ths, 1" wide..... 35/- doz.
- 1118 Inside Bevelled Edges with 8 Scales, marked as above, Edge Plate Joints, 1" wide 43/- 60/- doz.
- 1119 As above..... 1 1/8" wide 55/- 72/- doz.



1101

2 ft. 3 ft.


- 1101 Outside Edges Brass Bound, Arch Joint, marked in 8ths, 16ths, 10ths, 12ths, 1" wide 34/- 42/- doz.
- 1112 As above 1 1/8" ,, 38/- 51/- ,,
- 1113 As above and scales, 1 1/8" ,, 43/- 64/- ,,



1190


2 ft. 3 ft.

- 1190 Two feet 4-fold with Spirit Level and circle of degrees on Joint, marked in 8ths, 16ths and Scales, 1 1/8" wide 68/- 80/- doz.



1185

CALLIPER RULES.




1211

- 1211 1-Foot 4-Fold, with Calliper Gauge, marked in 8ths, and 16ths, with 32nds on Brass Slide, 1" wide 45/- doz.



1202

- 1202 Two feet 4-fold, with Calliper Gauge, marked in 8ths, 16ths, 10ths, 12ths, and 32nds on Brass Slide, 1 1/8" wide..... 58/- doz.



1462

- 1462 Boxwood Gauges, 3" long x 1" wide. Gauge marked inches in 32nds..... 22/- doz.
- 1460 Boxwood Gauges, 4" long x 1 1/8" wide. Gauge marked inches in 32nds..... 30/- doz.

FOUR FEET FOUR-FOLD RULES.

- 1185 Four feet 4-fold, marked in 8ths, 16ths, and 4 Scales, 1 1/8" wide..... 60/- doz.
- 1188 As above, with Extra Strong Edge Plate Joints, 1 1/8" wide..... 65/- doz.




MARPLES "Shamrock Brand" TOOLS



JOHN RABONE & SONS' RULES.

BOXWOOD RULES, TWO FEET TWO-FOLD.




1224 Arch Joint, marked in 8ths, 16ths, 10ths, 12ths, and 2 Scales, 2-ft. 2-fold 1 1/4" wide..... 15/6 doz.



1390 Arch Joints, marked in 8ths, 16ths, 10ths, 12ths, and 2 Scales. With Brass Slide marked in 16ths, 2 ft. 2-fold, 1 1/4" wide 24/- doz.

FLEXIBLE BRASS RULES, TWO FEET TWO-FOLD.




Machine-marked in Ins, in 8ths, and 16ths.
 1493 Round Joint, 1/2" wide 14/- doz.
 1243 Ditto 3/4" wide 16/- ..
 1494 Stop Joint, 1/4" wide 18/6 ..
 1499 Ditto 1/2" wide, Extra deep Black Figures..... 21/- ..

STRAIGHT BOXWOOD SCHOOL RULES.




1038 Straight Boxwood Rules, 12 inches, for School use, etc. Brass Tipped, 7/8" wide 10/- doz.

ARCHITECTS' FOLDING LATHS.



1610 Boxwood, Spring Stop, marked 5 6 feet, feet and inches in 8ths on both sides— 5/- 6/- each.
 1611 Black, with white figures, Spring Stop, marked as above..... 5/6 6/6 ..

BOXWOOD STRAIGHT BENCH RULES.



One Side of Rule,

1139

Other Side of Rule.


			24	36	48	60	72	inches.
1138	Brass Tipped, marked inches in 8ths both sides, 1 in. wide x 3/8 in. thick	20/-	25/-	—	—	—	—	dozen.
1139	Ditto marked 3 lines of inches in 8ths, and figured from both ends, 1 1/2 in. wide x 1/4 in. thick	36/-	45/-	63/-	90/-	126/-	—	..



MARPLES "Shamrock Brand" TOOLS



JOHN RABONE & SONS' RULES. GLAZIERS' LATHS AND T SQUARES.




		2	2½	3	3½	4	5	6	feet.
1136	Glaziers' Boxwood Laths.....	30/-	39/-	48/-	60/-	66/-	96/-	132/-	dozen.
1031	Ditto Laths, with Stop Block End	52/-	59/-	70/-	78/-	88/-	118/-	154/-	..
1137	Ditto T Squares	54/-	62/-	72/-	80/-	92/-	132/-	—	..
1147	Ditto ditto Brass Bound Stock	72/-	80/-	90/-	97/-	110/-	150/-	—	..

DRAPERS' ROUND YARD STICKS AND BRASS COUNTER MEASURES (36 inches long).



1035

1035	Best Lancewood, ½ in. diameter, Brass Caps, 1 in. long, marked inches in 8ths and parts of yard	26/-	dozen.
1034	Beechwood, ½ in. diameter, Brass Caps, 1 in. long, marked as above	20/-	..
1504	Flat Boxwood Yardsticks, 1 in. wide × ⅜ thick, Brass Tipped, marked inches in 8ths one side and parts of yard on other side	25/-	..



1320

1315	Yard Counter Measures marked parts of yard only, ⅜ in. wide.....	25/-	dozen.
1316	Ditto ditto marked inches in 8ths, ⅜ inch wide	28/-	..
1320	Ditto ditto marked inches in 8ths and parts of yard, ⅜ inch wide.....	36/-	..
1317	Ditto ditto marked inches in 8ths and parts of yard, 1 inch wide.....	42/-	..

Packing extra. Measures supplied Government Stamped, extra according to length.

FLEXIBLE STEEL RULES, TWO FEET TWO-FOLD.



1291

1667	Cheap Pattern, Stop Joint, Brass Tips, marked inches in 8ths, 16ths, 32nds, 64ths; ⅜ inch wide.....	17/-	dozen.
1637	Engine Divided ditto No Tips, marked inches in 8ths and 16ths; ⅜ in. wide.....	25/-	..
1638	Ditto ditto Brass Tips, marked inches in 8ths and 16ths; ⅜ inch wide	30/6	..
1641	Ditto ditto G.S. Tips, marked inches in 8ths, 16ths, 32nds, 64ths; ⅜ inch wide	33/-	..
1291	Etched, with Bright raised Figures, Stop Joint, marked inches in 8ths and 16ths; ⅜ inch wide.....	31/6	..
1646S	Engine Divided. This Rule made to fix as a square, marked inches in 8ths, 16ths, 32nds, 64ths; 1½ inch wide...	69/-	..





MARPLES "Shamrock Brand" TOOLS



JOHN RABONE & SONS' RULES

THIN FLEXIBLE FOLDING STEEL RULES, with Stop Joints.




226

226 One Foot 3-fold (folding to 4 inches), marked inches in 16ths, 32nds, 64ths and Millimetres 21/- dozen.

227 Two Feet 4-fold (folding to 6 inches), marked inches in 16ths, 32nds, 64ths and Millimetres 40/- dozen.

Leather Cases for 226 Rules (extra) ... 4/6 dozen ; for 227 Rules... 6/- dozen.


ENGINE DIVIDED STEEL RULES, without Joint.



No. 32 — 12 inch.



No. 11 — 4 inch.



No. 11 — 6 inch.


These Rules are well hardened and tempered and are reliable straight-edges. The 4 inch and 6 inch Rules are $\frac{3}{8}$ inch wide $\times \frac{1}{100}$ inch thick ; 12 inch are $1\frac{1}{8}$ inch wide $\times \frac{1}{100}$ inch thick.

Marked London only—

		4	6	12 inches.
1730	Inches into 16ths, 32nds, 64ths ; Millimetres and Half-Millimetres (on one side)	—	—	12/- dozen.
9	ditto 8ths, 16ths, 32nds, and 64ths on one edge	7/-	8/6	16/6 "
10	ditto 8ths and 16ths on two edges	7/6	9/-	17/- "
11	ditto 8ths, 16ths, 32nds and 64ths on two edges	9/6	12/-	20/- "
13	ditto 10ths, 20ths, 50ths, and 16ths, 32nds, 64ths on two edges	9/6	12/-	20/- "
25	ditto 8ths, 16ths, 32nds, and 64ths on four edges	15/-	18/-	26/- "

Marked London and Metre—

		4	6	12 inches.
32	Inches into 16ths and millimetres on two edges	10/-	13/-	22/- dozen.
34	ditto 16ths, 32nds and 64ths and millimetres and half millimetres on two edges	12/-	15/-	25/- "
39	ditto 10ths, 20ths, 40ths, 50ths, 100ths, 16ths, 32nds, 64ths and millimetres on four edges	18/-	21/-	36/- "
42	ditto 16ths, 32nds, 64ths ; 10ths, 20ths, 50ths, 100ths ; 12ths, 24ths, 48ths, 96ths, and half millimetres } on four edges	18/-	21/-	36/- "
64	ditto 16ths, 32nds, 64ths, ; 10ths, 20ths, 50ths, 100ths ; one side } on four edges	18/-	21/-	36/- "
	millimetres top and half-millimetres bottom one side }	18/-	21/-	36/- "



No. 11A

Narrow, Thick Rules, $\frac{1}{2}$ inch wide $\times \frac{1}{100}$ ths inch thick—

		4	6	12 inches.
11A	Narrow, marked as No. 11 above	9/6	11/-	20/- dozen.
25A	ditto ditto No. 25 ditto	13/6	16/-	24/- "
34A	ditto ditto No. 34 ditto	11/-	13/6	24/- "
42A	ditto ditto No. 42 ditto	16/-	19/-	32/- "
64A	ditto ditto No. 64 ditto	16/-	19/-	32/- "

Narrow, very Flexible Rules, $\frac{1}{2}$ inch wide $\times .012$ inch thick—

		4	6	12 inches.
11C	Flexible, marked as No. 11 above	9/6	11/-	20/- dozen.
34C	ditto ditto No. 34 ditto	11/-	13/6	24/- "

STEEL CONTRACTION RULES.

20	Pattern-makers' Steel Contraction Rules, 24 inches, Standard and Single Contraction for Iron	72/-	dozen.
21	Ditto ditto ditto	72/-	"
23	Ditto ditto ditto	72/-	"
19	Ditto ditto ditto	72/-	"
	24 inches, Standard and Single Contraction for Brass	114/-	"
	24 inches, Single and Double Contraction for Iron		
	24 inches, Standard and Single and Double Contraction for Iron, and Single Contraction for Brass		




MARPLES "Shamrock Brand" TOOLS




JOHN RABONE & SONS' TAPES.

WIND-UP MEASURING TAPES IN LEATHER AND BAKELITE CASES.



Leather Case (Flush Handle).



Bakelite Case (Folding Handle).

Linen Tapes $\frac{3}{8}$ in. wide.
 Metallic Tapes $\frac{1}{8}$ in. wide.
 Rigida Tapes, finest woven tape for durability and accuracy, $\frac{1}{2}$ in. and $\frac{3}{8}$ ins. wide.
 Bakelite Cases are reinforced and waterproof, finished smooth with knurled edge.

All Tapes marked on both sides, Feet (in half-inches) and Links (or with any two measures).

	33	50	66	100 feet.
390 "Rigida" $\frac{3}{8}$ " wide, Leather Case, Folding Handle	9/-	11/-	13/-	17/6 each.
391 Ditto ditto ditto Flush Handle	9/9	12/-	14/-	19/- "
385 Ditto $\frac{1}{2}$ " wide ditto Folding Handle	6/9	9/-	10/6	14/9 "
	33	50	66	100 feet.
400 Best Metallic Tape, $\frac{1}{8}$ " wide, Leather Case, Folding Handle	9/-	11/-	13/-	17/6 each.
401 Ditto ditto ditto ditto Flush Handle	9/9	12/-	14/-	19/- "
480 Ditto ditto ditto Bakelite Case, Folding Handle	8/-	10/-	12/-	16/6 "
250 Cheaper Metallic Tape, ditto Leather Case, ditto	6/9	9/-	10/6	14/9 "
270 Ditto ditto ditto Bakelite Case, ditto	6/9	9/-	10/6	14/9 "
260 Woven Linen Tape, $\frac{1}{8}$ " wide, Leather Case, Folding Handle	5/-	6/9	7/9	10/6 "


STEEL MEASURING TAPES.



4181 (Leather Case).

Steel Tapes, $\frac{1}{8}$ in. and $\frac{1}{4}$ in. wide. Bright Figures, on Black Ground make easy reading.

Cases, Best Leather, Black Steel (for Mechanics' use, where oil would spoil a Leather Case), and Bakelite (reinforced and waterproof).



4351 (Steel Case).

Marked one side only, feet into inches in 8ths—

	25	33	50	66	100 feet.
4151 Steel Tape, $\frac{3}{8}$ " wide, Leather Case	12/-	13/6	19/-	22/-	32/- each.
4181 Ditto $\frac{1}{4}$ " wide ditto	14/-	15/6	21/6	27/-	38/- "
4351 Ditto $\frac{3}{8}$ " wide, Steel Case	8/9	9/6	13/-	16/6	23/- "
4381 Ditto $\frac{1}{4}$ " wide, ditto	12/6	14/-	20/-	24/6	36/- "
5151 Ditto $\frac{3}{8}$ " wide, Bakelite Case	10/6	11/6	15/-	18/6	25/6 "
5181 Ditto $\frac{1}{4}$ " wide, ditto	13/6	15/-	21/-	26/-	37/- "

Marked London and Metre, or with any two measures—

	25	33	50	66	100 feet.
415 Steel Tape, $\frac{3}{8}$ " wide, Leather Case	14/6	18/-	24/6	30/-	43/- each.
418 Ditto $\frac{1}{4}$ " wide, ditto	18/6	21/6	29/6	38/-	53/- "

RUSTLESS TAPES and Tapes marked with other measures—Prices on application.



MARPLES "Shamrock Brand" TOOLS



JOHN RABONE & SONS' TAPES.

SPRING MEASURES, IN NICKEL SILVER CASES.



With Centre Button Stop—

298	Linen Tape, $\frac{1}{4}$ in. wide, marked ins. in 8ths one side and Millimetres on the other	3	5	6 feet.
299	Steel Tape, $\frac{1}{4}$ in. wide, marked as above	2/-	2/4	2/8 each.
		3/-	4/2	4/9 ..

SPRING RULES.

The Concavo-Convex formation of the STEEL in these Rules allows them to be used for HORIZONTAL, PERPENDICULAR and CYLINDRICAL measurements.



The "STIFF-FLEX" Rule in Bakelite Case

This Rule overcomes the disadvantages met with in other types of "Concavo-Convex" Cup Rules. It is simple in action, and has no "arms" or "gadgets" to grip or press to ensure control of the Rule blade. The Bakelite Case has a knurled edge which gives a comfortable grip. Diameter of case $1\frac{1}{4}$ inch. Packed in $\frac{1}{2}$ dozen boxes for showing on counter.

- 360 Marked Inches in 8ths. Figured Feet and Inches. Length 6 feet 3/- each.
- Length 8 feet $\frac{3}{6}$ each.



The "SPRING-FLEX" Rule.

This Rule is under definite control, both coming out and going into the case, and is manually operated. No push button.

The steel case is finished Black.


A new kind of sliding end tip or stop permits extreme accuracy both for "end on" or "hook over" measuring.

- 370 Marked Inches in 8ths. Figured Feet and Inches. Length 6 feet..... $\frac{3}{6}$ each.

The Spring Rule.

Patent No. 345448.

The case is heavily nickel plated and fits comfortably in the pocket without any protruding parts. The Rule is pulled out straight from its case until the required length of rule is uncoiled; it is then automatically retained at that length. The Spring Rule is returned to its case by gentle pressure on a push button.



Patent No. 345448.

- 350 Marked Inches in 8ths. Figured Feet and Inches. Length 6 feet..... $\frac{5}{6}$ each.

TIMBER GIRTHING TAPES, with Ring at end.

3	4	19	1	4	1	2	3	4	20	1	4
2.4	2.5	2.6	2.6	2.7	2.8	2.9	2.1				
6	3	1	10	8	6	4					

Front of Tape—GIRTH.

Back of Tape shewing cubical contents of 1 foot.

449	Rigida Tape, marked as above	5/3	8/6	12/-	13/6	18/-	dozen.
454	Metallic, marked "GIRTH," on one side, feet and inches other	5/3	8/6	12/-	13/6	18/-	"
455	Ditto ditto on both sides	5/3	8/6	12/-	13/6	18/-	"

N.B.—A complete Catalogue of Rabones' Rules and Tapes may be had on application.

GREENUP & THOMPSON LTD.

Printers and Bookbinders

WELLINGTON ST.

SHEFFIELD 1.

Printed in England.

